
Transit study (Rectosigmoid count)
Transit study (Right count)
Transit study (Left count)
Transit study (Total count)
Rectal loading
Rectocoele
Anal coordination
Anal tone
Sensation
[PAC-qol 28] Frequency of satisfaction with treatment
[PAC-qol 27] Frequency of satisfaction with bowel function
[PAC-qol 26] Frequency of satisfaction to bowel habit regularity
[PAC-qol 25] Frequency of satisfaction to stool frequency
[PAC-qol 24] Frequency of having fewer bowel movements than would like
[PAC-qol 23] Frequency of feeling body not working properly
[PAC-qol 22] Frequency of fear that condition will worsen
[PAC-qol 21] Frequency of being more bothered about not being able to open bowels
[PAC-qol 20] Frequency of worry about not being able to open bowels when needed
[PAC-qol 19] Frequency of worry about not knowing when able to open bowels
[PAC-qol 18] Frequency of feeling in control of situation
[PAC-qol 17] Frequency of feeling less self-confident due to condition
[PAC-qol 16] Frequency of feeling stressed by condition
[PAC-qol 15] Frequency of feeling obsessed by condition
[PAC-qol 14] Frequency of being upset by condition
[PAC-qol 13] Frequency of feeling irritable from condition
[PAC-qol 12] Frequency of worry about having to change routine
[PAC-qol 11] Frequency of embarrassment about toileting frequency
[PAC-qol 10] Frequency of embarrassment about time on toilet
[PAC-qol 9] Frequency of worry about not being able to choose what to eat
[PAC-qol 8] Frequency of decreased appetite
[PAC-qol 7] Frequency of needing to be careful about diet
[PAC-qol 6] Frequency of decreased appetite due to bowel habit
[PAC-qol 5] Frequency of embarrassment when with others
[PAC-qol 4] Frequency of need to open bowels but unable to
[PAC-qol 3] Frequency of any physical discomfort
[PAC-qol 2] Frequency of heaviness from constipation
[PAC-qol 1] Frequency of bloating 'to the point of bursting'
Total PAC-qol score
Total PAC-sym score
Stress incontinence
Nocturia
Urinary frequency
[PAC-sym 12] Severity of urge to pass stool but unable to
[PAC-sym 7] Severity of rectal bleeding/tearing during bowel movement
[PAC-sym 6] Severity of rectal burning during/after bowel movement
Frequency of nausea / vomiting
[PAC-sym 3] Severity of bloating
Frequency of bloating
[PAC-sym 8] Severity of tenesmus
Frequency of tenesmus
[PAC-sym 4] Severity of stomach cramps
[PAC-sym 2] Severity of stomach pain
[PAC-sym 1] Severity of stomach discomfort
Pain related to appearance of bowel movement
Pain related to frequency of bowel movement
Severity of abdominal pain
Frequency of abdominal pain
[PAC-sym 5] Severity of pain on defecation
Frequency of pain on defecation
Binary pain on defecation
[PAC-sym 10] Severity of stools being too small
[PAC-sym 9] Severity of stools being too hard
Patient reported treatment effect of laxatives
Requirement to digitate
[PAC-sym 11] Severity of straining
Frequency of straining
Time on toilet per defecatory attempt
Frequency of laxative use
Stool frequency (with laxative)
Stool frequency (without laxative)
Duration of symptoms
Age of onset
Gender
Age
Demographical
Stool frequency
Pain
GI sensory
Non GI sensory
Composite symptom burden / QOL
QOL sub-domains
PR examination
Transit
1
0.8
0.6
0.4
0.2
0
-0.2
-0.4
-0.6
-0.8
-1