

Appendix 3. Baseline Characteristics for Women With Full and Partial Data Collection

Table A3.1: Baseline maternal characteristics for women with full and partial data collection. Values are mean \pm SD for continuous variables, and number (percentage) for categorical values. *BMI= Body Mass Index (kg/m²); GA= Gestational Age. *defined as Hb <110 g/L, [†]unmedicated, [‡](non-ischaemic non- congenital).*

<i>Maternal baseline characteristics</i>	Full data collected N=926	Partial data collected N=115 *	One visit fewer than expected N=56 **	More than one visit fewer than expected N=59 **	Total N=1041
Maternal age (years) \pm SD	31.5 \pm 4.8	31.8 \pm 5.1	32.5 \pm 5.3	31.2 \pm 4.9	34.8 \pm 4.9
Maternal weight (kg) \pm SD	67.9 \pm 13.5	71.6 \pm 16.1	71.6 \pm 15.8	71.5 \pm 16.5	68.3 \pm 13.9
Maternal BMI (kg/m ²) \pm SD	24.8 \pm 4.6	26.0 \pm 5.5	26.0 \pm 16.5	25.9 \pm 5.2	24.9 \pm 4.7
BMI category					
- Normal (18.5-24.9 kg/m ²) (%)	548 (59.2)	63 (54.8)	32 (57.1)	31 (52.5)	611 (58.7)
- Overweight (25.0-29.9 kg/m ²) (%)	258 (27.9)	27 (23.5)	11 (19.6)	16 (27.1)	285 (27.4)
- Obese (\geq 30 kg/m ²) (%)	120 (13.0)	25 (21.7)	13 (23.2)	12 (20.3)	145 (13.9)
GA at first visit (weeks) \pm SD	13.0 \pm 2.4	13.8 \pm 2.4	13.7 \pm 2.6	13.9 \pm 2.2	13.1 \pm 2.4

Green LJ, Mackillop LH, Salvi D, Pullon R, Loerup L, Mossop J et al. Gestation-specific vital sign reference ranges in pregnancy. *Obstet Gynecol* 2020;135.

The authors provided this information as a supplement to their article.

©2020 American College of Obstetricians and Gynecologists.

Nulliparous (%)	400 (43.2)	60 (52.2)	31 (55.4)	29 (49.2)	460 (44.2)
Ethnicity:					
- White (%)	806 (87.0)	83 (72.2)	43 (76.8)	40 (67.8)	889 (85.4)
- Asian (%)	40 (4.3)	12 (10.4)	5 (8.9)	7 (11.9)	52 (5.0)
- African/Caribbean (%)	11 (1.2)	12 (10.4)	4 (7.1)	8 (13.6)	23 (2.2)
- Mixed (%)	14 (77.8)	4 (3.5)	2 (3.6)	2 (3.4)	18 (1.7)
- Other (%)	55 (5.9)	4 (3.5)	2 (3.6)	2 (3.4)	59 (5.7)
Smoker (%)	64 (6.9)	15 (13.0)	6 (10.7)	9 (15.3)	79 (7.6)
Anemia* (%)	5 (0.5)	2 (1.7)	1 (1.8)	1 (1.7)	7 (0.7)
Pre-gestational diabetes (%)	5 (0.5)	1 (0.9)	1 (1.8)	0	6 (0.6)
Pre-existing hypertension [†] (%)	15 (1.6)	2 (1.7)	1 (1.8)	1 (1.7)	17 (1.6)
Cardiac disease ^{††} (%)	12 (1.3)	0	0	0	12 (1.2)
Pre-existing renal disease (%)	24 (2.6)	0	0	0	24 (2.3)

Green LJ, Mackillop LH, Salvi D, Pullon R, Loerup L, Mossop J et al. Gestation-specific vital sign reference ranges in pregnancy. *Obstet Gynecol* 2020;135.

The authors provided this information as a supplement to their article.

©2020 American College of Obstetricians and Gynecologists.