

Supplemental Table 4 – Incremental factors for risk-adjusted mortality at 1-year

	Coefficients	HR	95% CI	p-value
Group				
<i>De novo</i>	Ref.	Ref.	Ref.	Ref.
Bridge-to-transplant	0.286	1.331	(1.188-1.491)	<0.001
Recipient age, years	0.011	1.011	(1.005-1.047)	<0.001
Diagnosis				
Ischemic	Ref.	Ref.	Ref.	Ref.
Dilated, non-ischemic	0.012	1.012	(0.902-1.135)	0.844
Congenital	0.995	2.705	(2.107-3.472)	<0.001
Restricted	0.313	1.367	(1.058-1.766)	0.017
Other	-0.032	0.969	(0.768-1.222)	0.789
Mechanical ventilation	1.110	3.035	(2.220-4.150)	<0.001
Dialysis	0.674	1.963	(1.593-2.419)	<0.001
Donor age, years	0.015	1.015	(1.010-1.019)	<0.001
Ischemic time, hours	0.156	1.169	(1.101-1.241)	<0.001
Glomerular filtration rate, mL/min/1.73m ²	-0.005	0.995	(0.992-0.997)	<0.001
Total waitlist time, days	0.000	1.000	(1.000-1.000)	0.018
Race mismatch	0.167	1.182	(1.067-1.308)	0.001
Recipient body mass index, kg/m ²	0.011	1.011	(0.998-1.024)	0.106
Distance, kilometers	0.000	1.000	(1.000-1.000)	0.027
Recipient-donor BMI ratio	0.341	1.406	(1.076-1.837)	0.013
Primary payment source				
Private	Ref.	Ref.	Ref.	Ref.
Medicare	0.167	1.182	(1.056-1.322)	0.004
Medicaid	0.184	1.202	(1.012-1.428)	0.036
Other public	-0.020	0.980	(0.694-1.384)	0.908
Other	0.197	1.218	(0.671-2.213)	0.517

BMI, body mass index; *CI*, confidence interval; *HR*, hazards ratio.