

Supplemental Table 4. Complications for all patients including patients on extracorporeal membrane oxygenation

	Survivors	Non-Survivors	P-Value
Thrombocytopenia (%)			
Less than $50 \times 10^9 /L$	2/43 (4.7)	2/18 (11.1)	0.574
50% decrease in PLT and $<150 \times 10^9 /L$	11/40 (27.5)	5/18 (27.7)	1.000
Anemia (%)			
Less than 7 g/dL	1/43 (2.3)	2/18 (11.1)	0.205
25% decrease in Hgb and <10 g/dL	12/40 (30.0)	8/18 (44.4)	0.373
Vascular site bleeding or complication (%)	9/44 (20.5)	5/20 (25.0)	0.749
Any bleeding (%)	13/44 (29.5)	3/20 (15.0)	0.351
Lower extremity ischemia (%)	3/44 (6.8)	1/20 (5.0)	1.000
Infection (%)			
Clinically determined	13/44 (29.5)	9/20 (45.0)	0.264
WBC greater than $15 \times 10^9 /L$	14/43 (32.6)	5/18 (27.7)	0.771
25% increase in WBC and $>12 \times 10^9 /L$	14/40 (35.0)	7/18 (38.8)	0.777
CRRT (%)	7/44 (15.9)	15/20 (75.0)	<0.001
Stroke (%)	1/44 (2.3)	4/20 (20.0)	0.030
Pump Exchange (%)	8/44 (18.2)	5/20 (25.0)	0.523
Pump Failure (%)	2/44 (4.5)	2/20 (10.0)	0.583

PLT = platelets; Hgb = hemoglobin; WBC = white blood cells; CRRT = continuous renal replacement therapy