Supplemental digital content 1. Data abstraction form
The Institute of Medicine defines an adverse event as: An event leading to patient harm and caused by management rather than the underlying condition of the patient. Three key components are:
1) Negativity – adverse events are undesirable
2) Patient impact – negative impact on patient health
3) Causation – the event is a result of some part of the healthcare process (commission or omission), rather than the patients' own actions or disease progression.

Study ID:		potentially experience rse event?	Page 1	
	Yes (Please complete Q.2-Q.7) Note: Complete following sections	No No ion for each independent adverse event	End	
Q.2 Potential adverse even Date/time of adverse event: Location of adverse event (i.e. ICU, war		Q.3 Please describe the potential adverse event:		
Q.4a Please rate the degree to which you feel the outcome was preventable? (Rate your confidence in the evidence of preventability of this adverse event (Choose one))	Q.5 What was the nature of the adverse event? (Choose all that apply)	Q.6 Was the adverse event caused by the transition of care (What level of confidence do you have that the transition of care caused the injury (Choose one))	Q.7 What was the severity of the adverse event? (Rate the severity of harm caused to the patient as a result of the adverse event (Choose one))	
 □ 1. Virtually no evidence of preventability □ 2. Slight to modest evidence of preventability □ 3. Preventability not quite likely (less than 50/50 but close call) □ 4. Preventability more than likely (more than 50/50 but close call) □ 5. Strong evidence of preventability □ 6. Virtually certain evidence of preventability 	□ 1. Operative □ 2. Medical-procedure related □ 3. Drug-related □ 4. Supportive care failure* □ 5. Diagnostic error □ 6. Anesthesia-related □ 7. Other: *(e.g. fluids, nutrition, electrolytes, prophylaxis etc.)	□ 1. Virtually no evidence that the event was caused by the transition of care □ 2. Slight to modest evidence that the event was caused by the transition of care □ 3. Transition causation not likely (less than 50/50 but close call) □ 4. Transition causation more likely (more than 50/50 but close call) □ 5. Moderate to strong evidence of causation due to transition of care □ 6. Virtually certain evidence of causation due to transition of care	 □ 1. Up to 1 day of symptoms □ 2. Laboratory abnormality requiring only change in therapy □ 3. More than 1 day of symptoms □ 4. Non-permanent disability □ 5. Permanent disability □ 6. Death 	
	ve been done to prevent this adverse ent?			

Page			

Study ID:			1 agc
Q.2 Potential adverse eve	-	Q.3 Please describe the pot	ential adverse event:
Date/time of adverse event: Location of adverse event (i.e. ICU, war			
Q.4a Please rate the degree to which you feel the outcome was preventable? (Rate your confidence in the evidence of preventability of this adverse event (Choose one))	Q.5 What was the nature of the adverse event? (Choose all that apply)	Q.6 Was the adverse event caused by the transition of care (What level of confidence do you have that the transition of care caused the injury (Choose one))	Q.7 What was the severity of the adverse event? (Rate the severity of harm caused to the patient as a result of the adverse event (Choose one))
 □ 1. Virtually no evidence of preventability □ 2. Slight to modest evidence of preventability □ 3. Preventability not quite likely (less than 50/50 but close call) □ 4. Preventability more than likely (more than 50/50 but close call) □ 5. Strong evidence of preventability □ 6. Virtually certain evidence of preventability 	□ 1. Operative □ 2. Medical- procedure related □ 3. Drug-related □ 4. Supportive care failure* □ 5. Diagnostic error □ 6. Anesthesia-related □ 7. Other: *(e.g. fluids, nutrition, electrolytes, prophylaxis etc.)	 □ 1. Virtually no evidence that the event was caused by the transition of care □ 2. Slight to modest evidence that the event was caused by the transition of care □ 3. Transition causation not likely (less than 50/50 but close call) □ 4. Transition causation more likely (more than 50/50 but close call) □ 5. Moderate to strong evidence of causation due to transition of care □ 6. Virtually certain evidence of causation due to transition of care 	 □ 1. Up to 1 day of symptoms □ 2. Laboratory abnormality requiring only change in therapy □ 3. More than 1 day of symptoms □ 4. Non-permanent disability □ 5. Permanent disability □ 6. Death
Q.4b Please describe what could ha	ve been done to prevent this adverse		

event?

Page			

Study ID:			1 agc
Q.2 Potential adverse eve	-	Q.3 Please describe the pot	ential adverse event:
Date/time of adverse event: Location of adverse event (i.e. ICU, war			
Q.4a Please rate the degree to which you feel the outcome was preventable? (Rate your confidence in the evidence of preventability of this adverse event (Choose one))	Q.5 What was the nature of the adverse event? (Choose all that apply)	Q.6 Was the adverse event caused by the transition of care (What level of confidence do you have that the transition of care caused the injury (Choose one))	Q.7 What was the severity of the adverse event? (Rate the severity of harm caused to the patient as a result of the adverse event (Choose one))
 □ 1. Virtually no evidence of preventability □ 2. Slight to modest evidence of preventability □ 3. Preventability not quite likely (less than 50/50 but close call) □ 4. Preventability more than likely (more than 50/50 but close call) □ 5. Strong evidence of preventability □ 6. Virtually certain evidence of preventability 	□ 1. Operative □ 2. Medical- procedure related □ 3. Drug-related □ 4. Supportive care failure* □ 5. Diagnostic error □ 6. Anesthesia-related □ 7. Other: *(e.g. fluids, nutrition, electrolytes, prophylaxis etc.)	 □ 1. Virtually no evidence that the event was caused by the transition of care □ 2. Slight to modest evidence that the event was caused by the transition of care □ 3. Transition causation not likely (less than 50/50 but close call) □ 4. Transition causation more likely (more than 50/50 but close call) □ 5. Moderate to strong evidence of causation due to transition of care □ 6. Virtually certain evidence of causation due to transition of care 	 □ 1. Up to 1 day of symptoms □ 2. Laboratory abnormality requiring only change in therapy □ 3. More than 1 day of symptoms □ 4. Non-permanent disability □ 5. Permanent disability □ 6. Death
Q.4b Please describe what could ha	ve been done to prevent this adverse		

event?

Page			

Study ID:			1 agc
Q.2 Potential adverse eve	-	Q.3 Please describe the pot	ential adverse event:
Date/time of adverse event: Location of adverse event (i.e. ICU, war			
Q.4a Please rate the degree to which you feel the outcome was preventable? (Rate your confidence in the evidence of preventability of this adverse event (Choose one))	Q.5 What was the nature of the adverse event? (Choose all that apply)	Q.6 Was the adverse event caused by the transition of care (What level of confidence do you have that the transition of care caused the injury (Choose one))	Q.7 What was the severity of the adverse event? (Rate the severity of harm caused to the patient as a result of the adverse event (Choose one))
 □ 1. Virtually no evidence of preventability □ 2. Slight to modest evidence of preventability □ 3. Preventability not quite likely (less than 50/50 but close call) □ 4. Preventability more than likely (more than 50/50 but close call) □ 5. Strong evidence of preventability □ 6. Virtually certain evidence of preventability 	□ 1. Operative □ 2. Medical- procedure related □ 3. Drug-related □ 4. Supportive care failure* □ 5. Diagnostic error □ 6. Anesthesia-related □ 7. Other: *(e.g. fluids, nutrition, electrolytes, prophylaxis etc.)	 □ 1. Virtually no evidence that the event was caused by the transition of care □ 2. Slight to modest evidence that the event was caused by the transition of care □ 3. Transition causation not likely (less than 50/50 but close call) □ 4. Transition causation more likely (more than 50/50 but close call) □ 5. Moderate to strong evidence of causation due to transition of care □ 6. Virtually certain evidence of causation due to transition of care 	 □ 1. Up to 1 day of symptoms □ 2. Laboratory abnormality requiring only change in therapy □ 3. More than 1 day of symptoms □ 4. Non-permanent disability □ 5. Permanent disability □ 6. Death
Q.4b Please describe what could have	ve been done to prevent this adverse		

event?