

Caroline Prot-Bertoye¹, MD; Saïd Lebbah², MD; Michel Daudon³, PhD; Isabelle Tostivint⁴, MD; Pierre Bataille⁵, MD; Franck Bridoux⁶, MD, PhD; Pierre Brignon⁷, MD; Christian Choquenot⁸, MD; Pierre Cochat⁹, MD, PhD; Christian Combe¹⁰, MD, PhD; Pierre Conort¹¹, MD; Stéphane Decramer¹², MD, PhD; Bertrand Doré¹³, MD, PhD; Bertrand Dussol¹⁴, MD, PhD; Marie Essig¹⁵, MD, PhD; Nicolas Gaunez¹³, MD; Dominique Joly², MD, PhD; Sophie Le Toquin-Bernard¹⁶, MD; Arnaud Méjean¹⁷, MD, PhD; Paul Meria¹⁸, MD; Denis Morin¹⁹, MD, PhD; Hung Viet N'Guyen¹⁸, MD; Christian Noël²⁰, MD, PhD; Michel Normand²¹, MD; Michel Pietak¹⁷, MD; Pierre Ronco²², MD, PhD; Christian Saussine²³, MD, PhD; Michel Tsimaratos²⁴, MD, PhD; Gérard Friedlander²⁵, MD, PhD, Olivier Traxer²⁶, MD, PhD; Bertrand Knebelmann², MD, PhD and Marie Courbebaisse²⁵, MD, PhD on the behalf of the French Cystinuria Group

Authors' affiliations:

1 AP-HP (Public Assistance Hospitals of Paris), Bichat Hospital, Department of Nephrology, Paris, France

2 AP-HP, Necker Hospital for Sick Children, Department of Nephrology, and Paris Descartes University, Paris, France

3 AP-HP, Tenon Hospital, Department of Physiology, Functional Renal Explorations Service INSERM, UMR S702, and Pierre and Marie Curie University, Paris, France

4 AP-HP, Pitié-Salpêtrière Hospital, Department of Nephrology, Paris, France

5 Boulogne-sur-Mer Hospital, Department of Nephrology, Boulogne sur Mer, France

6 Poitiers University Hospital, Department of Nephrology, and Poitiers University, Poitiers, France

7 Louis Pasteur Hospital, Department of Nephrology, Colmar, France

8 Princesse Grace Hospital, Department of Urology, Monaco

- 9** Lyon University Hospital, Department of Nephrology, Lyon, France
- 10** Pellegrin Hospital, Department of Nephrology, Bordeaux, France
- 11** AP-HP, Pitié-Salpêtrière Hospital, Department of Urology, Paris, France
- 12** Toulouse University Children Hospital, Department of Nephrology and Internal Medicine, and INSERM U1048, Toulouse, France
- 13** Poitiers University Hospital, Department of Urology, and Poitiers University, Poitiers, France
- 14** AP-HM (Public Assistance Hospitals of Marseille), Conception Hospital, Department of Nephrology, and Aix-Marseille University, Marseille, France
- 15** Limoges University Hospital, Department of Nephrology, Dialysis and Transplantation, Limoges University, and INSERM UMR-S850, Limoges, France
- 16** Private Saint-Martin Hospital, Department of Urology, Caen, France
- 17** AP-HP, Georges Pompidou European Hospital, Department of Urology, and Paris Descartes University, Paris, France
- 18** AP-HP, Saint-Louis Hospital, Department of Urology, Paris, France
- 19** Montpellier University Hospital, Department of Pediatrics (Pediatric Nephrology and Diabetology), and CNRS UMR 5203-INSERM U661, Montpellier, France
- 20** Claude Huriez University Hospital, Department of Nephrology, Lille, France
- 21** Private Saint-Martin Hospital, Department of Nephrology, Pessac, France
- 22** AP-HP, Tenon Hospital, Department of Nephrology and Dialysis, Pierre and Marie Curie University, and INSERM Unit 702, Paris, France
- 23** Strasbourg University Hospital, Department of Urology, and Strasbourg University, Strasbourg, France
- 24** AP-HM, La Timone Hospital, Department of Pediatrics, and Mediterranean University, Marseille, France

25 AP-HP, Georges Pompidou European Hospital, Department of Physiology, Functional Renal Explorations Service, Paris Descartes University, and INSERM U1151, Paris, France

26 AP-HP, Tenon Hospital, Department of Urology, and Pierre and Marie Curie University, Paris, France