

Collaborators:

Eric Abergel (Centre de Traitement des Maladies Rénales (C.T.M.R.) Saint-Augustin, Bordeaux, France); Jawad Atrash (Shaare Zedek Medical Center, Department of Nephrology - Jerusalem, Israel); Udo Bavendiek (Hannover Medical School, Department of Nephrology - Hannover, Germany); Caroline Bidault (Ambroise Pare University Hospital (APHP), Paris-Ile-de France-Ouest University (UVSQ), Institut national de la santé et de la recherche médicale (INSERM) U1018 - Boulogne Billancourt/Paris, France); Marie Blinn (Saarland University Hospital, Department of Internal Medicine IV – Homburg, Germany); Astrid Breitbart (Hannover Medical School, Department of Nephrology, - Hannover, Germany); Albane Brodin-Sartorius (Ambroise Pare University Hospital (APHP), Paris-Ile-de France-Ouest University (UVSQ), Institut national de la santé et de la recherche médicale (INSERM) U1018 - Boulogne Billancourt/Paris, France); Maciej Bulanowski (Medical University of Silesia in Katowice, Department of Nephrology, Endocrinology and Metabolic Diseases - Katowice, Poland); Carola Cademartiri (University of Parma, Department of Medical Clinic, Nephrology and Sciences of Prevention - Parma, Italy); Loutradis N. Charalampos (Aristotle University, Department of Nephrology - Thessaloniki, Greece); Nelly Castin (Centre d'Investigation Clinique Plurithématique - Institut national de la santé et de la recherche médicale (INSERM) 1433 Centre hospitalier régional et universitaire (CHU) de Nancy, University of Lorraine, Association Lorraine de Traitement de l'Insuffisance Rénale (ALTIR) - Nancy France); Faty Diallo (Ambroise Pare University Hospital (APHP), Paris-Ile-de France-Ouest University (UVSQ), Institut national de la santé et de la recherche médicale (INSERM) U1018 - Boulogne Billancourt/Paris, France); Paola Di Marco (Aural Hémodialyse Strasbourg, France); Tommaso Di Motta (University of Parma, Department of Medical Clinic, Nephrology and Sciences of Prevention - Parma, Italy); Philipp Ege (Saarland University Hospital, Department of Internal Medicine IV – Homburg, Germany); Andreu Foraster (Centro Diálisis del Baix Llobregat DIAVERUM) -Bellvitge's University Hospital - Barcelona, Spain); Klaudia Gieszczyk-Strózik (Medical University of Silesia in Katowice, Department of Nephrology, Endocrinology and Metabolic Diseases - Katowice, Poland); Nicolas Girerd (Centre d'Investigation Clinique Plurithématique - Institut national de la santé et de la recherche médicale (INSERM) 1433 Centre hospitalier régional et universitaire (CHU) de Nancy, University of Lorraine, Association Lorraine de Traitement de l'Insuffisance Rénale (ALTIR) - Nancy France); Anna Gozdzik (Medical University, Department of Nephrology and Transplantation Medicine - Wroclaw, Poland); Gunnar Henrik Heine (Saarland University Hospital, Department of Internal Medicine IV – Homburg, Germany); Thomas Kraemer (Hannover Medical School, Department of Nephrology - Hannover, Germany); Barbara Krunic (University Clinical Centre Maribor, Department of Dialysis - Maribor, Slovenia); Massimo Magnacca (Azienda Sanitaria Locale (ASL) 12, Versilia Hospital - Viareggio, Italy); Nicolas Mansekal (Ambroise Pare University Hospital (APHP), Paris-Ile-de France-Ouest University (UVSQ), Institut national de la santé et de la recherche médicale (INSERM) U1018 - Boulogne Billancourt/Paris, France); Sylvain Marchais (Centre Hospitalier F.H. Manhès, Department of Nephrology, Hemodialysis - Fleury-Mérogis, France); François Marchal (Centre de Traitement des Maladies Rénales (C.T.M.R.) Saint-Augustin, Bordeaux, France); Edoardo Melilli (Bellvitge's University Hospital - Barcelona, Spain); Katarzyna Mizia (Medical University of Silesia in Katowice, Department of Nephrology, Endocrinology and Metabolic Diseases - Katowice, Poland); Somaveh Mohammad Khani (Hannover Medical School, Department of Nephrology - Hannover, Germany); Mihai Onofriescu (Dr. C.I.Parhon Hospital, Nephrology Clinic, Dialysis and Transplantation Centre - Iasi, Romania); Bruno Marc Pannier (Centre Hospitalier F.H. Manhès, Department of Nephrology, Hemodialysis - Fleury-Mérogis, France); Konstantinos Pappas (University Hospital of Ioannina, School of Health Sciences – Ioannina, Greece); Ingo Plagmann (Hannover Medical School, Department of Nephrology - Hannover, Germany); Carolina Polo (Bellvitge's University Hospital - Barcelona, Spain); Giuseppe Regolisti (University of Parma, Department of Medical Clinic, Nephrology and Sciences of Prevention - Parma, Italy); Guido Ricchiuti (Azienda Sanitaria Locale (ASL) 12, Versilia Hospital - Viareggio, Italy); Radu Andy Sascau (Dr. C.I.Parhon Hospital, Nephrology Clinic, Dialysis and Transplantation Centre - Iasi, Romania); Franco Schito (University of Parma, Department of Medical Clinic, Nephrology and Sciences of Prevention - Parma, Italy); Alexandre Seidowsky (Ambroise Pare University Hospital (APHP), Paris-Ile-de France-Ouest University (UVSQ), Institut national de la santé et de la recherche médicale (INSERM) U1018 - Boulogne Billancourt/Paris, France); Tomas Serrato (Centre Hospitalier F.H. Manhès, Department of Nephrology, Hemodialysis - Fleury-Mérogis, France); Mohammad-Khani Somayeh (Hannover Medical School, Department of Nephrology - Hannover, Germany); Sophie Vallance (Centre d'Investigation Clinique Plurithématique - Institut national de la santé et de la recherche médicale (INSERM) 1433 Centre hospitalier régional et universitaire (CHU) de Nancy, University of Lorraine, Association Lorraine de Traitement de l'Insuffisance Rénale (ALTIR) - Nancy France);

Sara Maria Viganò (Ospedale “A. Manzoni, Nephrology and Dialysis Unit - Lecco, Italy); Eve Vilaine (Ambroise Pare University Hospital (APHP), Paris-Ile-de France-Ouest University (UVSQ), Institut national de la santé et de la recherche médicale (INSERM) U1018 - Boulogne Billancourt/Paris, France); Gustavo Villalobos (Bellvitge’s University Hospital - Barcelona, Spain); Tanya Weitsman (Shaare Zedek Medical Center, Department of Nephrology - Jerusalem, Israel); Christian Widera (Hannover Medical School, Department of Nephrology - Hannover, Germany); Stephen Zewinger (Saarland University Hospital, Department of Internal Medicine IV – Homburg, Germany); Christos Zounis (IASIO Hospital, General Clinic of Kallithea, Nephrology Department - Kallithea Greece)