

Supplementary Table 2. Analysis of laboratory parameters associated with the number of GBP

Parameters	Single, <i>n</i> (%)	Multiple, <i>n</i> (%)	χ^2	<i>P</i>
TG (mmol/L)			10.0298	0.022
<2.3	931 (93.01)	306 (87.43)		
\geq 2.3	71 (7.08)	44 (12.57)		
TC (mmol/L)			1.5504	0.328
<6.2	858 (85.63)	309 (88.57)		
\geq 6.2	144 (14.37)	41 (11.43)		
HDL-C (mmol/L)			7.4478	0.038
<1.0	129 (12.97)	68 (19.43)		
\geq 1.0	873 (87.03)	282 (80.57)		
LDL-C (mmol/L)			0.2557	0.691
<4.1	919 (91.62)	324 (92.57)		
\geq 4.1	83 (8.38)	26 (7.43)		
FBG (mmol/L)			0.0019	0.976
<6.1	812 (81.04)	284 (81.14)		
\geq 6.1	190 (18.96)	66 (18.86)		
HBsAg			0.0446	0.833
Positive	21 (2.10)	8 (2.29)		
Negative	981 (97.90)	342 (97.71)		
Gallstone combined			1.228	0.470
Yes	35 (3.59)	8 (2.29)		
No	967 (96.41)	342 (97.71)		

GBP: Gallbladder polyps; TC: Total cholesterol; TG: Triglyceride; HDL-C: High density lipoprotein; LDL-C: Low-density lipoprotein; FBG: Fasting blood glucose; HBsAg: Hepatitis B surface antigen.