

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	<i>C</i> ( <i>t</i> )	(2)	(3)	(4)	(5)	(6)	(7)
	since 1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
<b>1750</b>	<b>0</b>	<b>276.44</b>	<b>16.33</b>	<b>0</b>	<b>276.44</b>	<b>0</b>	<b>0</b>	<b>0</b>
1751	1	276.40	16.33	0.01	276.39	-0.05	-0.04	0.01
1752	2	276.36	16.33	0.02	276.34	-0.10	-0.08	0.01
1753	3	276.33	16.33	0.02	276.31	-0.13	-0.11	0.01
1754	4	276.31	16.33	0.03	276.28	-0.16	-0.13	0.01
1755	5	276.29	16.33	0.04	276.25	-0.19	-0.15	0.01
1756	6	276.28	16.33	0.05	276.23	-0.21	-0.16	0.01
1757	7	276.28	16.33	0.06	276.22	-0.22	-0.16	0.01
1758	8	276.29	16.33	0.07	276.22	-0.22	-0.15	0.01
1759	9	276.30	16.33	0.07	276.23	-0.21	-0.14	0.01
1760	10	276.32	16.33	0.08	276.24	-0.20	-0.12	0.01
1761	11	276.36	16.32	0.09	276.27	-0.17	-0.08	0.01
1762	12	276.40	16.32	0.10	276.30	-0.14	-0.04	0.01
1763	13	276.45	16.32	0.11	276.34	-0.10	0.01	0.01
1764	14	276.51	16.32	0.12	276.39	-0.05	0.07	0.01
1765	15	276.58	16.32	0.12	276.46	0.02	0.14	0.01
1766	16	276.65	16.32	0.13	276.52	0.08	0.21	0.01
1767	17	276.73	16.32	0.14	276.59	0.15	0.29	0.01
1768	18	276.81	16.32	0.15	276.66	0.22	0.37	0.01
1769	19	276.88	16.32	0.16	276.72	0.28	0.44	0.01
1770	20	276.96	16.32	0.17	276.79	0.35	0.52	0.01
1771	21	277.03	16.32	0.17	276.86	0.42	0.59	0.01
1772	22	277.09	16.32	0.18	276.91	0.47	0.65	0.01
1773	23	277.15	16.32	0.19	276.96	0.52	0.71	0.01
1774	24	277.19	16.32	0.20	276.99	0.55	0.75	0.01
1775	25	277.22	16.32	0.21	277.01	0.57	0.78	0.01
1776	26	277.24	16.32	0.22	277.02	0.58	0.80	0.01
1777	27	277.27	16.32	0.22	277.05	0.61	0.83	0.01
1778	28	277.31	16.32	0.23	277.08	0.64	0.87	0.01
1779	29	277.37	16.32	0.24	277.13	0.69	0.93	0.01
1780	30	277.46	16.32	0.25	277.21	0.77	1.02	0.01
1781	31	277.58	16.31	0.26	277.32	0.88	1.14	0.02
1782	32	277.73	16.31	0.27	277.46	1.02	1.29	0.02
1783	33	277.92	16.31	0.27	277.65	1.21	1.48	0.02
1784	34	278.13	16.31	0.28	277.85	1.41	1.69	0.02

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	C(t)	(2)	(3)	(4)	(5)	(6)	(7)
	since 1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
1785	35	278.36	16.31	0.29	278.07	1.63	1.92	0.02
1786	36	278.62	16.31	0.30	278.32	1.88	2.18	0.02
1787	37	278.89	16.31	0.31	278.58	2.14	2.45	0.02
1788	38	279.16	16.31	0.32	278.84	2.40	2.72	0.02
1789	39	279.44	16.31	0.32	279.12	2.68	3.00	0.02
1790	40	279.72	16.31	0.33	279.39	2.95	3.28	0.02
1791	41	280.00	16.31	0.34	279.66	3.22	3.56	0.02
1792	42	280.27	16.31	0.35	279.92	3.48	3.83	0.02
1793	43	280.52	16.31	0.36	280.16	3.72	4.08	0.02
1794	44	280.76	16.31	0.37	280.39	3.95	4.32	0.02
1795	45	280.97	16.31	0.37	280.60	4.16	4.53	0.02
1796	46	281.16	16.31	0.38	280.78	4.34	4.72	0.02
1797	47	281.34	16.31	0.39	280.95	4.51	4.90	0.03
1798	48	281.51	16.31	0.40	281.11	4.67	5.07	0.03
1799	49	281.69	16.31	0.41	281.28	4.84	5.25	0.03
1800	50	281.86	16.31	0.42	281.44	5.00	5.42	0.03
1801	51	282.05	16.31	0.42	281.63	5.19	5.61	0.03
1802	52	282.24	16.30	0.43	281.81	5.37	5.80	0.04
1803	53	282.44	16.30	0.44	282.00	5.56	6.00	0.03
1804	54	282.63	16.30	0.45	282.18	5.74	6.19	0.03
1805	55	282.81	16.30	0.46	282.35	5.91	6.37	0.03
1806	56	282.99	16.30	0.47	282.52	6.08	6.55	0.04
1807	57	283.16	16.30	0.47	282.69	6.25	6.72	0.04
1808	58	283.30	16.30	0.48	282.82	6.38	6.86	0.04
1809	59	283.43	16.30	0.49	282.94	6.50	6.99	0.04
1810	60	283.53	16.30	0.50	283.03	6.59	7.09	0.04
1811	61	283.61	16.30	0.51	283.10	6.66	7.17	0.04
1812	62	283.66	16.30	0.52	283.14	6.70	7.22	0.04
1813	63	283.67	16.30	0.52	283.15	6.71	7.23	0.04
1814	64	283.64	16.30	0.53	283.11	6.67	7.20	0.04
1815	65	283.57	16.30	0.54	283.03	6.59	7.13	0.04
1816	66	283.46	16.30	0.55	282.91	6.47	7.02	0.05
1817	67	283.33	16.30	0.56	282.77	6.33	6.89	0.05
1818	68	283.17	16.30	0.57	282.60	6.16	6.73	0.05
1819	69	283.00	16.30	0.57	282.43	5.99	6.56	0.05

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	C(t)	(2)	(3)	(4)	(5)	(6)	(7)
	since 1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
1820	70	282.83	16.30	0.58	282.25	5.81	6.39	0.05
1821	71	282.66	16.30	0.59	282.07	5.63	6.22	0.05
1822	72	282.50	16.29	0.60	281.90	5.46	6.06	0.06
1823	73	282.36	16.29	0.61	281.75	5.31	5.92	0.06
1824	74	282.25	16.29	0.62	281.63	5.19	5.81	0.06
1825	75	282.17	16.29	0.62	281.55	5.11	5.73	0.06
1826	76	282.13	16.29	0.63	281.50	5.06	5.69	0.06
1827	77	282.15	16.29	0.64	281.51	5.07	5.71	0.07
1828	78	282.21	16.29	0.65	281.56	5.12	5.77	0.07
1829	79	282.31	16.29	0.66	281.65	5.21	5.87	0.07
1830	80	282.45	16.29	0.67	281.78	5.34	6.01	0.09
1831	81	282.62	16.29	0.67	281.95	5.51	6.18	0.08
1832	82	282.81	16.29	0.68	282.13	5.69	6.37	0.08
1833	83	283.02	16.29	0.69	282.33	5.89	6.58	0.09
1834	84	283.24	16.29	0.70	282.54	6.10	6.80	0.09
1835	85	283.47	16.29	0.71	282.76	6.32	7.03	0.09
1836	86	283.71	16.29	0.72	282.99	6.55	7.27	0.11
1837	87	283.95	16.29	0.72	283.23	6.79	7.51	0.11
1838	88	284.19	16.29	0.73	283.46	7.02	7.75	0.11
1839	89	284.43	16.29	0.74	283.69	7.25	7.99	0.11
1840	90	284.68	16.29	0.75	283.93	7.49	8.24	0.12
1841	91	284.93	16.29	0.76	284.17	7.73	8.49	0.12
1842	92	285.18	16.28	0.77	284.41	7.97	8.74	0.13
1843	93	285.42	16.28	0.78	284.64	8.20	8.98	0.14
1844	94	285.66	16.28	0.78	284.88	8.44	9.22	0.14
1845	95	285.90	16.28	0.79	285.11	8.67	9.46	0.16
1846	96	286.14	16.28	0.80	285.34	8.90	9.70	0.16
1847	97	286.40	16.28	0.81	285.59	9.15	9.96	0.17
1848	98	286.65	16.28	0.82	285.83	9.39	10.21	0.17
1849	99	286.87	16.28	0.83	286.04	9.60	10.43	0.18
1850	100	287.06	16.28	0.84	286.22	9.78	10.62	0.20
1851	101	287.19	16.28	0.84	286.35	9.91	10.75	0.20
1852	102	287.26	16.28	0.85	286.41	9.97	10.82	0.21
1853	103	287.27	16.28	0.86	286.41	9.97	10.83	0.22
1854	104	287.22	16.28	0.87	286.35	9.91	10.78	0.25

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	C(t)	(2)	(3)	(4)	(5)	(6)	(7)
	since 1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
1855	105	287.13	16.28	0.88	286.25	9.81	10.69	0.26
1856	106	287.00	16.28	0.89	286.11	9.67	10.56	0.28
1857	107	286.85	16.28	0.90	285.95	9.51	10.41	0.28
1858	108	286.69	16.28	0.91	285.78	9.34	10.25	0.29
1859	109	286.53	16.28	0.91	285.62	9.18	10.09	0.30
1860	110	286.39	16.28	0.92	285.47	9.03	9.95	0.33
1861	111	286.26	16.28	0.93	285.33	8.89	9.82	0.35
1862	112	286.16	16.27	0.94	285.22	8.78	9.72	0.35
1863	113	286.11	16.27	0.95	285.16	8.72	9.67	0.38
1864	114	286.10	16.27	0.96	285.14	8.70	9.66	0.41
1865	115	286.16	16.27	0.97	285.19	8.75	9.72	0.44
1866	116	286.28	16.27	0.98	285.30	8.86	9.84	0.45
1867	117	286.45	16.27	0.99	285.46	9.02	10.01	0.48
1868	118	286.69	16.27	1.00	285.69	9.25	10.25	0.49
1869	119	286.95	16.27	1.01	285.94	9.50	10.51	0.52
1870	120	287.24	16.27	1.02	286.22	9.78	10.80	0.54
1871	121	287.53	16.27	1.03	286.50	10.06	11.09	0.58
1872	122	287.82	16.27	1.04	286.78	10.34	11.38	0.64
1873	123	288.09	16.27	1.05	287.04	10.60	11.65	0.67
1874	124	288.33	16.27	1.06	287.27	10.83	11.89	0.64
1875	125	288.53	16.27	1.07	287.46	11.02	12.09	0.69
1876	126	288.70	16.27	1.08	287.62	11.18	12.26	0.70
1877	127	288.84	16.27	1.09	287.75	11.31	12.40	0.71
1878	128	288.96	16.27	1.10	287.86	11.42	12.52	0.72
1879	129	289.08	16.26	1.11	287.97	11.53	12.64	0.77
1880	130	289.20	16.26	1.12	288.08	11.64	12.76	0.87
1881	131	289.34	16.26	1.13	288.21	11.77	12.90	0.89
1882	132	289.51	16.26	1.14	288.37	11.93	13.07	0.94
1883	133	289.72	16.26	1.16	288.56	12.12	13.28	1.00
1884	134	289.97	16.26	1.17	288.80	12.36	13.53	1.01
1885	135	290.29	16.26	1.18	289.11	12.67	13.85	1.02
1886	136	290.66	16.26	1.19	289.47	13.03	14.22	1.03
1887	137	291.09	16.26	1.20	289.89	13.45	14.65	1.08
1888	138	291.55	16.26	1.22	290.33	13.89	15.11	1.20
1889	139	292.05	16.26	1.23	290.82	14.38	15.61	1.20

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	C(t)	(2)	(3)	(4)	(5)	(6)	(7)
	since 1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
1890	140	292.56	16.26	1.24	291.32	14.88	16.12	1.31
1891	141	293.08	16.26	1.26	291.82	15.38	16.64	1.36
1892	142	293.59	16.26	1.27	292.32	15.88	17.15	1.37
1893	143	294.09	16.25	1.29	292.80	16.36	17.65	1.36
1894	144	294.55	16.25	1.30	293.25	16.81	18.11	1.40
1895	145	294.96	16.25	1.32	293.64	17.20	18.52	1.49
1896	146	295.31	16.25	1.33	293.98	17.54	18.87	1.54
1897	147	295.58	16.25	1.35	294.23	17.79	19.14	1.61
1898	148	295.77	16.25	1.37	294.40	17.96	19.33	1.70
1899	149	295.91	16.25	1.38	294.53	18.09	19.47	1.86
1900	150	296.03	16.25	1.40	294.63	18.19	19.59	1.96
1901	151	296.14	16.25	1.42	294.72	18.28	19.70	2.03
1902	152	296.28	16.25	1.44	294.84	18.40	19.84	2.08
1903	153	296.46	16.24	1.46	295.00	18.56	20.02	2.26
1904	154	296.70	16.24	1.48	295.22	18.78	20.26	2.29
1905	155	297.00	16.24	1.50	295.50	19.06	20.56	2.43
1906	156	297.35	16.24	1.52	295.83	19.39	20.91	2.60
1907	157	297.74	16.24	1.54	296.20	19.76	21.30	2.87
1908	158	298.14	16.24	1.56	296.58	20.14	21.70	2.75
1909	159	298.55	16.24	1.59	296.96	20.52	22.11	2.88
1910	160	298.95	16.24	1.61	297.34	20.90	22.51	3.00
1911	161	299.35	16.23	1.64	297.71	21.27	22.91	3.06
1912	162	299.77	16.23	1.66	298.11	21.67	23.33	3.22
1913	163	300.21	16.23	1.69	298.52	22.08	23.77	3.46
1914	164	300.66	16.23	1.72	298.94	22.50	24.22	3.12
1915	165	301.13	16.23	1.75	299.38	22.94	24.69	3.07
1916	166	301.60	16.23	1.78	299.82	23.38	25.16	3.30
1917	167	302.06	16.22	1.81	300.25	23.81	25.62	3.51
1918	168	302.51	16.22	1.84	300.67	24.23	26.07	3.43
1919	169	302.93	16.22	1.88	301.05	24.61	26.49	2.96
1920	170	303.33	16.22	1.91	301.42	24.98	26.89	3.42
1921	171	303.70	16.22	1.95	301.75	25.31	27.26	2.94
1922	172	304.06	16.21	1.99	302.07	25.63	27.62	3.10
1923	173	304.42	16.21	2.03	302.39	25.95	27.98	3.56
1924	174	304.78	16.21	2.07	302.71	26.27	28.34	3.53

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	C(t)	(2)	(3)	(4)	(5)	(6)	(7)
	since 1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
1925	175	305.14	16.21	2.12	303.02	26.58	28.70	3.58
1926	176	305.49	16.20	2.16	303.33	26.89	29.05	3.61
1927	177	305.84	16.20	2.21	303.63	27.19	29.40	3.89
1928	178	306.19	16.20	2.26	303.93	27.49	29.75	3.87
1929	179	306.52	16.19	2.31	304.21	27.77	30.08	4.16
1930	180	306.85	16.19	2.36	304.49	28.05	30.41	3.82
1931	181	307.19	16.19	2.42	304.77	28.33	30.75	3.41
1932	182	307.53	16.19	2.47	305.06	28.62	31.09	3.08
1933	183	307.88	16.18	2.53	305.35	28.91	31.44	3.25
1934	184	308.26	16.18	2.60	305.66	29.22	31.82	3.54
1935	185	308.65	16.17	2.66	305.99	29.55	32.21	3.73
1936	186	309.05	16.17	2.73	306.32	29.88	32.61	4.10
1937	187	309.45	16.17	2.80	306.65	30.21	33.01	4.39
1938	188	309.82	16.16	2.87	306.95	30.51	33.38	4.15
1939	189	310.15	16.16	2.95	307.20	30.76	33.71	4.32
1940	190	310.42	16.15	3.03	307.39	30.95	33.98	4.72
1941	191	310.62	16.15	3.11	307.51	31.07	34.18	4.84
1942	192	310.76	16.14	3.20	307.56	31.12	34.32	4.88
1943	193	310.85	16.14	3.29	307.56	31.12	34.41	5.06
1944	194	310.92	16.13	3.38	307.54	31.10	34.48	5.05
1945	195	310.97	16.13	3.48	307.49	31.05	34.53	4.23
1946	196	311.02	16.12	3.58	307.44	31.00	34.58	4.50
1947	197	311.10	16.11	3.69	307.41	30.97	34.66	5.06
1948	198	311.21	16.11	3.80	307.41	30.97	34.77	5.34
1949	199	311.36	16.10	3.91	307.45	31.01	34.92	5.14
1950	200	311.54	16.10	4.03	307.51	31.07	35.10	5.83
1951	201	311.76	16.09	4.16	307.60	31.16	35.32	6.32
1952	202	312.03	16.08	4.29	307.74	31.30	35.59	6.41
1953	203	312.34	16.07	4.42	307.92	31.48	35.90	6.56
1954	204	312.71	16.06	4.57	308.14	31.70	36.27	6.64
1955	205	313.14	16.06	4.71	308.43	31.99	36.70	7.27
1956	206	313.63	16.05	4.87	308.76	32.32	37.19	7.75
1957	207	314.17	16.04	5.02	309.15	32.71	37.73	8.07
1958	208	314.76	16.03	5.19	309.57	33.13	38.32	8.28
1959	209	315.38	16.02	5.36	310.02	33.58	38.94	8.72

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	<i>C</i> ( <i>t</i> )	(2)	(3)	(4)	(5)	(6)	(7)
	since 1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
1960	210	316.04	16.01	5.54	310.50	34.06	39.60	9.12
1961	211	316.72	16.00	5.73	310.99	34.55	40.28	9.14
1962	212	317.43	15.99	5.92	311.51	35.07	40.99	9.51
1963	213	318.15	15.98	6.13	312.02	35.58	41.71	10.02
1964	214	318.90	15.96	6.34	312.56	36.12	42.46	10.59
1965	215	319.68	15.95	6.56	313.12	36.68	43.24	11.06
1966	216	320.51	15.94	6.78	313.73	37.29	44.07	11.61
1967	217	321.38	15.93	7.02	314.36	37.92	44.94	11.96
1968	218	322.29	15.91	7.27	315.02	38.58	45.85	12.55
1969	219	323.25	15.90	7.53	315.72	39.28	46.81	13.30
1970	220	324.26	15.88	7.79	316.47	40.03	47.82	14.26
1971	221	325.31	15.87	8.07	317.24	40.80	48.87	14.80
1972	222	326.40	15.85	8.36	318.04	41.60	49.96	15.37
1973	223	327.53	15.83	8.66	318.87	42.43	51.09	16.17
1974	224	328.71	15.82	8.97	319.74	43.30	52.27	16.21
1975	225	329.93	15.80	9.30	320.63	44.19	53.49	16.17
1976	226	331.20	15.78	9.64	321.56	45.12	54.76	17.06
1977	227	332.51	15.76	9.99	322.52	46.08	56.07	17.61
1978	228	333.88	15.74	10.36	323.52	47.08	57.44	17.79
1979	229	335.29	15.72	10.74	324.55	48.11	58.85	18.85
1980	230	336.74	15.70	11.13	325.61	49.17	60.30	18.63
1981	231	338.20	15.68	11.55	326.65	50.21	61.76	18.26
1982	232	339.69	15.65	11.97	327.72	51.28	63.25	18.21
1983	233	341.19	15.63	12.42	328.77	52.33	64.75	18.39
1984	234	342.71	15.60	12.88	329.83	53.39	66.27	19.73
1985	235	344.24	15.58	13.36	330.88	54.44	67.80	20.14
1986	236	345.77	15.55	13.86	331.91	55.47	69.33	20.63
1987	237	347.29	15.52	14.38	332.91	56.47	70.85	21.29
1988	238	348.81	15.49	14.93	333.88	57.44	72.37	21.99
1989	239	350.31	15.46	15.49	334.82	58.38	73.87	22.28
1990	240	351.77	15.43	16.07	335.70	59.26	75.33	22.53
1991	241	353.21	15.40	16.68	336.53	60.09	76.77	22.13
1992	242	354.64	15.37	17.32	337.32	60.88	78.20	21.92
1993	243	356.07	15.33	17.97	338.10	61.66	79.63	22.06
1994	244	357.53	15.30	18.66	338.87	62.43	81.09	22.26

**Table 2. World atmospheric CO<sub>2</sub>, its C-14 specific activity, anthropogenic-fossil component, non fossil component, and emissions (1750 - 2018).**

Year	Time t	<i>C</i> ( <i>t</i> )	(2)	(3)	(4)	(5)	(6)	(7)
	since		< <i>S</i> ( <i>t</i> )>	< <i>C<sub>F</sub></i> ( <i>t</i> )>	<i>C<sub>NF</sub></i> ( <i>t</i> )	<i>DC<sub>NF</sub></i> ( <i>t</i> )	<i>DC</i> ( <i>t</i> )	<i>DE</i> ( <i>t</i> )
	1750							
	(years)	(ppm)	(dpm (gC) <sup>-1</sup> )	(ppm)	(ppm)	(ppm)	(ppm)	(bill. met. tons)
1995	245	359.05	15.26	19.37	339.68	63.24	82.61	22.79
1996	246	360.62	15.22	20.11	340.51	64.07	84.18	23.27
1997	247	362.24	15.18	20.88	341.36	64.92	85.80	23.34
1998	248	363.92	15.14	21.68	342.24	65.80	87.48	23.46
1999	249	365.66	15.10	22.52	343.14	66.70	89.22	23.81
2000	250	367.43	15.06	23.39	344.04	67.60	90.99	24.53
2001	251	369.25	15.01	24.29	344.96	68.52	92.81	24.77
2002	252	371.10	14.96	25.23	345.87	69.43	94.66	25.33
2003	253	373.00	14.92	26.20	346.80	70.36	96.56	26.49
2004	254	374.92	14.87	27.22	347.70	71.26	98.48	27.94
2005	255	376.87	14.81	28.28	348.59	72.15	100.43	29.07
2006	256	378.84	14.76	29.38	349.46	73.02	102.40	30.09
2007	257	380.83	14.71	30.53	350.30	73.86	104.39	30.44
2008	258	382.85	14.65	31.73	351.12	74.68	106.41	31.16
2009	259	384.89	14.59	32.97	351.92	75.48	108.45	30.84
2010	260	386.97	14.53	34.27	352.70	76.26	110.53	32.60
2011	261	389.11	14.47	35.62	353.49	77.05	112.67	33.92
2012	262	391.30	14.40	37.03	354.27	77.83	114.86	34.75
2013	263	393.56	14.33	38.50	355.06	78.62	117.12	35.45
2014	264	395.86	14.26	40.03	355.83	79.39	119.42	35.51
2015	265	398.21	14.19	41.63	356.58	80.14	121.77	35.65
2016	266	400.60	14.12	43.29	357.31	80.87	124.16	35.58
2017	267	403.00	14.04	45.03	357.97	81.53	126.56	35.70
2018	268	405.40	13.96	46.84	358.56	82.12	128.96	36.22
Sum =								1589.86