

TABLE E-1 Clinical Data Summary

Patient	Age (Years)	Sex	Procedure	Previous Surgery	Osteoarthritis Grade		Harris Hip Score (Points)		Follow-Up (Months)
					Preop.	Postop.	Preop.	Postop.	
1	13.8	F	PAO	None	0	0	83	68	44
2	15.3	F	PAO/PFO	Varus PFO	0	0	83	97	55
3	23.6	F	PAO	None	0	0	65	100	32
4	31.8	F	PAO	None	1	3	37	97	94
5	19.0	F	PAO/PFO	Varus PFO (malunion)	0	0	65	94	30
6	15.9	F	PAO/PFO	Adductor tenotomy	1	1	49	68	23
7	16.4	F	PAO	None	0	1	91	91	47
8	16.3	F	PAO	None	0	0	70	97	97
9	17.0	F	PAO	None	0	0	73	93	87
10	13.0	F	PAO	None	0	0	55	100	23
11	18.0	M	PAO/PFO	None	0	0	91	100	52
12	19.3	M	PAO/PFO	None	0	1	91	100	37
13	19.0	F	PAO	Shelf, varus PFO, valgus PFO	1	3	70	55	36
14	15.3	M	PAO/PFO	None	0	0	86	100	33
15	16.8	M	PAO	None	0	0	83	100	26
16	11.6	F	PAO	None	0	1	83	100	94
Average	17.6						73.4	91.3	50.6

PAO = periacetabular osteotomy, PFO = proximal femoral osteotomy