

Appendix

TABLE E-1 Summary Statistics for MDA During Entire Follow-up Period

Statistic	Preop.	Postop. Week									
		0	1	4	8	13	17	21	26	39	52
No.	17	17	14*	17	17	17	17	17	17	17	17
Mean (°)	25.52	3.98	3.79	3.62	3.47	3.96	3.48	4.07	3.4	4.19	3.32
Standard deviation (°)	9.85	1.65	1.68	1.52	1.42	1.65	1.58	1.8	1.1	1.93	1.44
Minimum (°)	7.1	1.4	1.4	1.5	1.7	1.8	1.2	2.2	1.7	1.6	1.2
First quartile (°)	17.23	2.77	2.65	2.26	2.5	2.78	2.15	2.93	2.89	2.99	2.69
Median (°)	25.89	4.03	3.56	3.64	2.8	3.75	3.28	3.81	3.49	3.77	3.43
Third quartile (°)	31.49	5.33	5.06	4.98	3.89	4.74	4.6	4.5	4.02	5.07	4.33
Maximum (°)	44.6	7.1	6.5	6.4	6.6	7.9	6.3	9.2	6	10	6.5
P value	—	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001

*Because of plaster cast immobilization 1 week after surgery, the MDA could not be evaluated for 3 patients; therefore, only

14 bones were evaluated.