

The following content was supplied by the authors as supporting material and has not been copy-edited or verified by JBJS.

Univariate Analysis of Dependent Variables By Glenoid Type

Dependent Variable	Glenoid Type (Reference)	Glenoid Type (Comparison)	Mean Difference	p-value	Lower Bound 95% CI	Upper Bound 95% CI
Age (years)	A1	A2	-2.68	0.61	-7.55	2.19
		B1	2.79	0.90	-4.86	10.43
		B2	0.39	1.00	-3.97	4.75
		B3	-2.16	0.84	-7.31	3.00
		C	4.30	0.44	-2.38	10.97
	A2	A1	2.68	0.61	-2.19	7.55
		B1	5.47	0.26	-1.77	12.71
		B2	3.07	0.14	-0.53	6.67
		B3	0.52	1.00	-4.01	5.05
		C	7.00	0.02	0.77	13.19
	B1	A1	-2.79	0.90	-10.43	4.86
		A2	-5.47	0.26	-12.71	1.77
		B2	-2.40	0.92	-9.31	4.51
		B3	-4.95	0.40	-12.38	2.49
		C	1.51	1.00	-7.06	10.07
	B2	A1	-0.39	1.00	-4.75	3.97
		A2	-3.07	0.14	-6.67	0.53
		B1	2.40	0.92	-4.51	9.31

		B3	-2.55	0.44	-6.52	1.43
		C	3.90	0.39	-1.91	9.72
	B3	A1	2.16	0.84	-3.00	7.31
		A2	-0.52	1.00	-5.05	4.01
		B1	4.95	0.40	-2.49	12.38
		B2	2.55	0.44	-1.43	6.52
		C	6.45	0.05	0.02	12.89
	C	A1	-4.30	0.44	-10.97	2.38
		A2	-7.00	0.02	-13.19	-0.77
		B1	-1.51	1.00	-10.07	7.06
		B2	-3.90	0.39	-9.72	1.91
		B3	-6.45	0.05	-12.89	-0.02
Supraspinatus Area (cm ² /m)	A1	A2	0.13	0.96	-0.33	0.60
		B1	-0.36	0.72	-1.09	0.37
		B2	-0.33	0.20	-0.75	0.08
		B3	-0.01	1.00	-0.50	0.48
		C	-0.41	0.43	-1.05	0.22
	A2	A1	-0.13	0.96	-0.60	0.33
		B1	-0.49	0.32	-1.18	0.20
		B2	-0.47	<0.001	-0.81	-0.12
		B3	-0.14	0.93	-0.58	0.29
		C	-0.55	0.09	-1.14	0.04
	B1	A1	0.36	0.72	-0.37	1.09
		A2	0.49	0.32	-0.20	1.18

		B2	0.03	1.00	-0.63	0.68	
		B3	0.35	0.72	-0.36	1.06	
		C	-0.05	1.00	-0.87	0.76	
	B2	A1	0.33	0.20	-0.08	0.75	
		A2	0.46	<0.001	0.12	0.81	
		B1	-0.03	1.00	-0.68	0.63	
		B3	0.32	0.14	-0.06	0.70	
		C	-0.08	1.00	-0.63	0.47	
		B3	A1	0.01	1.00	-0.48	0.50
			A2	0.14	0.93	-0.29	0.58
	B1		-0.35	0.72	-1.06	0.36	
	B2		-0.32	0.14	-0.70	0.06	
	C		-0.40	0.41	-1.02	0.21	
	C	A1	0.41	0.43	-0.22	1.05	
		A2	0.55	0.09	-0.04	1.14	
		B1	0.05	1.00	-0.76	0.87	
		B2	0.08	1.00	-0.47	0.63	
		B3	0.40	0.41	-0.21	1.02	
	Infraspinatus and Teres Minor Area (cm ² /m)	A1	A2	0.51	0.76	-0.58	1.61
			B1	-0.72	0.84	-2.44	1.00
B2			-0.69	0.34	-1.67	0.29	
B3			-0.16	1.00	-1.32	1.00	
C			-1.36	0.10	-2.86	0.14	
A2		A1	-0.51	0.76	-1.61	0.58	

		B1	-1.24	0.25	-2.87	0.39
		B2	-1.20	<0.001	-2.01	-0.39
		B3	-0.68	0.41	-1.70	0.35
		C	-1.88	<0.001	-3.27	-0.48
	B1	A1	0.72	0.84	-1.00	2.44
		A2	1.24	0.25	-0.39	2.87
		B2	0.03	1.00	-1.52	1.59
		B3	0.56	0.93	-1.11	2.24
		C	-0.64	0.93	-2.57	1.29
	B2	A1	0.69	0.34	-0.29	1.67
		A2	1.20	<0.001	0.39	2.01
		B1	-0.03	1.00	-1.59	1.52
		B3	0.53	0.54	-0.37	1.42
		C	-0.67	0.68	-1.98	0.64
	B3	A1	0.16	1.00	-1.00	1.32
		A2	0.68	0.41	-0.35	1.70
		B1	-0.56	0.93	-2.24	1.11
		B2	-0.53	0.54	-1.42	0.37
		C	-1.20	0.17	-2.65	0.25
	C	A1	1.36	0.10	-0.14	2.86
		A2	1.88	<0.001	0.48	3.27
		B1	0.64	0.93	-1.29	2.57
		B2	0.67	0.68	-0.64	1.98
		B3	1.20	0.17	-0.25	2.65

Subscapularis Area (cm ² /m)	A1	A2	0.68	0.81	-0.86	2.21
		B1	0.07	1.00	-2.33	2.48
		B2	0.07	1.00	-1.30	1.44
		B3	0.04	1.00	-1.58	1.66
		C	-1.04	0.71	-3.15	1.06
	A2	A1	-0.68	0.81	-2.21	0.86
		B1	-0.60	0.97	-2.88	1.68
		B2	-0.61	0.64	-1.74	0.53
		B3	-0.64	0.80	-2.06	0.79
		C	-1.72	0.12	-3.67	0.24
	B1	A1	-0.07	1.00	-2.48	2.33
		A2	0.60	0.97	-1.68	2.88
		B2	0.00	1.00	-2.18	2.17
		B3	-0.03	1.00	-2.38	2.31
		C	-1.12	0.84	-3.81	1.58
	B2	A1	-0.07	1.00	-1.44	1.30
		A2	0.61	0.64	-0.53	1.74
		B1	0.00	1.00	-2.17	2.18
		B3	-0.03	1.00	-1.28	1.22
		C	-1.11	0.51	-2.94	0.72
	B3	A1	-0.04	1.00	-1.66	1.58
		A2	0.64	0.80	-0.79	2.06
		B1	0.03	1.00	-2.31	2.38
		B2	0.03	1.00	-1.22	1.28
		C	-1.08	0.65	-3.11	0.94

	C	A1	1.04	0.71	-1.06	3.15
		A2	1.72	0.12	-0.24	3.67
		B1	1.12	0.84	-1.58	3.81
		B2	1.11	0.51	-0.72	2.94
		B3	1.08	0.65	-0.94	3.11
Infraspinatus and Teres Minor Area to Subscapularis Ratio	A1	A2	0.06	1.00	-0.91	1.02
		B1	-0.87	0.57	-2.38	0.65
		B2	-0.69	0.20	-1.55	0.17
		B3	-0.20	0.99	-1.22	0.82
		C	-0.59	0.80	-1.91	0.73
	A2	A1	-0.06	1.00	-1.02	0.91
		B1	-0.92	0.44	-2.36	0.51
		B2	-0.74	0.03	-1.46	-0.03
		B3	-0.26	0.96	-1.16	0.64
		C	-0.64	0.66	-1.87	0.58
	B1	A1	0.87	0.57	-0.65	2.38
		A2	0.92	0.44	-0.51	2.36
		B2	0.18	1.00	-1.19	1.55
		B3	0.66	0.79	-0.81	2.14
		C	0.28	1.00	-1.42	1.97
	B2	A1	0.69	0.20	-0.17	1.55
		A2	0.74	0.03	0.03	1.46
		B1	-0.18	1.00	-1.55	1.19
		B3	0.49	0.49	-0.30	1.27

		C	0.10	1.00	-1.05	1.25
	B3	A1	0.20	0.99	-0.82	1.22
		A2	0.26	0.96	-0.64	1.16
		B1	-0.66	0.79	-2.14	0.81
		B2	-0.49	0.49	-1.27	0.30
		C	-0.39	0.95	-1.66	0.89
		C	A1	0.59	0.80	-0.73
	A2		0.64	0.66	-0.58	1.87
	B1		-0.28	1.00	-1.97	1.42
	B2		-0.10	1.00	-1.25	1.05
	B3		0.39	0.95	-0.89	1.66

Bold in the table represents associations with significance ($p < 0.05$).