The following content was supplied by the authors as supporting material and has not been copy-edited or verified by JBJS.

APPENDIX A – CPT codes for included procedures

| CPT Code | Description |
|----------|--|
| 27504 | Treatment of open femoral shaft fracture (including supracondylar), with uncomplicated soft |
| | tissue closure |
| 27506 | Open treatment of femoral shaft fracture, with or without external fixation, with insertion of |
| | intramedullary implant, with or without cerclage, and/or locking screws |
| 27507 | Open treatment of femoral shaft fracture with plate/screws, with or without cerclage |
| 27509 | Percutaneous skeletal fixation of femoral fracture, distal end, medial or lateral condyle, or |
| | supracondylar or transcondylar, with or without intercondylar extension, or distal femoral |
| | epiphyseal separation |
| 27511 | Open treatment of femoral supracondylar or transcondylar fracture without intercondylar |
| | extension, includes internal fixation, when performed |
| 27512 | Treatment of open femoral fracture, distal end, medial or lateral condyle, with uncomplicated |
| | soft tissue closure |
| 27513 | Open treatment of femoral supracondylar or transcondylar fracture with intercondylar |
| | extension, includes internal fixation, when performed |
| 27514 | Open treatment of femoral fracture, distal end, medial or lateral condyle, includes internal |
| | fixation, when performed |

Page 2

| 27216 | Percutaneous skeletal fixation of posterior pelvic bone fracture and/or dislocation, for fracture |
|-------|---|
| | patterns that disrupt the pelvic ring, unilateral (includes ipsilateral ilium, sacroiliac joint |
| | and/or sacrum) |
| 27217 | Open treatment of anterior pelvic bone fracture and/or dislocation for fracture patterns that |
| | disrupt the pelvic ring, unilateral, includes internal fixation, when performed (includes pubic |
| | symphysis and/or ipsilateral superior/inferior rami) |
| 27218 | Open treatment of posterior pelvic bone fracture and/or dislocation, for fracture patterns that |
| | disrupt the pelvic ring, unilateral, includes internal fixation, when performed (includes |
| | ipsilateral ilium, sacroiliac joint, and/or sacrum) |
| 27226 | Open treatment of posterior or anterior acetabular wall fracture, with internal fixation |
| 27227 | Open treatment of acetabular fracture(s) involving anterior or posterior (one) column, or a |
| | fracture running transversely across the acetabulum, with internal fixation |
| 27228 | Open treatment of acetabular fracture(s) involving anterior and posterior (two) columns, |
| | includes T-fracture and both column fracture with complete articular detachment, or single |
| | column or transverse fracture with associated acetabular wall fracture, with internal fixation |
| 27235 | Percutaneous skeletal fixation of femoral fracture, proximal end, neck |
| 27236 | Open treatment of femoral fracture, proximal end, neck, internal fixation or prosthetic |
| | replacement |
| 27244 | Treatment of intertrochanteric, peritrochanteric, or subtrochanteric femoral fracture; with |
| | plate/screw type implant, with or without cerclage |
| 27245 | Treatment of intertrochanteric, peritrochanteric, or subtrochanteric femoral fracture; with |
| | intramedullary implant, with or without interlocking screws and/or cerclage |
| 27253 | Open treatment of hip dislocation, traumatic, without internal fixation |

CATASTROPHIC HEALTH EXPENDITURE IN PATIENTS WITH LOWER-EXTREMITY ORTHOPAEDIC TRAUMA http://dx.doi.org/10.2106/JBJS.22.00623 Page 3

| 27258Open treatment of spontaneous hip dislocation (developmental, including congenital pathological), replacement of femoral head in acetabulum (including tenotomy, etc)27259Open treatment of spontaneous hip dislocation (developmental, including congenital pathological), replacement of femoral head in acetabulum (including tenotomy, etc); v femoral shaft shortening27766Open treatment of medial malleolus fracture, includes internal fixation, when performed 2776927784Open treatment of proximal fibula or shaft fracture, includes internal fixation, when performed |
|--|
| 27258Open treatment of spontaneous hip dislocation (developmental, including congenital pathological), replacement of femoral head in acetabulum (including tenotomy, etc)27259Open treatment of spontaneous hip dislocation (developmental, including congenital pathological), replacement of femoral head in acetabulum (including tenotomy, etc); v femoral shaft shortening27766Open treatment of medial malleolus fracture, includes internal fixation, when performed Open treatment of posterior malleolus fracture, includes internal fixation, when performed |
| 27259Open treatment of spontaneous hip dislocation (developmental, including congenital pathological), replacement of femoral head in acetabulum (including tenotomy, etc); v femoral shaft shortening27766Open treatment of medial malleolus fracture, includes internal fixation, when performed27769Open treatment of posterior malleolus fracture, includes internal fixation, when performed |
| 27259 Open treatment of spontaneous hip dislocation (developmental, including congenital pathological), replacement of femoral head in acetabulum (including tenotomy, etc); v femoral shaft shortening 27766 Open treatment of medial malleolus fracture, includes internal fixation, when performed 27769 Open treatment of posterior malleolus fracture, includes internal fixation, when performed |
| pathological), replacement of femoral head in acetabulum (including tenotomy, etc); v femoral shaft shortening 27766 Open treatment of medial malleolus fracture, includes internal fixation, when performed 27769 Open treatment of posterior malleolus fracture, includes internal fixation, when performed |
| femoral shaft shortening27766Open treatment of medial malleolus fracture, includes internal fixation, when performed27769Open treatment of posterior malleolus fracture, includes internal fixation, when performe |
| 27766Open treatment of medial malleolus fracture, includes internal fixation, when performed27769Open treatment of posterior malleolus fracture, includes internal fixation, when performed |
| 27769 Open treatment of posterior malleolus fracture, includes internal fixation, when performe |
| |
| 27784 Open treatment of proximal fibula or shaft fracture, includes internal fixation, with |
| |
| performed |
| 27792 Open treatment of distal fibular fracture (lateral malleolus), includes internal fixation, w |
| performed |
| 27814 Open treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral |
| posterior malleoli, or medial and posterior malleoli), includes internal fixation, w |
| performed) |
| 27822 Open treatment of trimalleolar ankle fracture, includes internal fixation, when perform |
| medial and/or lateral malleolus; without fixation of posterior lip |
| 27823 Open treatment of trimalleolar ankle fracture, includes internal fixation, when perform |
| medial and/or lateral malleolus; with fixation of posterior lip |
| 27826 Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pi |
| or tibial plafond), with internal fixation, when performed; of fibula only |
| 27827 Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pi |
| or tibial plafond), with internal fixation, when performed; of tibia only |

COPYRIGHT © BY THE JOURNAL OF BONE AND JOINT SURGERY, INCORPORATED LAW ET AL. CATASTROPHIC HEALTH EXPENDITURE IN PATIENTS WITH LOWER-EXTREMITY ORTHOPAEDIC TRAUMA http://dx.doi.org/10.2106/JBJS.22.00623 Page 4

| 27828 | Open treatment of fracture of weight bearing articular surface/portion of distal tibia (eg, pilon |
|-------|---|
| | or tibial plafond), with internal fixation, when performed; of both tibia and fibula |
| 27829 | Open treatment of distal tibiofibular joint (syndesmosis) disruption, includes internal fixation, |
| | when performed |
| 27846 | Open treatment of ankle dislocation, with or without percutaneous skeletal fixation; without |
| | repair or internal fixation |
| 27848 | Open treatment of ankle dislocation, with or without percutaneous skeletal fixation; with |
| | repair or internal or external fixation |