

The following content was supplied by the authors as supporting material and has not been copy-edited or verified by JBJS.

Appendix A: ICD-9 and CPT codes used for this study

Procedures	ICD-9 Procedure Code(s)	CPT code(s)	Procedure Combination
Closed reduction	79.75	27257	At least 2 of the following procedures: Arthrogram Casting Adductor tenotomy of hip
Open reduction	79.85	27147, 27156, 27258, 27259	
Adductor tenotomy of hip	83.12	27000, 27001	
Arthrogram	88.32	27093, 27095	
Casting	93.53	29305, 29325	
Femoral osteotomy	77.25, 77.35, 78.25	27140, 27151, 27156, 27161, 27165, 27465, 27466, 27468	
Pelvic osteotomy	77.29, 77.39	27146, 27147, 27151, 27156, 27158	
Subsequent Other Hip Procedures (arthroscopy, arthrotomy, arthroplasty, arthrodesis, disarticulation, tendon lengthening, adductor tenotomy)	00.70, 00.71, 00.72, 00.73, 00.74, 00.75, 00.76, 00.77, 00.85, 00.86, 00.87, 80.05, 80.15, 80.25, 80.45, 81.21, 81.40, 81.51, 81.52, 81.53, 83.12, 83.13, 84.18	27000, 27001, 27033, 27090, 27130, 27132, 27134, 27137, 27138, 27284, 27299, 27305, 27306, 27307	
Conditions	ICD-9 Diagnosis Code(s)		
Congenital dislocation	718.25, 718.35, 718.75, 754.30, 754.31, 754.32, 754.33, 754.35, 755.63, 835.0		

Neurologic or syndromic comorbidity	330.0, 330.1, 330.2, 330.3, 330.8, 330.9, 336.0, 343.0, 343.1, 343.2, 343.3, 343.4, 343.8, 343.9, 356.1, 728.30, 740.0, 740.1, 740.2, 741.00, 741.01, 741.02, 741.03, 741.90, 741.91, 741.92, 741.93, 742.0, 742.1, 742.2, 742.3, 742.4, 742.51, 742.53, 742.59, 742.8, 742.9, 754.89, 758.0, 758.1, 758.2, 758.31, 758.32, 758.33, 758.39, 758.4, 758.5, 758.6, 758.7, 758.81, 758.89, 758.9, 779.7		
--	--	--	--