


SUPPLEMENTAL MATERIAL

Supplementary Table: Demographic, comorbidities and treatment characteristics of deceased patients	
Demographic characteristics	Deceased patients (N=16)
Age – yr (SD)	61.9±9.6
Male sex – no. (%)	8 (50)
Non-Caucasian – no. (%)	4 (25)
Blood group – no. (%)	
A	6 (38)
B	3 (19)
O	7 (43)
AB	7 (43)
Cause of end stage renal disease – no. (%)	
Glomerular disease	1 (6)
Diabetes	3 (19)
Vascular	5 (31)
Other	7 (44)
Deceased donor – no. (%)	14 (100)
Prior kidney transplant – no. (%)	1 (6)
Time on dialysis prior to transplantation – mo (SD)	65.9 (42.1)
Multiorgan recipients – no. (%)	0(0)
Time from transplant – mo (SD)	51.8 (48.1)
Recent episode of rejection – no. (%)	2 (13)
Serum creatinine – micromol/L (SD)	160 (86)

Supplementary Table. (Continued)	
Comorbidities – no. (%)	
Smoke	0 (0)
Obesity	5 (31)
Diabetes	11 (69)
Hypertension	15 (94)
Asthma and chronic pulmonary disease	3 (19)
Cardiovascular disease	0 (0)
Maintenance immunosuppressive therapies – no. (%)	
Prednisone	13 (81)
Tacrolimus	10 (63)
Cyclosporine	4 (25)
Mycophenolate mofetil or mycophenolic acid	12 (75)
Belatacept	2 (13)
Azathioprine	2 (13)

Supplementary figure



Supplementary figure. Ile de France area. The scale of brown represents the mean home surface for person in (m², the light brown being the lower surface per individual (i.e. higher person density). In blue the boundaries of Paris city centre, in green the Seine-Saint-Denis area. Red arrows show the position of Saint-Louis (SLS) and Bichat (B) hospitals. Picture adapted from the ORS Ile-de-France report on COVID-19, April 2020. (<https://94.citoyens.com/wpcontent/blogs.dir/2/files/2020/05/ORS>)