

Supplemental Digital Content —References Ostomy Guideline

WOCN Society Clinical Guideline: Management of the Adult Patient with a Fecal or Urinary Ostomy—An Executive Summary

Reference list from: Wound, Ostomy and Continence Nurses Society. (2017). *Clinical Guideline: Management of the Adult Patient with a Fecal or Urinary Ostomy*. Mt. Laurel, NJ: Author.

Abraham, N., & Albayati, S. (2011). Enhanced recovery after surgery programs hasten recovery after colorectal resections. *World Journal of Gastrointestinal Surgery*, 3(1), 1–6.

<http://dx.doi.org/10.4240/wjgs.v3.i1.1>

Ahronowitz, I., Harp, J., & Shinkai, K. (2012). Etiology and management of pyoderma gangrenosum: A comprehensive review. *American Journal of Clinical Dermatology*, 13(3), 191–211. <http://dx.doi.org/10.2165/11595240-000000000-00000>

Al-Niaimi, F., Beck, M., Almaani, N., Samarasinghe, V., Williams, J., & Lyon, C. (2012). The relevance of patch testing in peristomal dermatitis. *British Journal of Dermatology*, 167(1), 103–109. <http://dx.doi.org/10.1111/j.1365-2133.2012.10925.x>

Alvey, B., & Beck, D. E. (2008). Peristomal dermatology. *Clinics in Colon and Rectal Surgery*, 21(1), 41–44. <http://dx.doi.org/10.1055/s-2008-1055320>

Altschuler, A., Ramirez, M., Grant, M., Wendel, C., Hornbrook, M. C., Herrinton, L., & Krouse, R. S. (2009). The influence of husbands' or male partners' support on womens' psychosocial adjustment to having an ostomy resulting from colorectal cancer. *Journal of Wound, Ostomy and Continence Nursing*, 36(3), 299–305.

<http://dx.doi.org/10.1097/WON.0b013e3181a1a1dc>

- Ang, S. G. M., Chen, H. C., Siah, R. J. C., He, H. G., & Klainin-Yobas, P. (2013). Stressors relating to patient psychological health following stoma surgery: An integrated literature review. *Oncology Nursing Forum*, *40*(6), 587–594. <http://dx.doi.org/10.1188/13.ONF.587-594>
- Arumugam, P. J., Bevan, L., Macdonald, L., Watkins, A. J., Morgan, A. R., Beynon, J., & Carr, N. D. (2003). A prospective audit of stomas: Analysis of risk factors and complications and their management. *Colorectal Disorders*, *5*(1), 49–52. <http://dx.doi.org/10.1046/j.1463-1318.2003.00403.x>
- Baykara, Z. G., Demir, S. G., Karadag, A., Harputlu, D., Kahraman, A., Karadag, S., . . . Cian, R. (2014). A multicenter, retrospective study to evaluate the effect of preoperative stoma site marking on stomal and peristomal complications. *Ostomy Wound Management*, *60*(5), 16–26.
- Bazaliński, D., Sałacińska, L., Więch, P., & Kózka, M. (2014). Life satisfaction and self-efficacy in patients with a stoma. *Progress in Health Sciences*, *4*(2), 22–30.
- Beaver, K., Latif, S., Williamson, S., Procter, D., Sheridan, J., Heath, J., . . . Luker, K. (2010). An exploratory study of the follow-up care needs of patients treated for colorectal cancer. *Journal of Clinical Nursing*, *19*(23-24), 3291–3300. <http://dx.doi.org/10.1111/j.1365-2702.2010.03407.x>
- Bergstrom, N., Allman, R. M., Alvarez, O., Bennett, M. A., Carlson, C. E., Frantz, R. A., . . . Yarkony, G. M. (1994). *Treatment of pressure ulcers. Clinical practice guideline*, Number 15. Agency for Health Care Policy and Research. AHCPR Publication No. 95-0652. Rockville, MD: U.S. Department of Health and Human Services.

- Bergstrom, N., Allman, R. M., Carlson, C. E., Eaglstein, W., Frantz, R. A., Garber, S. L., . . . Xakellis, G. C. (1992). *Pressure ulcers in adults: Prediction and prevention. Clinical practice guideline*, Number 3. Agency for Health Care Policy and Research. AHCPR Publication No. 92-0047. Rockville, MD: U.S. Department of Health and Human Services.
- Black, P. (2013). The role of accessory products in patients with a stoma. *British Journal of Nursing*, 22(5), S24.
- Black, J. M., Cuddigan, J. E., Walko, M. A., Didier, L. A., Lander, M. J., & Kelpel, M. R. (2010). Medical device related pressure ulcers in hospitalized patients. *International Wound Journal*, 7(5), 358–365. <http://dx.doi.org/10.1111/j.1742-481X.2010.00699.x>
- Blackley, P. (1998). *Practical stoma wound and continence management*. Victoria, Australia: Research Publications PTY, Ltd.
- Brooklyn, T. N., Dunnill, M. G. S., Shetty, A., Bowden, J. J., Williams, J. D. L., Griffiths, C. E. M., . . . Probert, C. S. (2006). Infliximab for the treatment of pyoderma gangrenosum: A randomised, double blind, placebo controlled trial. *GUT*, 55(4), 505–509. <https://dx.doi.org/10.1136%2Fgut.2005.074815>
- Burch, J. (2011). One-piece and two-piece pouches: What's the difference? *British Journal of Nursing*, 20(14), 858–860.
- Burch, J. (2013). Enhanced recovery, stomas and the community nurse. *British Journal of Community Nursing*, 18(5), 214, 216, 218–220. <http://dx.doi.org/10.12968/bjcn.2013.18.5.214>
- Burch, J. (2014). Current nursing practice by hospital-based stoma specialist nurses. *British Journal of Nursing*, 23(5 Suppl), S31–S34.

- Bryan, S., & Dukes, S. (2010). The enhanced recovery programme for stoma patients: An audit. *British Journal of Nursing*, 19(13), 831–834.
<http://dx.doi.org/10.12968/bjon.2010.19.13.48859>
- Carlsson, E., Gylis, M., Nilsson, L., Svensson, K., Alverslid, I., & Persson, E. (2010). Positive and negative aspects of colostomy irrigation: A patient and WOC nurse perspective. *Journal of Wound, Ostomy and Continence Nursing*, 37(5), 511–516.
<http://dx.doi.org/10.1097/WON.0b013e3181edaf84>
- Carmel, J. E. (2016). Specific patient management issues. In J. E. Carmel, J. C. Colwell, & M. T. Goldberg (Eds.), *WOCN Society Core curriculum: Ostomy management* (pp.140–147). Philadelphia, PA: Wolters Kluwer.
- Carmel, J. E., & Goldberg, M. T. (2004). Preoperative and postoperative management. In J. C. Colwell, M. T. Goldberg, & J. E. Carmel (Eds.), *Fecal & urinary diversions: Management principles* (pp. 207–239). St. Louis, MO: Mosby, Inc.
- Carmel, J. E., & Scardillo, J. (2016). Rehabilitation issues and special ostomy patient needs. In J. E. Carmel, J. C. Colwell, & M. T. Goldberg (Eds.), *WOCN Society Core curriculum: Ostomy management* (pp.1481–1457). Philadelphia, PA: Wolters Kluwer.
- Cheng, F., Meng, A. F., Yang, L. F., & Zhang, Y. N. (2013). The correlation between ostomy knowledge and self-care ability with psychosocial adjustment in Chinese patients with a permanent colostomy: A descriptive study. *Ostomy Wound Management*, 59(7), 35–38.
- Cobb, M. D., Grant, M., Tallman, N. J., Wendel, C. S., Colwell, J., McCorkle, R., & Krouse, R. S. (2015). Colostomy irrigation: Current knowledge and practice of WOC nurses. *Journal of Wound, Ostomy and Continence Nursing*, 42(1), 65–70.
<http://dx.doi.org/10.1097/WON.0000000000000075>

- Colwell, J. C. (2004). Stomal and peristomal complications. In J. C. Colwell, M. T. Goldberg & J. E. Carmel (Eds.), *Fecal and urinary diversions: Management principles* (pp. 308–325). St. Louis, MO: Mosby, Inc.
- Colwell, J. C. (2016). Postoperative nursing assessment and management. In J. E. Carmel, J. C. Colwell, & M. T. Goldberg (Eds.), *Wound, Ostomy and Continence Nurses Society Core curriculum: Ostomy management* (pp. 113–119). Philadelphia, PA: Wolters Kluwer.
- Colwell, J. C., & Beitz, J. (2007). Survey of wound, ostomy and continence (WOC) nurse clinicians on stomal and peristomal complications: A content validation study. *Journal of Wound, Ostomy and Continence Nursing*, 34(1), 57–69.
- Colwell, J., Goldberg, M., & Carmel, J. (2001). The state of the standard diversion. *Journal of Wound, Ostomy and Continence Nursing*, 28(1), 6–17.
- Colwell, J. C., & Gray, M. (2007). Does preoperative teaching and stoma site marking affect surgical outcomes in patients undergoing ostomy surgery? *Journal of Wound, Ostomy and Continence Nursing*, 34(5), 492–496.
- Colwell, J. C., Kupsick, P. T., & McNichol, L. L. (2016). Outcome criteria for discharging the patient with a new ostomy from home health care: A WOCN Society consensus conference. *Journal of Wound, Ostomy and Continence Nursing*, 43(3), 269–273.
<http://dx.doi.org/10.1097/WON.0000000000000230>
- Colwell, J. C., Ratliff, C. R., Goldberg, M., Baharestani, M. M., Bliss, D. Z., Gray, M., . . . Black, J. M. (2011). MASD part 3: Peristomal moisture associated dermatitis and periwound moisture-associated dermatitis: A consensus. *Journal of Wound, Ostomy and Continence Nursing*, 38(5), 541–553. <http://dx.doi.org/10.1097/WON.0b013e31822acd95>

- Cook, D. J., Guyatt, G. H., Laupacis, A., & Sackett, D. L. (1992). Rules of evidence and clinical recommendations on the use of antithrombotic agents. *Chest*, *102*(4 Suppl), 305S–311S.
- Cottam, J., Richards, K., Hasted, A., & Blackman, A. (2007). Results of a nationwide prospective audit of stoma complications within 3 weeks of surgery. *Colorectal Disease*, *9*(9), 834–838. <http://dx.doi.org/10.1111/j.1463-1318.2007.01213.x>
- Cronin, E. (2012). What the patient needs to know before stoma siting: An overview. *British Journal of Nursing*, *21*(22), 1234–1237.
- Cronin, E. (2014). Stoma siting: Why and how to mark the abdomen in preparation for surgery. *Gastrointestinal Nursing*, *12*(3), 12–19.
- Dahl, D. M. (2016). Use of intestinal segments in urinary diversion. In A. J. Wein, L. R. Kavoussi, A. W. Partin, & C. A. Peters (Eds.), *Campbell-Walsh urology* (11th ed., pp. 2781–2316.e5). Philadelphia, PA: Elsevier.
- Danielsen, A. K., Soerensen, E. E., Burcharth, K., & Rosenberg, J. (2013). Learning to live with a permanent intestinal ostomy. Impact on everyday life and educational needs. *Journal of Wound, Ostomy and Continence Nursing*, *40*(4), 407–412.
<http://dx.doi.org/10.1097/WON.0b013e3182987e0e>
- Doughty, D. (2005). Principles of ostomy management in the oncology patient. *Journal of Supportive Oncology*, *3*(1), 59–69.
- Farquharson, A. L., Bannister, J. J., & Yates, S. P. (2006). Peristomal varices: Life threatening or luminal? *Annals of the Royal College of Surgeons of England*, *88*(5), W6–W8.
- Formijne Jonkers, H. A., Draaisma, W. A., Roskott, A. M., van Overbeeke, A. J., Broeders, I. A. M. J., & Consten, E. C. (2012). Early complications after stoma formation: A prospective

cohort study in 100 patients with 1-year follow up. *International Journal of Colorectal Disease*, 27(8), 1095–1099. <http://dx.doi.org/10.1007/s00384-012-1413-y>

Furukawa, C., Sasaki, Y., Matsui, K., & Morioka, I. (2013). Health-related quality of life and its relevant factors in Japanese patients with a urostomy. *Journal of Wound, Ostomy and Continence Nursing*, 40(2), 165–170. <http://dx.doi.org/10.1097/WON.0b013e31827e8339>

Gallagher, D. L. (2015). *The basics of teaching patients ostomy care*. Retrieved July 31, 2015, from <http://www.woundsource.com/blog/basics-teaching-patients-ostomy-care>

Gemmill, R., Sun, V., Ferrell, B., Krouse, R. S., & Grant, M. (2010). Going with the flow: Quality-of-life outcomes of cancer survivors with urinary diversion. *Journal of Wound, Ostomy and Continence Nursing*, 37(1), 65–72. <http://dx.doi.org/10.1097/WON.0b013e3181c68e8f>

Goldberg, M. T. (2016). Patient education following urinary/fecal diversion. In J. E. Carmel, J. C. Colwell, & M. T. Goldberg (Eds.), *WOCN Society Core curriculum: Ostomy management* (pp.131–139). Philadelphia, PA: Wolters Kluwer.

Gomez, A., Barbera, S., Lombraña, M., Izquierdo, L., & Baños, C. (2014). Health-related quality of life in patients with urostomies. *Journal of Wound, Ostomy and Continence Nursing*, 41(3), 254–256. <http://dx.doi.org/10.1097/WON.0000000000000026>

Grant, M., McMullen, C. K., Altschuler, A., Mohler, M. J., Hornbrook, M. C., Herrinton, L. J., . . . Krouse, R. S. (2011). Gender differences in quality of life among long-term colorectal cancer survivors with ostomies. *Oncology Nursing Forum*, 38(5), 587–596. <http://dx.doi.org/10.1188/11.ONF.587-596>

Gray, M., Colwell, J. C., Doughty, D., Goldberg, M., Hoeflok, J., Manson, A., . . . Rao, S. (2013). Peristomal moisture-associated skin damage in adults with fecal ostomies: A

- comprehensive review and consensus. *Journal of Wound, Ostomy and Continence Nursing*, 40(4), 389–399. <http://dx.doi.org/10.1097/WON.0b013e3182944340>
- Hansen, R. B., Staun, M., Kalhauge, A., Langholz, E., & Biering-Sørensen, F. (2016). Bowel function and quality of life after colostomy in individuals with spinal cord injury. *Journal of Spinal Cord Medicine*, 39(3), 281–289. <http://dx.doi.org/10.1179/2045772315Y.0000000006>
- Haugen, V., Bliss, D. Z., & Savik, K. (2006). Perioperative factors that affect long-term adjustment to an incontinent ostomy. *Journal of Wound, Ostomy and Continence Nursing*, 33(5), 525–535.
- Hayden, D. M., Pinzon, M. C. M., Francescatti, A. B., Edquist, S. C., Malczewski, M. R., Jolley, J. M., . . . Saclarides, T. J. (2013). Hospital readmission for fluid and electrolyte abnormalities following ileostomy construction: Preventable or unpreventable? *Journal of Gastrointestinal Surgery*, 17(2), 298–303. <http://dx.doi.org/10.1007/s11605-012-2073-5>
- Hendren, S., Hammond, K., Glasgow, S. C., Perry, W. B., Buie, W. D., Steele, S. R., & Rafferty, J. (2015). Clinical practice guidelines for ostomy surgery. *Diseases of the Colon & Rectum*, 58(4), 375–387. <https://dx.doi.org/10.1097/DCR.0000000000000347>
- Herlufsen, P., Olsen, A. G., Carlsen, B., Nybaek, H., Karlsmark, T., Laursen, T. N., & Jemec, G. B. (2006). Study of peristomal skin disorders in patients with permanent stomas. *British Journal of Nursing*, 15(16), 854–862.
- Hirsch, A. T., Haskal, Z. J., Hertzner, N. R., Bakal, C. W., Creager, M. A., Halperin, J. L., . . . Riegel, B. (2006). ACC/AHA 2005 guidelines for the management of patients with peripheral arterial disease (lower extremity, renal, mesenteric and abdominal aortic): A collaborative report from the American Association for Vascular Surgery/Society for Vascular Surgery, Society for Cardiovascular Angiography and Interventions, Society for

Vascular Medicine and Biology, Society of Interventional Radiology, and the ACC/AHA Task Force on Practice Guidelines (Writing Committee to Develop Guidelines for the Management of Patients With Peripheral Arterial Disease). *Journal of the American College of Cardiology*, 47(6), e1–e192. <http://dx.doi.org/10.1016/j.jacc.2006.02.024>

Hocevar, B., & Gray, M. (2008). Intestinal diversion (colostomy or ileostomy) in patients with severe bowel dysfunction following spinal cord injury. *Journal of Wound, Ostomy and Continence Nursing*, 35(2), 159–166.

<http://dx.doi.org/10.1097/01.WON.0000313638.29623.40>

Hoeflok, J., Kittscha, J., & Purnell, P. (2013). Use of convexity in pouching: A comprehensive review. *Journal of Wound, Ostomy and Continence Nursing*, 40(5), 506–512.

<http://dx.doi.org/10.1097/WON.0b013e3182a219b7>

Hughes, A. P., Jackson, J. M., & Callen, J. P. (2000). Clinical features and treatment of peristomal pyoderma gangrenosum. *Journal of the American Medical Association*, 284(12), 1546–1548. <http://dx.doi.org/10.1001/jama.284.12.1546>

Hui, V., Hyman, N., Viscomi, C., & Osler, T. (2013). Implementing a fast-track protocol for patients undergoing bowel resection: Not so fast. *American Journal of Surgery*, 206(2), 152–158. <http://dx.doi.org/10.1016/j.amjsurg.2012.11.019>

International Ostomy Association. (2007). *Charter of ostomates' rights*. Retrieved October 18, 2016, from <http://www.ostomyinternational.org/about-us/charter.html>

Iqbal, F., Batool, Z., Varma, S., Bowley, D., & Vaizey, C. (2014). A survey to assess knowledge among international colorectal clinicians and enterostomal therapy nurses about stoma-related faith needs of Muslim patients. *Ostomy Wound Management*, 60(5), 28–37.

- Ito, N., Ishiguro, M., Uno, M., Kato, S., Shimizu, S., Obata, R., . . . Kazuma, K. (2012). Prospective longitudinal evaluation of quality of life in patients with permanent colostomy after curative resection for rectal cancer: A preliminary study. *Journal of Wound, Ostomy and Continence Nursing*, 39(2), 172–177. <http://dx.doi.org/10.1097/WON.0b013e3182456177>
- Jansen, F., van Uden-Kraan, C. F., Braakman, J. A., van Keizerswaard, P. M., Witte, B. I., & Verdonck-de Leeuw, I. M. (2015). A mixed-method study on the generic and ostomy-specific quality of life of cancer and non-cancer ostomy patients. *Supportive Care in Cancer*, 23(6), 1689–1697. <http://dx.doi.org/10.1007/s00520-014-2528-1>
- Jenkinson, H. F., & Douglas, L. J. (2002). Interactions between *Candida* species and bacteria in mixed infections. In K. A. Brodgen & J. M. Guthmiller (Eds.), *Polymicrobial diseases*. Washington, DC: ASM Press. Retrieved November 11, 2016, from <http://www.ncbi.nlm.nih.gov/books/NBK2486>
- Jensen, B. T., de Blok, W., Kiesbye, B., & Kristensen, S. A. (2013). Validation of the urostomy education scale: The European experience. *Urologic Nursing*, 33(5), 219–229.
- Kent, D. J., Long, M. A., & Bauer, C. (2015). Does colostomy irrigation affect functional outcomes and quality of life in persons with a colostomy? *Journal of Wound, Ostomy and Continence Nursing*, 42(2), 155–161. <http://dx.doi.org/10.1097/WON.000000000000121>
- Kiran, R. P., O'Brien-Ermlich, B., Achkar, J. P., Fazio, V. W., & Delaney, C. P. (2005). Management of peristomal pyoderma gangrenosum. *Diseases of the Colon & Rectum*, 48(7), 1397–1403. <http://dx.doi.org/10.1007/s10350-004-0944-x>
- Knowles, S. R., Tribbick, D., Connell, W. R., Castle, D., Salzberg, M., & Kamm, M. A. (2014). Exploration of health status, illness perceptions, coping strategies, and psychological

morbidity in stoma patients. *Journal of Wound, Ostomy and Continence Nursing*, 41(6), 573–580. <http://dx.doi.org/10.1097/WON.0000000000000073>

Köhler, G., Mayer, F., Wundsam, H., Schrittwieser, R., Emmanuel, K., & Lechner, M. (2015). Changes in the surgical management of parastomal hernias over 15 years: Results of 135 cases. *World Journal of Surgery*, 39(11), 2795–2804. <http://dx.doi.org/10.1007/s00268-015-3187-1>

Krouse, R., Grant, M., Ferrell, B., Dean, G., Nelson, R., & Chu, D. (2007). Quality of life outcomes in 599 cancer and non-cancer patients with colostomies. *Journal of Surgical Research*, 138(1), 79–87. <http://dx.doi.org/10.1016/j.jss.2006.04.033>

Krouse, R. S., Herrinton, L. J., Grant, M., Wendel, C. S., Green, S. B., Mohler, M. J., . . . Hornbrook, M. C. (2009). Health-related quality of life among long-term rectal cancer survivors with an ostomy: Manifestations by sex. *Journal of Clinical Oncology*, 27(28), 4664–4670. <http://dx.doi.org/10.1200/JCO.2008.20.9502>

Kwiatt, M., & Kawata, M. (2013). Avoidance and management of stomal complications. *Clinics in Colon and Rectal Surgery*, 26(2), 112–121. <http://dx.doi.org/10.1055/s-0033-1348050>

Landis, M. N., Keeling, J. H., Yiannias, J. A., Richardson, D. M., Norgren Linehan, D. L., & Davis, M. D. P. (2012). Results of patch testing in 10 patients with peristomal dermatitis. *Journal of the American Academy of Dermatology*, 67(3), e91–e104. <http://dx.doi.org/10.1016/j.jaad.2011.07.009>

Lindholm, E., Persson, E., Carlsson, E., Hallén, A. M., Fingren, J., & Berndtsson, I. (2013). Ostomy-related complications after emergent abdominal surgery: A 2-year follow-up study. *Journal of Wound, Ostomy and Continence Nursing*, 40(6), 603–610. <http://dx.doi.org/10.1097/WON.0b013e3182a9a7d9>

- Lynch, B. M., Hawkes, A. L., Steginga, S. K., Leggett, B., & Aitken, J. F. (2008). Stoma surgery for colorectal cancer: A population-based study of patient concerns. *Journal of Wound, Ostomy and Continence Nursing*, 35(4), 424–428.
<http://dx.doi.org/10.1097/01.WON.0000326664.78131.1c>
- Lyon, C. C., Smith, A. J., Beck, M. H., Wong, G. A. E., & Griffiths, C. E. M. (2000). Parastomal pyoderma gangrenosum: Clinical features and management. *Journal of the American Academy of Dermatology*, 42(6), 992–1002. <http://dx.doi.org/10.1067/mjd.2000.104515>
- Lyon, C. C., Smith, A. J., Griffiths, C. E. M., & Beck, M. H. (2000). The spectrum of skin disorders in abdominal stoma patients. *British Journal of Dermatology*, 143(6), 1248–1260.
<http://dx.doi.org/10.1046/j.1365-2133.2000.03896.x>
- Mahjoubi, B., Moghimi, A., Mirzaei, R., & Bijari, A. (2005). Evaluation of the end colostomy complications and the risk factors influencing them in Iranian patients. *Colorectal Disease*, 7(6), 582–587. <http://dx.doi.org/10.1111/j.1463-1318.2005.00878.x>
- Mahoney, M. F. (2016). Preoperative preparation of patients undergoing a fecal or urinary diversion. In J. E. Carmel, J. C., Colwell, & M.T. Goldberg, M. (Eds.), *Wound, Ostomy and Continence Nurses Society Core curriculum: Ostomy management* (pp. 99–112). Philadelphia, PA: Wolters Kluwer.
- Martin, J. A., Hughes, T. M., & Stone, N. M. (2005). Peristomal allergic contact dermatitis —Case report and review of the literature. *Contact Dermatitis*, 52(5), 273–275.
<http://dx.doi.org/10.1111/j.0105-1873.2005.00579.x>
- Mattei, A., Birkhaeuser, F. D., Baermann, C., Warncke, S. H., & Studer, U. E. (2008). To stent or not to stent perioperatively the ureteroileal anastomosis of ileal orthotopic bladder

substitutes and ileal conduits? Results of a prospective randomized trial. *The Journal of Urology*, 179(2), 582–586. <http://dx.doi.org/10.1016/j.juro.2007.09.066>

McMullen, C. K., Wasserman, J., Altschuler, A., Grant, M. L., Hornbrook, M. C., Liljestrang, P., . . . Krouse, R. S. (2011). Untreated peristomal skin complications among long-term colorectal cancer survivors with ostomies. *Clinical Journal of Oncology Nursing*, 15(6), 644–650. <http://dx.doi.org/10.1188/11.CJON.644-650>

McNichol, L., Lund, C., Rosen, T., & Gray, M. (2013). Medical adhesives and patient safety: State of the science: Consensus statements for the assessment, prevention, and treatment of adhesive-related skin injuries. *Journal of Wound, Ostomy and Continence Nursing*, 40(4), 365–380. <http://dx.doi.org/10.1097/WON.0b013e3182995516>

Messariss, E., Sehgal, R., Deiling, S., Koltun, W. A., Stewart, D., McKenna, K., & Poritz, L. S. (2012). Dehydration is the most common indication for readmission after diverting ileostomy creation. *Diseases of the Colon & Rectum*, 55(2), 175–180. <http://dx.doi.org/10.1097/DCR.0b013e31823d0ec5>

Millan, M., Tegido, M., Biondo, S., & García-Granero, E. (2010). Preoperative stoma siting and education by stomatherapists of colorectal cancer patients: A descriptive study in twelve Spanish colorectal surgical units. *Colorectal Disease*, 12(7), e88–e92. <http://dx.doi.org/10.1111/j.1463-1318.2009.01942.x>

Milne, C. T., Saucier, D., Trevellini, C., & Smith, J. (2011). Evaluation of a cyanoacrylate dressing to manage peristomal skin alterations under ostomy skin barrier wafers. *Journal of Wound, Ostomy and Continence Nursing*, 38(6), 676–679. <https://dx.doi.org/10.1097/WON.0b013e318234550a>

- Montedori, A., Cirocchi, R., Farinella, E., Sciannameo, F., & Abraha, I. (2010), Covering ileo- or colostomy in anterior resection for rectal carcinoma. *Cochrane Database of Systematic Reviews*, Issue 5. Art. NO.: CD006878. <http://dx.doi.org/10.1002/14651858.CD006878.pub2>
- Moschella, S. L., & Davis, M. D. (2012). Neutrophilic dermatoses. In J. L. Bolognia, J. L. Jorizzo, & J. V. Schaffer (Eds.), *Dermatology* (3rd ed., pp. 423–438). Atlanta, GA: Elsevier.
- Mullins, J. K., Guzzo, T. J., Ball, M. W., Pierorazio, P. M., Eifler, J., Jarrett, T. W., . . . Bivalacqua, T. J. (2012). Ureteral stents placed at the time of urinary diversion decreases postoperative morbidity. *Urologia Internationalis*, 88(1), 66–70.
<http://dx.doi.org/10.1159/000335212>
- Nagle, D., Pare, T., Keenan, E., Marcet, K., Tizio, S., & Poylin, V. (2012). Ileostomy pathway virtually eliminates readmissions for dehydration in new ostomates. *Diseases of the Colon & Rectum*, 55(12), 1266–1272. <http://dx.doi.org/10.1097/DCR.0b013e31827080c1>
- Nakagawa, H., & Misao, H. (2013). Effect of stomal location on the incidence of surgical site infections in colorectal surgery patients. *Journal of Wound, Ostomy and Continence Nursing*, 40(3), 287–296. <http://dx.doi.org/10.1097/WON.0b013e3182800>
- Nichols, T. R. (2015a). Quality of life of US residents with ostomies as assessed using the SF36v2. *Journal of Wound, Ostomy and Continence Nursing*, 42(1), 71–78.
<http://dx.doi.org/10.1097/WON.0000000000000093>
- Nichols, T. R. (2015b). Health-related quality of life in community-dwelling persons with ostomies: The physical functioning domain. *Journal of Wound, Ostomy and Continence Nursing*, 42(4), 374–377. <http://dx.doi.org/10.1097/WON.0000000000000153>
- North, J. (2014). Early intervention, parastomal hernia and quality of life: A research study. *British Journal of Nursing*, 23(5), S14–S18.

- Norton, C. (2008). Stoma care. In C. Norton, A. Nunwa, C. Taylor, K. Whayman, & J. Williams (Eds.), *Oxford handbook of gastrointestinal nursing* (pp. 235–326). Oxford, UK: Oxford University Press. <http://dx.doi.org/10.1093/med/9780199298655.003.0008>
- Norton, I. D., Andrews, J. C., & Kamath, P. S. (1998). Management of ectopic varices. *Hepatology*, 28(4), 1154–1158. <http://dx.doi.org/10.1002/hep.510280434>
- Nybaek, H., & Jemec, G. B.E. (2010). Skin problems in stoma patients. *Journal of the European Academy of Dermatology and Venereology*, 24(3), 249–257. <http://dx.doi.org/10.1111/j.1468-3083.2010.03566.x>
- Park, S., Lee, Y. J., Oh, D. N., & Kim, J. (2011). Comparison of standardized peristomal skin care and crusting technique in prevention of peristomal skin problems in ostomy patients. *Journal of Korean Academy of Nursing*, 41(6), 814–820. <https://doi.org/10.4040/jkan.2011.41.6.814>
- Parmar, K. L., Zammit, M., Smith, A., Kenyon, D., & Lees, N. P. (2011). A prospective audit of early stoma complications in colorectal cancer treatment throughout the Greater Manchester and Cheshire colorectal cancer network. *Colorectal Disease*, 13(8), 935–938. <http://dx.doi.org/10.1111/j.1463-1318.2010.02325.x>
- Patel, F., Fitzmaurice, S., Duong, C., He, Y., Fergus, J., Raychaudhuri, S. P., . . . Maverakis, E. (2015). Effective strategies for the management of pyoderma gangrenosum: A comprehensive review. *Acta Dermato-Venereologica*, 95(5), 525–531. <http://dx.doi.org/10.2340/00015555-2008>
- Patel, S. G., Pariser, J. J., & Steinberg, G. D. (2016). Urinary stomas. In J. E. Carmel, J. C. Colwell, J., & M. T. Goldberg (Eds.), *Wound, Ostomy and Continence Nurses Society Core curriculum: Ostomy management* (pp. 77–89). Philadelphia, PA: Wolters Kluwer.

- Pazar, B., Yava, A., & Bařal, ř. (2015). Health-related quality of life in persons living with a urostomy. *Journal of Wound, Ostomy and Continence Nursing*, 42(3), 264–270.
<http://dx.doi.org/10.1097/WON.0000000000000110>
- Pengelly, S., Reader, J., Jones, A., Roper, K., Douie, W. J., & Lambert, A. W. (2014). Methods for siting emergency stomas in the absence of a stoma therapist. *Annals of the Royal College of Surgeons of England*, 96(3), 216–218.
<http://dx.doi.org/10.1308/003588414X13814021679717>
- Pennick, M. O., & Artioukh, D. Y. (2013). Management of parastomal varices: Who re-bleeds and who does not? A systematic review of the literature. *Techniques in Coloproctology*, 17(2), 163–170. <http://dx.doi.org/10.1007/s10151-012-0922-6>
- Person, B., Ifargan, R., Lachter, J., Duek, S. D., Kluger, Y., & Assalia, A. (2012). The impact of preoperative stoma site marking on the incidence of complications, quality of life, and patient’s independence. *Diseases of the Colon & Rectum*, 55(7), 783–787.
<http://dx.doi.org/10.1097/DCR.0b013e31825763f0>
- Persson, E., Berndtsson, I., Carlsson, E., Hallén, A. -M., & Lindholm, E. (2010). Stoma-related complications and stoma size—a 2-year follow up. *Colorectal Disease*, 12(10), 971–976.
<http://dx.doi.org/10.1111/j.1463-1318.2009.01941.x>
- Persson, E., Gustavsson, B., Hellström, A., Lappas, G., & Hultén, L. (2005). Ostomy patients’ perceptions of quality of care. *Journal of Advanced Nursing*, 49(1), 51–58.
- Pittman, J. (2016). Stoma complications. In J. E. Carmel, J. C. Colwell, & M. T. Goldberg (Eds.), *Wound, Ostomy and Continence Nurses Society Core curriculum: Ostomy management* (pp. 191–200). Philadelphia, PA: Wolters Kluwer.

- Pittman, J., Bakas, T., Ellett, M., Sloan, R., & Rawl, S. M. (2014). Psychometric evaluation of the Ostomy Complication Severity Index. *Journal of Wound, Ostomy Continence Nursing*, 41(2), 147–157. <http://dx.doi.org/10.1097/WON.0000000000000008>
- Pittman, J., Rawl, S. M., Schmidt, C. M., Grant, M., Ko, C. Y., Wendel, C., & Krouse, R. S. (2008). Demographic and clinical factors related to ostomy complications and quality of life in veterans with an ostomy. *Journal of Wound, Ostomy and Continence Nursing*, 35(5), 493–503. <http://dx.doi.org/10.1097/01.WON.0000335961.68113.cb>
- Ratliff, C. R. (2010). Early peristomal skin complications reported by WOC nurses. *Journal of Wound, Ostomy and Continence Nursing*, 37(5), 505–510. <http://dx.doi.org/10.1097/WON.0b013e3181edac57>
- Ratliff, C. R., Scarano, K. A., Donovan, A. M., & Colwell, J. C. (2005). Descriptive study of peristomal complications. *Journal of Wound, Ostomy and Continence Nursing*, 32(1), 33–37.
- Regan, J. B., & Barrett, D. M. (1985). Stented versus nonstented ureteroileal anastomoses: Is there a difference with regard to leak and stricture? *The Journal of Urology*, 134(6), 1101–1103.
- Richbourg, L., Fellows, J., & Arroyave, W. D. (2008). Ostomy pouch wear time in the United States. *Journal of Wound, Ostomy and Continence Nursing*, 35(5), 504–508. <http://dx.doi.org/10.1097/01.WON.0000335962.75737.b3>
- Richbourg, L., Thorpe, J. M., & Rapp, C. G. (2007). Difficulties experienced by the ostomate after hospital discharge. *Journal of Wound, Ostomy and Continence Nursing*, 34(1), 70–79.
- Rudoni, C., & Dennis, H. (2009). Accessories or necessities? Exploring consensus on usage of stoma accessories. *British Journal of Nursing*, 18(18), 1106–1112.

- Rust, J. A. (2011). Complications arising from poor stoma siting. *Gastrointestinal Nursing*, 9(5), 17–22.
- Sackett, D. L. (1989). Rules of evidence and clinical recommendations on the use of antithrombotic agents. *Chest*, 95(2 Suppl), 2S–4S.
- Salvadalea, G. D. (2013). The incidence of stoma and peristomal complications during the first 3 months after ostomy creation. *Journal of Wound, Ostomy and Continence Nursing*, 40(4), 400–406. <http://dx.doi.org/10.1097/WON.0b013e318295a12b>
- Salvadalea, G. (2016). Peristomal skin conditions. In J. E. Carmel, J. C. Colwell, & M. T. Goldberg (Eds.), *Wound, Ostomy and Continence Nurses Society Core curriculum: Ostomy management* (pp. 176–190). Philadelphia, PA: Wolters Kluwer.
- Salvadalea, G., Hendren, S., McKenna, L., Muldoon, R., Netsch, D., Paquette, I., . . . Steinberg, G. (2015a). WOCN Society and ASCRS position statement on preoperative stoma site marking for patients undergoing colostomy or ileostomy surgery. *Journal of Wound, Ostomy and Continence Nursing*, 42(3), 249–252. <http://dx.doi.org/10.1097/WON.0000000000000119>
- Salvadalea, G., Hendren, S., McKenna, L., Muldoon, R., Netsch, D., Paquette, I., . . . Steinberg, G. (2015b). WOCN Society and AUA position statement on preoperative stoma site marking for patients undergoing urostomy surgery. *Journal of Wound, Ostomy and Continence Nursing*, 42(3), 253–256. <http://dx.doi.org/10.1097/WON.0000000000000118>
- Shabbir, J., & Britton, D. C. (2010). Stoma complications: A literature overview. *Colorectal Disease*, 12(10), 958–964. <http://dx.doi.org/10.1111/j.1463-1318.2009.02006.x>
- Sheetz, K. H., Waits, S. A., Krell, R. W., Morris, A. M., Englesbe, M. J., Mullard, A., . . . Hendren, S. (2014). Complication rates of ostomy surgery are high and vary significantly

between hospitals. *Diseases of the Colon & Rectum*, 57(5), 632–637.

<http://dx.doi.org/10.1097/DCR.0000000000000038>

Smith, A. J., Lyon, C. C., & Hart, C. A. (2002). Multidisciplinary care of skin problems in stoma patients. *British Journal of Nursing*, 11(5), 324–330.

Spier, B. J., Fayyad, A. A., Lucey, M. R., Johnson, E. A., Wojtowycz, M., Rikkers, L., . . .

Reichelderfer, M. (2008). Bleeding stomal varices: Case series and systematic review of the literature. *Clinical Gastroenterology and Hepatology*, 6(3), 346–352.

<http://dx.doi.org/10.1016/j.cgh.2007.12.047>

Stott, C., Graaf, L., Morgan, P., Kittscha, J., & Fairbrother, G. (2013). Confidence in managing new stoma and satisfaction with stomal therapy service upon hospital discharge. *World Council of Enterostomal Therapists Journal*, 33(1), 8–11.

Sun, V., Grant, M., McMullen, C. K., Altschuler, A., Mohler, M. J., Hornbrook, M. C., . . .

Krouse, R. S. (2013). Surviving colorectal cancer: Long-term, persistent ostomy-specific concerns and adaptations. *Journal of Wound, Ostomy and Continence Nursing*, 40(1), 61–72.

<http://dx.doi.org/10.1097/WON.0b013e3182750143>

Sung, Y. H., Kwon, I., Jo, S., & Park, S. (2010). Factors affecting ostomy-related complications in Korea. *Journal of Wound, Ostomy and Continence Nursing*, 37(2), 166–172.

<http://dx.doi.org/10.1097/WON.0b013e3181cf7b76>

Szymanski, K. M., St-Cyr, D., Alam, T., & Kassouf, W. (2010). External stoma and peristomal complications following radical cystectomy and ileal conduit diversion: A systematic review. *Ostomy Wound Management*, 56(1), 28–35.

- Thoker, M., Wani, I., Parray, F. Q., Khan, N., Mir, S. A., & Thoker, P. (2014). Role of diversion ileostomy in low rectal cancer: A randomized controlled trial. *International Journal of Surgery, 12*(9), 945–951. <http://dx.doi.org/10.1016/j.ijssu.2014.07.012>
- United Ostomy Associations of America. (n.d). *How to treat ileostomy blockage*. Retrieved October 31, 2016, from http://www.ostomy.org/uploaded/files/ostomy_info/blockage_card.pdf?direct=1
- United Ostomy Associations of America. (1977). *Ostomate bill of rights*. Retrieved October 18, 2016, from http://www.ostomy.org/Ostomate_Bill_of_Rights.html
- United Ostomy Associations of America. (2011). *Ileostomy guide*. Retrieved November 8, 2016, from http://www.ostomy.org/uploaded/files/ostomy_info/IleostomyGuide.pdf?direct=1
- Villafranca, J. J. A., López-Rodríguez, C., Abilés, J., Rivera, R. G., Adán, N. G., & Navarro, P. U. (2015). Protocol for the detection and nutritional management of high output stomas. *Nutrition Journal, 14*(15), 1–7. <http://dx.doi.org/10.1186/s12937-015-0034-z>
- Walker, C. A., & Lachman, V. D. (2013). Gaps in the discharge process for the patients with an ostomy: An ethical perspective. *MEDSURG Nursing, 22*(1), 61–64.
- Wall, E. A. (2013). An overview of short bowel syndrome management: Adherence, adaptation and practical recommendations. *Journal of the Academy of Nutrition and Dietetics, 113*(9), 1200–1208. <http://dx.doi.org/10.1016/j.jand.2013.05.001>
- Werth, S. L., Schutte, D. L., & Stommel, M. (2014). Bridging the gap: Perceived educational needs in the inpatient to home care setting for the person with a new ostomy. *Journal of Wound, Ostomy and Continence Nursing, 41*(6), 566–572. <http://dx.doi.org/10.1097/WON.0000000000000081>

- White, M. (2014). Using silicone technology to maintain healthy skin in stoma care. *British Journal of Nursing*, 23(22), 1188–1193. <http://dx.doi.org/10.12968/bjon.2014.23.22.1188>
- Whiteley, I., & Sinclair, G. (2010). A review of peristomal skin complications after the formation of an ileostomy, colostomy or ileal conduit. *World Council of Enterostomal Therapists Journal*, 30(3), 23–29.
- Williams, J. (2012). Stoma care: Intimacy and body image issues. *Practice Nursing*, 23(2), 91–93. <https://doi.org/10.12968/pnur.2012.23.2.91>
- Williams, J. D., & Lyon, C. C. (2010). Dermatitis: Contact irritant and contact allergy. In C.C. Lyon & A. Smith (Eds.), *Abdominal stomas and their skin disorders: An atlas of diagnosis and management* (2nd ed., pp. 52–104). UK: Informa Healthcare.
- World Council of Enterostomal Therapists. (2014a). *International ostomy guideline*. K. Zulkowski, E. A. Ayello, & S. Stelton (Eds.). Perth, Australia: Author.
- World Council of Enterostomal Therapists. (2014b). WCET international ostomy guideline recommendations. *World Council of Enterostomal Therapists Journal*, 34(2), 26–28. Retrieved November 11, 2016, from http://www.wceten.org/assets/Publications/wcet_april-june_2014f%20iog%20recommandations.pdf
- Wound, Ostomy and Continence Nurses Society. (2010). *Management of the patient with a fecal ostomy: Best practice guideline for clinicians*. Mt. Laurel, NJ: Author.
- Wound, Ostomy and Continence Nurses Society. (2012). *Procedure for obtaining a urine sample from a urostomy, ileal conduit, and colon conduit: Best practice for clinicians*. Mount Laurel, NJ: Author. Retrieved June 8, 2017, from <http://www.wocn.org/?page=ObtainUrineOstomy>

- Wound, Ostomy and Continence Nurses Society. (2013). *Colostomy and ileostomy products and tips: Best practice for clinicians*. Mount Laurel, NJ: Author. Retrieved November 11, 2016, from <http://www.wocn.org/?page=ColostomyIleostomy>
- Wound, Ostomy and Continence Nurses Society. (2014a). *Guideline for management of wounds in patients with lower-extremity arterial disease. WOCN clinical practice guideline series 1*. Mt. Laurel, NJ: Author.
- Wound, Ostomy and Continence Nurses Society. (2014b). *WOCN Society and ASCRS Position statement on preoperative stoma site marking for patients undergoing colostomy or ileostomy surgery*. Mt. Laurel, NJ: Author. Retrieved December 10, 2016, from <http://www.wocn.org/?page=StomaSiteMarking>
- Wound, Ostomy and Continence Nurses Society. (2014c). *WOCN Society and AUA Position statement on preoperative stoma site marking for patients undergoing urostomy surgery*. Mt. Laurel, NJ: Author. Retrieved December 10, 2016, from <http://www.wocn.org/?page=StomaSiteMarkingAUA>
- Wound, Ostomy and Continence Nurses Society. (2014d). *Urostomy products and tips: Best practice for clinicians*. Mt. Laurel, NJ: Author. Retrieved November 11, 2016, from <http://www.wocn.org/?page=UrostomyProductsTips>
- Wound, Ostomy and Continence Nurses Society. (2014e). *Discharge planning for a patient with a new ostomy: Best practice for clinicians*. Mt. Laurel, NJ: Author. Retrieved December 10, 2016, from <http://www.wocn.org/?page=DischargePlanning>
- Wound, Ostomy and Continence Nurses Society. (2014f). *Stoma complications: Best practice for clinicians*. Mt. Laurel, NJ: Author. Retrieved December 10, 2016, from <http://www.wocn.org/?page=StomaComp2014>

- Wound, Ostomy and Continence Nurses Society. (2016). *Peristomal skin complications: Clinical Resource Guide*. Mt. Laurel, NJ: Author. Retrieved December 10, 2016, from <http://www.wocn.org/?page=PeristomalSkin>
- Wound, Ostomy and Continence Nurses Society. (2017). *Convex pouching systems: Best practice for clinicians*. Mt. Laurel, NJ: Author. Retrieved March 20, 2017, from <http://www.wocn.org/?page=ConvexPouching>
- Wound, Ostomy and Continence Nurses Society, United Ostomy Associations of America, & ConvaTec, Inc. (2014). *Guiding principles for sustainable access to ostomy services, technologies and innovation*. Retrieved October 12, 2016, from <http://www.wocn.org/?page=GuidingPrinciples21>
- Wu, X., & Shen, B. (2013). Diagnosis and management of parastomal pyoderma gangrenosum. *Gastroenterology Report*, *1*(1), 1–8. <https://doi.org/10.1093/gastro/got013>
- Yeo, H., Abir, F., & Longo, W. E. (2006). Management of parastomal ulcers. *World Journal of Gastroenterology*, *12*(20), 3133–3137. <http://dx.doi.org/10.3748/wjg.v12.i20.3133>
- Zhang, J. E., Wong, F. K., You, L. M., Zheng, M. C., Li, Q., Zhang, B. Y., . . . Liu, J. L. (2013). Effects of enterostomal nurse telephone follow-up on postoperative adjustment of discharged colostomy patients. *Cancer Nursing*, *36*(6), 419–428. <http://dx.doi.org/10.1097/NCC.0b013e31826fc8eb>