

Table S2: Incidence rate for revision ACLR and contralateral ACLR by age category and sex

| Ipsilateral revision ACLR | | | |
|-----------------------------------|-------------|------------------|----------------------------------|
| Age category | Sample size | Number of events | Event rate per 1000 person years |
| 10 to 19 yrs | 1955 | 150 | 13.5 |
| 20 to 29 yrs | 2955 | 127 | 7.5 |
| 30 to 39 yrs | 2351 | 54 | 4.0 |
| 40 to 49 yrs | 1502 | 23 | 2.7 |
| 50-59 yrs | 529 | 5 | 1.7 |
| Sex | | | |
| Females | 4055 | 170 | 7.4 |
| Males | 5237 | 189 | 6.3 |
| Contralateral primary ACLR | | | |
| Age category | Sample size | Number of events | Event rate per 1000 person years |
| 10 to 19 yrs | 2084 | 129 | 10.9 |
| 20 to 29 yrs | 3074 | 119 | 6.8 |
| 30 to 39 yrs | 2410 | 59 | 4.3 |
| 40 to 49 yrs | 1531 | 29 | 3.3 |
| 50-59 yrs | 537 | 8 | 2.6 |
| Sex | | | |
| Females | 4227 | 172 | 7.1 |
| Males | 5409 | 172 | 5.6 |