

REFERENCES

1. Bayliss WM, Starling EH. The mechanism of pancreatic secretion. *J Physiol*. 1902;28:325–353.
2. Jorpes JE, Mutt V. The gastrointestinal hormones, secretin and cholecystokinin-pancreozymin. *Ann Int Med*. 1961;55:395.
3. Jorpes JE, Mutt V. The gastrointestinal hormones, secretin and cholecystokinin. In: De Reuck AVS, Cameron MP, eds. *The Exocrine Pancreas*. London, England: Churchill; 1962:150–164.
4. Mutt V, Jorpes JE, Magnusson S. Structure of porcine secretin. The amino acid sequence. *Eur J Biochem*. 1970;15:513–519.
5. Mutt V, Magnusson S, Jorpes JE, et al Structure of porcine secretin. I. Degradation with trypsin and thrombin sequence of the tryptic peptides with C-terminal residue. *Biochemistry*. 1965;4:2358–2362.
6. Bodanszky M, Ondetti MA, Levine SD, et al Synthesis of secretin. II. The stepwise approach. *J Am Chem Soc*. 1967;89:6753–6757.
7. Ondetti MA, Narayanan VL, von Saltza M, et al The synthesis of secretin. III. The fragment condensation approach. *J Am Chem Soc*. 1968;90:4711–4715.
8. Mellanby J. The secretion of pancreatic juice. *J Physiol*. 1926;61:419–435.
9. Chey WY, Kim MS, Lee KY, et al Effect of rabbit antisecretin serum on postprandial pancreatic secretion in dog. *Gastroenterology*. 1979;77:1268–1275.
10. Gyr K, Belinger C, Fried M, et al Plasma secretin and pancreatic response to various stimulants including a meal. *Am J Physiol*. 1984;246:G535–G542.
11. Chey WY, Kim MS, Lee KY, et al Secretin is an enterogastrone in the dog. *Am J Physiol*. 1981;240(3):G239–G244.
12. Jin HO, Lee KY, Chang TM, et al Secretin, a physiological regulator of gastric emptying and acid output in dogs. *Am J Physiol*. 1994;267:G702–G708.
13. Valenzuela JE. Effect of intestinal hormones and peptides on intragastric pressure in dogs. *Gastroenterology*. 1976;71:766–769.
14. Modlin IM, Champaneria MC, Chan AK, et al History of the pancreas. In: Berger H, Warshaw A, Büchler M, et al, eds. *The Pancreas: An Integrated Textbook of Basic Science, Medicine, and Surgery*. 2nd ed. Malden, MA: Blackwell Publishing Inc; 2008:9–41.
15. Leuret F, Lassaigue JL. Recherches physiologiques et chimiques pour servir a l'histoire de la digestion. *Paris Hugard*. 1825.
16. Dolinsky MJ. Etudes sur l'excitabilite sécrétoire spécifique de la muqueuse du canal digestif. *Arch Sci Biol*. 1894;3:399–427.
17. Pavlov IP. *Lectures on the Work of the Principle Digestive Glands (in Russian)*. St. Petersburg, Russia: The Imperial Military Academy of Medicine; 1897.

18. Pavlov IP. *The Work of Digestive Glands*. 2nd ed. Thompson W, trans. London, England: Griffin; 1910.
19. Popielski LB. *The Secretory-Inhibitory Nerves of the Pancreatic Gland (in Russian)*. St. Petersburg, Russia: The Imperial Military Academy of Medicine; 1896; (cited by Balbkin, 1950).
20. Popielski LB. Über das periphere reflektorische Nervenzentrum des Pankreas. *Pfluegers Arch Gesamte Physiol Menschen Tiere*. 1901;86:215–246.
21. Wertheimer E, Lepage L. Sur l'association réflexe du pancréas. *J Physiol Paris*. 1901;3:690–702.
22. Wertheimer E, Lepage L. (a) Sur les fonctions réflexes des ganglions abdominaux du sympathique dans l'innervation sécrétoire du pancréas. I. *J Physiol Path Generale*. 1901;3:335–348.
23. Wertheimer E, Lepage L. (a) Sur les fonctions réflexes des ganglions abdominaux du sympathique dans l'innervation sécrétoire du pancréas. II. *J Physiol Path Generale*. 1901;3:363–374.
24. Wertheimer E, Lepage L. (b) Sur l'association réflexe du pancréas avec l'intestin grêle. I. *J Physiol Path Generale*. 1901;3:689–703.
25. Wertheimer E, Lepage L. (b) Sur l'association réflexe du pancréas avec l'intestin grêle. II. *J Physiol Path Generale*. 1901;3:708–719.
26. Bayliss WM. *Principles of General Physiology*. 3rd ed. London, England: Longmans Green; 1920:712.
27. Wertheimer E. Sur le mécanisme de la sécrétion pancréatique. *C R Seances Soc Biol Fil*. 1902;54:472–474.
28. Enriquez E, Hallion L. Réflexe acide de Pavloff et sécrétine: mécanisme humoral commun. *C R Soc Biol Paris*. 1903;55:233.
29. Fleig C. Action de la sécrétion et l'action de l'acide dans la sécrétion pancréatique. *Arch Gén Méd*. 1903;80:1473–1494.
30. Matsuo J. On the secretion of pancreatic juice. *J Physiol*. 1912;45:447–458.
31. Farrell JI, Ivy AC. Contributions to the physiology of the pancreas. II. The proof of a humoral mechanism for external pancreatic secretion. *Am J Physiol*. 1926;78:325–338.
32. Delezenne C, Hallion L, Gayet R. Sur le mécanisme de la sécrétion pancréatique. Mise en dérivation d'une anse intestinale et du pancréas sur la circulation carotidienne. *Ann Physiol Physicochim Biol*. 1927;3:508–511.
33. Houssay BA, Molinelli EA. El injerto pancreático duodenal como reactivo de las descargas de adrenalina y secretina. *Rev Soc Argent Biol*. 1927;3:362–377.

34. Houssay BA, Molinelli EA. La greffe duodeno-pancreatique et son emploi pour deceler des decharges d'adrenaline et de secretine dans le sang. *C R Soc Biol.* 1927;97:1032–1134.
35. Necheles H, Lim RK. Isolation of gastric and pancreatic secretory excitant from circulation by vivi-dialysis. *Chin J Physiol.* 1928;2:415–434.
36. Chen YF, Chey WY, Chang TM, et al Duodenal acidification releases cholecystokinin. *Am J Physiol.* 1985;249:G29–G33.
37. Chey WY, Lee KY, Chang TM, et al Potentiation effect of secretin on cholecystokinin-stimulated pancreatic secretion in dogs. *Am J Physiol.* 1984;246(9):G248–G252.
38. You CH, Romiger JM, Chey WY. Potentiation effect of cholecystokinin-octapeptide on pancreatic bicarbonate secretion stimulated by a physiological dose of secretin in humans. *Gastroenterology.* 1983;85:40–45.
39. Moriyoshi Y, Shiratori K, Watanabe S, et al Potentiating effect of CCK and secretin on rat exocrine pancreas and its cholinergic dependence. *Pancreas.* 1991;6:603–608.
40. Lee KY, Zhou L, Ren XS, et al An important role of endogenous insulin on exocrine pancreatic secretion in rats. *Am J Physiol.* 1990;258:G268–G274.
41. Rominger JM, Chey WY, Chang TM. Plasma secretin concentration and gastric pH in healthy subjects and patients with digestive diseases. *Dig Dis Sci.* 1981;26:591–597.
42. Schaffalitzky de Muckdell OB, Fahrenkrug J. Secretion pattern of secretin in man: regulation of gastric acid. *Gut.* 1978;19:812–828.
43. Carlquist M, Jornvall H, Mutt V. Isolation and amino acid swquence of bovine secretin. *FEBS Lett.* 1981;127:71–74.
44. Nilsson A. Isolation, amino acid composition and terminal amino acid residues of the vasoactive octacosapeptide from chicken intestine. Partial purification of chicken secretin. *FEBS Lett.* 1974;47:284–289.
45. Nilsson A, Carlquist M, Jornvall H, et al Isolation and characterization of chicken secretin. *Eur J Biochem.* 1980;112:383–388.
46. Mutt V, Carlquist M, Tatemoto K. Secretin-like bioactivity in extracts of porcine brain. *Life Sci.* 1979;25:1703–1708.
47. Carlquist M, Jornvall H, Forssmann WG, et al Human secretin is not identical to the porcine/bovine hormone. *IRCS Med Sci.* 1985;13:217–218.
48. Gossen D, Vandermeers A, Vandermeers-Piret MC, et al Isolation and primary structure of rat secretin. *Biochem Biophys Res Commun.* 1989;160:862–867.
49. Bounioua Y, Vandermeers A, Robberecht P, et al Purification and amino acid sequence of vasoactive intestinal peptide, peptide histidine isoleucinamide and secretin from the ovine small intestine. *Regul Pept.* 1991;32:169–179.

50. Buscail L, Cauvin A, Gourlet P, et al Purification and amino acid sequence of vasoactive intestinal peptide, peptide histidine isoleucinamide (1-27) and secretin from the small intestine of guinea pig. *Biochim Biophys Acta*. 1990;1038:355–359.
51. Shinomura Y, Eng J, Yalow RS. Dog secretin: sequence and biologic activity. *Life Sci*. 1987;41:1243–1248.
52. Gossen D, Buscail L, Cauvin A, et al Amino acid sequence of VIP, PHI and secretin from the rabbit small intestine. *Peptides*. 1990;11:123–128.
53. Lan MS, Kajivama W, Donadel G, et al cDNA sequence and genomic organization of mouse secretin. *Biochem Biophys Res Commun*. 1994;200:1066–1071.
54. Chey WY, Chang T-M. Secretin, 100 years later. *J Gastroenterol*. 2003;38:1025–1035.
55. Bodanszky A, Ondetti MA, Mutt V, et al Synthesis of secretin. IV. Secondary structure in a miniature protein. *J Am Chem Soc*. 1969;91:944–949.
56. Bodanszky M, Fink ML, Said SI. A re-examination of the conformation of secretin in water. *Clin Endocrinol Suppl*. 1976;5:195S–200S.
57. Hamed MM, Robinson RM, Mattice WL. Behavior of amphipathic helices on analysis via matrix methods with application to glucagon, secretin and vasoactive intestinal peptide. *Biopolymers*. 1983;22:1003–1021.
58. König W, Bickel M, Karch K, et al Analogues and fragments of secretin. *Peptides*. 1984;5:189–193.
59. Alder M, Mestdagh M, De Neef P, et al In vivo effects of five secretin analogs on fluid and potassium secretion from rat pancreas. *Life Sci*. 1980; 26:1175–1181.
60. Bayerman HC, Grossman MI, Scatchard T, et al On the instability of secretin. *Life Sci*. 1981;29:855–894.
61. König W, Geiger R, Wissmann H, et al Chemical and biological properties of porcine secretin and secretin analogue modified in positions 3 and 4. *Gastroenterology*. 1977;72:797–800.
62. Lehnert P, Forell MM, Jaeger E, et al Hydrokinetic activity of secretin and secretin analogues, modified in the N-terminal sequence, and of vasoactive intestinal peptide in the dog pancreas. *Digestion*. 1981;22:85–88.
63. Makhlof GM, Bodanszky M, Fink ML, et al Pancreatic secretory activity of secretin 5-27 and substituted analogues. *Gastroenterology*. 1978;75:244–248.
64. Robberecht P, Conlon TP, Gardner JD. Interaction of porcine vasoactive intestinal peptide with dispersed acinar cells from the guinea pig: structural requirements for effects of VIP and secretin on cellular cAMP. *J Biol Chem*. 1976;251:4635–4639.

65. Christophe J, Conlon TP, Gardner JD. Interaction of porcine vasoactive intestinal peptide with dispersed acinar cells from the guinea pig. Binding of radio-iodinated peptide. *J Biol Chem*. 1976;251:2629–2634.
66. Gardner JD, Conlon TP, Beyerman HC, et al Interaction of synthetic 10-tyrosyl analogues of secretin with hormone receptors on pancreatic acinar cells. *Gastroenterology*. 1977;73:52–56.
67. Gardner JD, Conlon TP, Fink ML, et al Interaction of peptides related to secretin with hormone receptors on pancreatic acinar cells. *Gastroenterology*. 1976;71:965–970.
68. Gardner JD, Rottman AJ, Natarajan S, et al Interaction of secretin 5-27 and its analogues with hormone receptor on pancreatic acini. *Biochim Biophys Acta*. 1979;583:491–503.
69. Jensen RT, Charlton CG, Adachi H, et al Use of ¹²⁵I-secretin to identify and characterize high-affinity secretin receptors on pancreatic acini. *Am J Physiol*. 1983; 245:G186–G195.
70. Robberecht P, Waelbroeck M, Dehaye JP, et al Characterization of secretin and vasoactive intestinal peptide receptors in rat pancreatic plasma membranes using the native peptides, secretin 7-27 and five secretin analogues. *Digestion*. 1982;23:201–210.
71. Waelbroeck M, Robberecht P, De Neef P, et al Binding of vasoactive intestinal peptide and its stimulation of adenylate cyclase through two classes of receptors in rat liver membranes. Effect of 12 secretin analogues and 2 secretin fragments. *Biochem Biophys Acta*. 1981;678:83–90.
72. Wünsch E, Wendler G. Gel zur synthese des secretins. V. Darstellung der gesamten sequenz. *Chem Ber*. 1972;105:2508–2514.
73. Jaeger G, König W, Wissmann H, et al Beitrag zur synthese des secretins. *Chem Ber*. 1974;107:215–231.
74. Van Zon A, Beyerman HC. REMA synthesis of peptides. In: Wolman T, ed. *Peptides 1974*. New York, NY: Wiley; 1975:165–172.
75. Hemmási E, Bayer E. The solid phase synthesis of porcine secretin with full biological activity. *Int J Pept Protein Res*. 1977;9:63–70.
76. Coy DH, Coy EJ, Lee KY, et al Solid-phase synthesis and biological activities of gastrointestinal hormones: secretin and motilin. *Peptides*. 1982;1:137–141.
77. Sumi S, Nagawa F, Hayashi T, et al Overproduction of a gastrointestinal hormone, secretin, in *Escherichia coli* cells and its chemical characterization. *Gene*. 1984;29:125–134.
78. Suzuki M, Sumi S, Hasegawa A, et al Production of *Escherichia coli* of biologically active secretin, a gastrointestinal hormone. *Proc Natl Acad Sci U S A*. 1982;79:2475–2479.
79. Olson H, Lind P, Pohl G, et al Production of a biologically active variant form of recombinant human secretin. *Peptides*. 1988;9:301–307.
80. Grossman MI. Chemical messengers: a view from the gut. *Fed Proc*. 1979;38:2341–2343

81. Chey WY, Chang T-M. Secretin. In: Makhoulf G, ed. *Handbook of Physiology; Section 6: The Gastrointestinal System*. Bethesda, MD: American Physiological Society; 1989;2:359–402.
82. Chang T-M, Chey WY. Radioimmunoassay of secretin: a critical review. *Dig Dis Sci*. 1980;29:529–552.
83. Wormsley KG. Progress report. Is secretin secreted? *Gut*. 1973;14:743–751.
84. Chey WY, Lee YH, Hendricks JR, et al Plasma secretin concentrations in fasting and postprandial states in man. *Am J Dig Sci*. 1978;23:981–988.
85. Kim MS, Lee KY, Chey WY. Plasma secretin concentrations in fasting and postprandial states in dog. *Am J Physiol*. 1979;236:E539–E544.
86. Schaffalitzky de Muckadell OB, Fahrenkrug J, Matzen P, et al Physiological significance of secretin in the pancreatic bicarbonate secretion. II. Pancreatic bicarbonate response to a physiological increase in plasma secretin concentration. *Scand J Gastroenterol*. 1979;14:85–90.
87. You CH, Rominger JM, Chey WY. Effects of atropine on the action and release of secretin in humans. *Am J Physiol*. 1982;242:G608–G611.
88. Chey WY, Chang T-M. Neural hormonal regulation of exocrine pancreatic secretion. *Pancreatology*. 2001;1:320–335.
89. Chey WY, Chang T-M. Physiology of exocrine pancreas. In: Pour PM, ed. *Toxicology of the Pancreas*. Boca Raton, FL: CRC Press, Taylor and Francis Group; 2006:109–138.
90. Kopin AS, Wheeler MB, Leiter AB. Secretin: structure of the precursor and tissue distribution of the mRNA. *Proc Natl Acad Sci U S A*. 1990;87:2299–2303.
91. Kopin A, Wheeler M, Nishitani J, et al The secretin gene: evolutionary history, alternative splicing, and developmental regulation. *Proc Natl Acad Sci U S A*. 1991;88:5335–5339.
92. Itoh K, Furuya T, Ozaki K, et al The secretin precursor gene. *Proc Natl Acad Sci U S A*. 1991;266:12595–12598.
93. Whitmore TE, Holloway JL, Lofton-Day CE, et al Human secretin (SCT): gene structure chromosome location, and distribution of mRNA. *Cytogenet Cell Genet*. 2000;90:47–52.
94. Bonetto V, Jornvall H, Mutt V, et al Two alternative processing pathways for a prohormone: bioactive form of secretin. *Proc Natl Acad Sci U S A*. 1995;92:11985–11989.
95. Calquvist M, Rokaeus A. Isolation of a proform of porcine secretin by ion-exchange and reversed-phase high-performance liquid chromatography. *J Chromatogr*. 1984;296:143–151.
96. Gafvelin G, Carlquist M, Mutt V. A proform of secretin with high secretin-like bioactivity. *FEBS Lett*. 1985;184:247–352.
97. Gafvelin G, Jörnvall H, Mutt V. Processing of prosecretin: isolation of a secretin precursor from porcine intestine. *Proc Natl Acad Sci U S A*. 1990;87:6781–6785.

98. Solomon TE, Walsh JH, Bussjaeger L, et al COOH-terminally extended secretins are potent stimulants of pancreatic secretion. *Am J Physiol*. 1999;276:G808–G818.
99. Bloom SR, Polak JM. Gut hormones; overview. In: Bloom SR, ed. *Gut Hormones*. Edinburgh, Scotland: Churchill Livingstone; 1978:3–18.
100. Straus E, Yalow RS. Immunoreactive secretin in gastrointestinal mucosa of several mammalian species. *Gastroenterology*. 1978;75:401–404.
101. Shinomura Y, Satto R, Himeno S, et al Effect of acid perfusion of the terminal ileum on plasma immunoreactivity secretin and pancreatic secretion. *Horm Metab Res*. 1983;15:15–19.
102. Transberg K-G, Tabata K, Chen M-H, et al Release of secretin immunoreactivity from the ileum. *Ann Surg*. 1985;201:300–304.
103. Egerod KL, Engelstoft MS, Grunddal KV, et al A major lineage of enteroendocrine cells coexpress CCK, secretin, GIP, GLP-1, PYY and neurotensin but not somatostatin. *Endocrinology*. 2012;153:5782–5795.
104. Chey WY, Chang T-M, Park HJ, et al Secretin-like immunoreactivity and biologic activity in the antral mucosa. *Endocrinology*. 1983;113:651–656.
105. Chang T-M, Erway B, Chey WY. Rapid, small-scale preparation of gastrointestinal hormones by high-performance liquid chromatography on a C18 column. *J Chromatogr*. 1985;326:121–127.
106. Charlton CG, O'Donohue TL, Miller RL, et al Secretin immunoreactivity in rat and pig brain. *Peptides*. 1981;2(suppl 1):45–49.
107. Solcia E, Polak JM, Pearse AGE, et al Lausanne 1977 classification of gastroenteropancreatic endocrine cells. In: Bloom SR, ed. *Gut Hormones*. Edinburgh, Scotland: Churchill Livingstone; 1978:40–48.
108. Kobayashi S, Fujita T, Sasagawa T. The endocrine cells of human duodenal mucosa. An electron microscope study. *Arch Histol Jpn*. 1970;31:477–494.
109. Kobayashi S, Kusumoto Y, Ito S. Histology of secretin cell. In: Naito S, Yanaihara N, eds. *Recent Advance in Gut Hormone Research: 2 Secretin*. Tokyo, Japan: Japanese Society on Gut Hormones, Chugai Igaku Co; 1979:29–38.
110. Cetin Y. Secretin-cells of the mammalian intestine contain serotonin. *Histochemistry*. 1990;93:601–606.
111. Roth KA, Gordon JI. Spatial differentiation of the intestinal epithelium: analysis of enteroendocrine cells containing immunoreactive serotonin, secretin, and substance P in normal and transgenic mice. *Proc Natl Acad Sci U S A*. 1990;87:6408–6412.

112. Lopez MJ, Upchurch BH, Rindi G, et al Studies in transgenic mice reveal potential relationships between secretin-producing cells and other endocrine cell types. *J Biol Chem.* 1995;270:885–891.
113. Chey WY, Chang CH, Pan H, et al Evidence on the presence of secretin cells in the gastric antral and oxyntic mucosa. *Regul Pept.* 2003;111:183–190.
114. Köves K, Kausz M, Reser D, et al Secretin and autism: a basic morphological study about the distribution of secretin in the nervous system. *Regul Pept.* 2004;123:209–216.
115. Ohta M, Funakoshi S, Kawasaki T, et al Tissue-specific expression of the rat secretin precursor gene. *Biochem Biophys Res Commun.* 1992;183:390–395.
116. Chow BK, Cheung KH, Tsang EM, et al Secretin controls anion secretion in the rat epididymis in an autocrine/paracrine fashion. *Biol Reprod.* 2004;70:1594–1599.
117. Welch MG, Keune JD, Welch-Horan TB, et al Secretin: hypothalamic distribution and hypothesized neuroregulatory role in autism. *Cell Mol Neurobiol.* 2004;24:219–241.
118. Davis RJ, Page KJ, Dos Santos GJ, et al Expression and functions of the duodenal peptide secretin and its receptor in human lung. *Am J Respir Cell Mol Biol.* 2004;31:302–308.
119. Larsson LI, Sundler F, Alumet J, et al Distribution, ontogeny and ultrastructure of the mammalian secretin cell. *Cell Tissue Res.* 1977;181:361–368.
120. Ichihara K, Eng J, Yalow RS. Ontogeny of immunoreactive CCK, VIP and secretin in rat brain and gut. *Biochem Biophys Res Commun.* 1983;112:891–898.
121. Paquette TL, Shulman DF, Alpers DH, et al Postnatal development of intestinal secretin in rats and guinea pigs. *Am J Physiol.* 1982;243:G511–G517.
122. Hunag CG, Eng J, Yalow RS. Ontogeny of immunoreactive cholecystokinin, vasoactive intestinal peptide, and secretin in guinea pig brain and gut. *Endocrinology.* 1986;118:1096–1101.
123. Wheeler MB, Nishitani J, Buchan AM, et al Identification of a transcriptional enhancer important for enteroendocrine and pancreatic islet cell-specific expression of the secretin gene. *Mol Cell Biol.* 1992;12:3531–3539.
124. Johnson LR. The trophic action of gastrointestinal hormones. *Gastroenterology.* 1976;70:278–288.
125. Solomon TE, Petersen H, Elashoff J, et al Interaction of caerulein and secretin on pancreatic size and composition in rat. *Am J Physiol.* 1978;235:E714–E719.
126. Dembinski AB, Johnson LR. Stimulation of pancreatic growth by secretin, caerulein, and pentagastrin. *Endocrinology.* 1980;106:323–328.
127. Solomon TE, Vanier M, Morisset J. Cell site and time course of DNA synthesis in pancreas after caerulein and secretin. *Am J Physiol.* 1983;245:G99–G105.

128. Solomon TE, Morisset J, Wood JG, et al Additive interaction of pentagastrin and secretin on pancreatic growth in rat. *Gastroenterology*. 1987;92:429–435.
129. Siu FKY, Sham MH, Chow BKC. Secretin, a known gastrointestinal peptide, is widely expressed during mouse embryonic development. *Gene Expr Patterns*. 2005;5:445–451.
130. Dong M, Wang Y, Hadac EM, et al Identification of an interaction between residue 6 of the natural peptide ligand and a distinct residue within the amino-terminal tail of the secretin receptor. *J Biol Chem*. 1999;274:19161–19167.
131. Asmann YW, Dong M, Miller LJ. Functional characterization and purification of the secretin receptor expressed in baculovirus-infected insect cells. *Regl Pept*. 2004;123:217–223.
132. Ishihara T, Nakamura S, Kaziyo Y, et al Molecular cloning and expression of a cDNA encoding the secretin receptor. *EMBO J*. 1991;10:1635–1641.
133. Ulrich CD 2nd, Pinon DI, Hadac EM, et al Intrinsic photoaffinity labeling of native and recombinant rat pancreatic secretin receptors. *Gastroenterology*. 1993;105:1534–1543.
134. Gossen D, Poloczek P, Svoboda M, et al Molecular architecture of secretin receptors: the specific covalent labeling of a 51 kDa peptide after cross-linking of [125I]iodosecretin to intact rat pancreatic acini. *FEBS Lett*. 1989;243:205–208.
135. Bawab W, Gespach C, Marie JC, et al Pharmacology and molecular identification of secretin receptors in rat gastric glands. *Life Sci*. 1988;42:791–798.
136. Chow BKC. Molecular cloning and functional characterization of a human secretin receptor. *Biochem Biophys Res Commun*. 1995;212:204–211.
137. Patel DR, Kong Y, Sreedharan SP. Molecular cloning and expression of a human secretin receptor. *Mol Pharm*. 1995;47:467–473.
138. Jiang S, Ulrich C. Molecular cloning and functional expression of a human pancreatic secretin receptor. *Biochem Biophys Res Commun*. 1995;207:883–890.
139. Svoboda M, Tastenoy M, De Neef P, et al Molecular cloning and in vitro properties of the recombinant rabbit secretin receptor. *Peptides*. 1998;19:1555–1562.
140. Di Paolo E, De Neef P, Moguilevsky N, et al Properties of a recombinant human secretin receptor: a comparison with the rat and rabbit receptors. *Pancreas*. 1999;19:51–55.
141. Ulrich CD 2nd, Holtmann M, Miller LJ. Secretin and vasoactive intestinal peptide receptors: members of a unique family of G protein–coupled receptors. *Gastroenterology*. 1998;114:382–397.
142. Pang RT, Ng SS, Cheng CH, et al Role of N-linked glycosylation on the function and expression of the human secretin receptor. *Endocrinology*. 1999;140:5102–5111.

143. Gao F, Harlkumar KG, Dong M, et al Functional importance of a structurally distinct homodimeric complex of the family B G protein–coupled secretin receptor. *Mol Pharmacol.* 2009;76:264–274.
144. Harlkumar KG, Pinon DI, Miller LJ. Transmembrane segment IV contributes a functionally important interface for oligomerization of the class II G protein–coupled secretin receptor. *J Biol Chem.* 2007;282:30363–30372.
145. Dong M, Lam PC, Pinon DI, et al Secretin occupies a single protomer of the homodimeric secretin receptor complex: insights from photoaffinity labeling studies using dual sites of covalent attachment. *J Biol Chem.* 2010;285:9919–9931.
146. Miller LJ, Dong M, Harlkumar KG. Ligand binding and activation of the secretin receptor, a prototypic family B G protein–coupled receptor. *Br J Pharmacol.* 2012;166:18–26.
147. Miller LJ, Dong M. The orthosteric agonist-binding pocket in the prototypic class B G-protein–coupled secretin receptor. *Biochem Soc Trans.* 2013;41:154–158.
148. Garcia GL, Dong M, Miller LJ. Differential determinants for coupling of distinct G proteins with the class secretin receptor. *Am J Physiol Cell Physiol.* 2012;302:C1202–C1212.
149. Tóth ZE, Heinzlmann A, Hashimoto H, et al Distribution of secretin receptor in the rat central nervous system: an in situ hybridization study. *J Mol Neurosci.* 2013;50:172–178.
150. Ulrich CD II, Wood P, Hadac EM, et al Cellular distribution of secretin receptor expression in rat pancreas. *Am J Physiol.* 1998;275:G1437–G1444.
151. Köner M, Hayes GM, Rehmann R, et al Secretin receptor in normal and diseased human pancreas. Marked reduction of receptor binding in ductal neoplasia. *Am J Pathol.* 2005;167:959–968.
152. Tietz PS, Hadac EM, Miller LJ, et al Upregulation of secretin receptors in cholangiocytes after bile duct ligation. *Regul Pept.* 2001;97:1–6.
153. Alpini G, Ulrich CD II, Phillips JO, et al Upregulation of secretin receptor gene expression in rat cholangiocytes after bile duct ligation. *Am J Physiol.* 1994;266:G922–G928.
154. Ding WQ, Kuntz S, Böhmig M, et al Dominant negative action of an abnormal secretin receptor arising from mRNA missplicing in a gastrinoma. *Gastroenterology.* 2002;122:500–511.
155. Ding WQ, Cheng ZJ, McElhiney J, et al Silencing of secretin receptor function by dimerization with a misspliced variant secretin receptor in duct pancreatic adenocarcinoma. *Cancer Res.* 2002;62:5223–5229.
156. Körner M, Hayes GM, Rehmann R, et al Secretin receptor in the human liver: expression in biliary tract and cholangiocarcinoma but not in hepatocytes or hepatocellular carcinoma. *J Hepatol.* 2006;45:825–835.

157. Hayes GM, Carrigan PE, Dong M, et al A novel secretin receptor splice variant potentially useful for early diagnosis of pancreatic carcinoma. *Gastroenterology*. 2007;133:853–861.
158. Körner M, Hayes GM, Carrigan PE, et al Wild type and splice-variant secretin receptors in lung cancer: overexpression in carcinoid tumors and peritumoral lung tissue. *Modern Pathol*. 2008;21:387–395.
159. Dong M, Te JA, Xu X, et al Lactam constraints provide insights into the recepto-bound conformation of secretin and stabilize a receptor antagonist. *Biochemistry*. 2011;50:8181–8192.
160. Te JA, Dong M, Miller LJ, et al Predicting the effects of amino acid replacements in peptide hormones on their binding affinities for class B GPCRs and application to the design of secretin receptor antagonists. *J Comput Aided Mol Des*. 2012;26:835–845.
161. Chey WY, Konturek SJ. Plasma secretin and pancreatic secretion in response to liver extract meal with varied pH and exogenous secretin in dog. *J Physiol*. 1982;324:263–272.
162. Hanssen LE. Pure synthetic bile salts release immunoreactive secretin in man. *Scand J Gastroenterol*. 1980;15:461–463.
163. Schaffalitzky de Muckdell OB, Fahrenkrug J, Neilson J, et al Meal-stimulated secretin release in man: effect of acid and bile. *Scand J Gastroenterol*. 1981;16:981–988.
164. Nishiwaki H, Satake K, Umeyama K, et al The effect of bile on endogenous secretin release in dog. *Jpn J Gastroenterol*. 1982;79:1619–1625.
165. Rhodes RA, Skervén G, Chey WY, et al Acid-independent release of secretin and cholecystokinin by intraduodenal infusion of fat in man. *Pancreas*. 1988;3:391–398.
166. Faichney A, Chey WY, Kim YC, et al Effect of sodium oleate on plasma secretin concentration and pancreatic secretin in dog. *Gastroenterology*. 1981;81:458–462.
167. Watanabe S, Chey WY, Lee KY, et al Secretin is released by digestive products of fat in dogs. *Gastroenterology*. 1986;90:1008–1017.
168. Green GM, Taguchi S, Friestman J, et al Plasma secretin, CCK, and pancreatic secretion in response to dietary fat in the rat. *Am J Physiol*. 1989;256:G1016–G1021.
169. Shimizu K. Effect of intraduodenal oligopeptide on rat pancreatic exocrine secretion and release of secretin and CCK. *Nihon Shokakibyo Gakkai Zasshi*. 1990;87:2509–2516.
170. Shimizu K, Shiratori K, Watanabe S, et al Effect of protein derivatives on pancreatic secretion and release of secretin and CCK in rats. *Am J Physiol*. 1994;267:G508–G514.
171. Debas HT, Goto Y, Pappas TN, et al Geranyl-geranyl acetone: a novel stimulant of secretin release in the dog. *Pancreas*. 1990;5:555–558.
172. Kawamura M, Yamazaki S, Tobe A, et al Effect of MCI-27, a new anti-ulcer agent, on plasma secretin concentration in rats and dogs and pancreatic exocrine secretion in rats. *Jpn J Pharmacol*. 1991;56:513–522.

173. Shiratori K, Watanabe S, Takeuchi T, et al. Plauonol inhibits postprandial gastrin release by its unique secretin-releasing action in humans. *Dig Dis Sci*. 1990;39:1140–1145.
174. Takeuchi T, Shiratori K, Watanabe S, et al. Secretin as a potential mediator of anti-ulcer actions of mucosal protective agents. *J Clin Gastroenterol*. 1991;13(suppl 1):S83–S87.
175. Chey WY, Millikan L, Lee KY, et al. Effect of 1-phenylpentanol on release of secretin and exocrine pancreatic secretion in dogs and humans. *Gastroenterology*. 1983;84:1578–1584.
176. Watanabe S, Chey WY, Lee KY, et al. Secretin is released by licorice in mammals. *Pancreas*. 1986;1:449–454.
177. Miyasaka K, Guan DF, Liddle RA, et al. Feedback regulation by trypsin: evidence for intraluminal CCK-releasing peptide. *Am J Physiol*. 1989;257:G175–G181.
178. Owyang C, Louie DS, Tatum D. Feedback regulation of pancreatic enzyme secretion. Suppression of cholecystokinin release by trypsin. *J Clin Invest*. 1986;77:2042–2047.
179. Green GM, Lyman RL. Feedback regulation of pancreatic enzyme as a mechanism for trypsin inhibitor-induced hypersecretion in rats. *Proc Soc Exp Biol Med*. 1972;140:6–12.
180. Ihse I, Lilja P, Lundquist I. Trypsin as a regulator of pancreatic secretion in the rat. *Scand J Gastroenterol*. 1979;14:873–880.
181. Louie DS, May D, Miller P, et al. Cholecystokinin mediates feedback regulation of pancreatic enzyme secretion in rats. *Am J Physiol*. 1986;250:G489–495.
182. Shiratori K, Chen YF, Chey WY, et al. Mechanism of increased exocrine pancreatic secretion in pancreatic juice-diverted rats. *Gastroenterology*. 1986;91:1173–1179.
183. Sun G, Lee KY, Chang TM, et al. Effect of pancreatic juice diversion on secretin release in rats. *Gastroenterology*. 1989;96:1173–1179.
184. Watanabe S, Takeuchi T, Chey WY. Mediation of trypsin inhibitor-induced pancreatic hypersecretion by secretin and cholecystokinin in rats. *Gastroenterology*. 1992;102:621–628.
185. Jin HO, Song CW, Chang TM, et al. Roles of gut hormones in negative-feedback regulation of pancreatic exocrine secretion in humans. *Gastroenterology*. 1994;107:1828–1834.
186. Ihse I, Lilja P. Effects of intestinal amylase and trypsin on pancreatic secretion in the pig. *Scand J Gastroenterol*. 1979;14:1009–1013.
187. Kim CD, Lee KY, Chang TM, et al. Negative feedback regulation of pancreatic exocrine secretion in guinea pigs. *Pancreas*. 1995;10:173–179.
188. Shiratori K, Jo YH, Lee KY, et al. Effect of pancreatic juice and trypsin on oleic acid-simulated pancreatic secretion and plasma secretin in dogs. *Gastroenterology*. 1989;96:1330–1336.
189. Imamura M, Lee KY, Song Y, et al. Role of secretin in negative feedback regulation of postprandial pancreatic secretion in dogs. *Gastroenterology*. 1993;105:548–553.

190. Lee KY, Shiratori K, Chen YF, et al A hormonal mechanism for the interdigestive pancreatic secretion in dogs. *Am J Physiol*. 1986;251:G759–G764.
191. Magee DF, Naruse S. Effect of pancreatic juice on basal pancreatic and gastric secretion in dogs. *J Physiol*. 1982;330:489–496.
192. Li P, Lee KY, Ren XS, et al Effect of pancreatic proteases on plasma cholecystokinin, secretin, and pancreatic exocrine secretion in response to sodium oleate. *Gastroenterology*. 1990;98:1642–1648.
193. Li P, Lee KY, Chang TM, et al Mechanism of acid-induced release of secretin in rats. Presence of a secretin-releasing peptide. *J Clin Invest*. 1990;86:1474–1479.
194. Li P, Song Y, Lee KY, et al Secretin-releasing factor exists in canine upper small intestine. *Gastroenterology*. 1997;112:A457.
195. Li P, Song Y, Lee KY, et al A secretin releasing peptide exist in dog pancreatic juice. *Life Sci*. 2000;66:1307–1316.
196. Song Y, Li P, Lee KY, et al Canine pancreatic juice stimulates the release of secretin and pancreatic secretion in the dog. *Am J Physiol*. 1999;277:G731–G735.
197. Chang TM, Lee KY, Chang CH, et al Purification of two secretin-releasing peptides structurally related to phospholipase A2 from canine pancreatic juice. *Pancreas*. 1999;19:401–405.
198. Chang TM, Chang CH, Wagner DR, et al Porcine pancreatic phospholipase A2 stimulates secretin release from secretin-producing cells. *J Biol Chem*. 1999;274:10758–10764.
199. Li JP, Chang TM, Wagner D, et al Pancreatic phospholipase A2 from the small intestine is a secretin-releasing factor in rats. *Am J Physiol Gastrointest Liver Physiol*. 2001;281:G526–G532.
200. Kim CD, Li P, Lee KY, et al Effect of [(Ch₂NH)₄,5]secretin on pancreatic exocrine secretion in guinea pigs and rats. *Am J Physiol*. 1993;265:G805–G810.
201. Jo YH, Lee KY, Chang TM, et al Role of cholecystokinin in pancreatic bicarbonate secretion in dogs. *Pancreas*. 1991;6:197–201.
202. Alcón S, Rosado JA, Garcia LJ, et al Secretin potentiates guinea pig pancreatic response to cholecystokinin by a cholinergic mechanism. *Can J Physiol Pharmacol*. 1996;74:1342–1350.
203. Singh J, Lennard R, Salido GM, et al Interaction between secretin and cholecystokinin-octapeptide in the exocrine rat pancreas in vivo and in vitro. *Exp Physiol*. 1992;77:191–204.
204. Yamagata T, Urano H, Weeber EJ, et al Impaired hippocampal synaptic function in secretin deficient mice. *Neuroscience*. 2008;154:1417–1422.

205. Sans MD, Sabbatini ME, Ernst SA, et al Secretin is not necessary for exocrine pancreatic development and growth in mice. *Am J Physiol Gastrointest Liver Physiol*. 2011;301:G791–G798.
206. Glaser S, Lam IP, Franchitto A, et al Knockout of secretin receptor reduces large cholangiocyte hyperplasia in mice with extrahepatic cholestasis induced by bile duct ligation. *Hepatology*. 2010;52:204–214.
207. Jukkola PI, Rogers JT, Kaspar BK, et al Secretin deficiency causes impairment in survival of neural progenitor cells in mice. *Hum Mol Genet*. 2011;20:1000–1007.
208. Chu JY, Chung SC, Lam AK, et al Phenotypes developed in secretin receptor-null mice indicated a role for secretin in regulating renal water reabsorption. *Mol Cell Biol*. 2007;27:2499–2511.
209. Kosaka T, Lim RK. Demonstration of the humoral agent on fat inhibition on gastric secretion. *Proc Soc Exp Biol Med*. 1930;27:890–891.
210. Greenlee HB, Longhi EH, Guerrero JD, et al Inhibitory effect of pancreatic secretin on gastric secretion. *Am J Physiol*. 1957;190:396–402.
211. Chey WY, Hitanant S, Hendrick J, et al Effect of secretin and cholecystokinin in gastric emptying and gastric secretion in man. *Gastroenterology*. 1970;58:820–827.
212. Brooks AM, Grossman MI. Effect of secretin and cholecystokinin on pentagastrin-stimulated gastric secretion in man. *Gastroenterology*. 1970;59:114–119.
213. Kim YS, Lee KY, Chey WY. Role of secretin on postprandial gastrin release in the dog: a further study. *Surgery*. 1981;90:504–508.
214. Stollmaier W, Schwillle PO. Endogenous secretin in the rat-evidence for a role as an enterogastrone but failure to influence serum calcium homeostasis. *Exp Clin Endocrinol*. 1992;99:169–174.
215. You CH, Chey WY. Secretin is an enterogastrone in humans. *Dig Dis Sci*. 1987;32:466–471.
216. Li P, Chang TM, Chey WY. Secretin inhibits gastric acid secretion via a vagal afferent pathway in rats. *Am J Physiol*. 1998;275:G22–G28.
217. Shimizu K, Li P, Lee KY, et al The mechanism of inhibitory action of secretin on gastric acid secretion in conscious rats. *J Physiol*. 1995;488:501–508.
218. Rhee JC, Chang TM, Lee KY, et al Mechanism of oleic acid-induced inhibition on gastric acid secretion in rats. *Am J Physiol*. 1991;260:G564–G570.
219. Chung I, Li P, Lee K, et al Dual inhibitory mechanism of secretin action on acid secretion in totally isolated, vascularly perfused rat stomach. *Gastroenterology*. 1994;107:1751–1758.
220. Jin HO, Lee KY, Chang TM, et al Physiological role of cholecystokinin on gastric emptying and acid output in dogs. *Dig Dis Sci*. 1994;39:2306–2314.

221. Konturek JW, Thor P, Maczka M, et al Role of cholecystokinin in the control of gastric emptying and secretory response to a fatty meal in normal subjects and duodenal ulcer patients. *Scand J Gastroenterol*. 1994;29:583–590.
222. Cohen S, Lipshutz W. Hormonal regulation of human lower esophageal sphincter competence: interaction of gastrin and secretin. *J Clin Invest*. 1971;50:449–454.
223. Behar J, Field S, Marin C. Effect of glucagon, secretin, and vasoactive intestinal polypeptide on the feline lower esophageal sphincter: mechanisms of action. *Gastroenterology*. 1979;77:1001–1007.
224. Lorber SH, Chey WY, Levi Z. Effect of secretin on motor activity in the stomach and Heidenhain pouch of dogs. *Gastroenterology*. 1965;48:866.
225. Gutiérrez JG, Chey WY, Dinoso VP. Action of cholecystokinin and secretin on the motor activity of the small intestine in man. *Gastroenterology*. 1974;67:35–41.
226. Ramirez M, Farrar JT. The effect of secretin and cholecystokinin/pancreozymin on the intraluminal pressure of the jejunum in the unanesthetized dog. *Am J Dig Dis*. 1970;15:545–550.
227. Dinoso VP Jr, Meshkinpour H, Lorber SH, et al Motor responses of the sigmoid colon and rectum to exogenous cholecystokinin and secretin. *Gastroenterology*. 1973;65:438–444.
228. Chey WY, Kosay S, Hendricks J, et al Effect of secretin on motor activity of stomach and Heidenhain pouch in dogs. *Am J Physiol*. 1969;217:848–852.
229. Valenzuela JE, Defilippi C. Inhibition of gastric emptying in humans by secretin, the octapeptide of cholecystokinin, and intraduodenal fat. *Gastroenterology*. 1981;81:898–902.
230. Alpini G, Glaser S, Robertson W, et al Large but not small intrahepatic bile ducts are involved in secretin-regulated ductal bile secretion. *Am J Physiol*. 1997;272:G1064–F1074.
231. Jones RS, Grossman MI. Choleretic effects of secretin and histamine in the dog. *Am J Physiol*. 1969;217:1401–1404.
232. Preisig RH, Cooper HL, Wheeler WO. The relationship between taurocholate secretion rate and bile production in the unanesthetized dog during cholinergic blockade and during secretin administration. *J Clin Invest*. 1962;41:1152–1162.
233. Soloway RD, Clark ML, Powell KM, et al Effects of secretin and bile infusions on canine bile composition and flow. *Am J Physiol*. 1972;222:681–686.
234. Wheeler HO, Ross ED, Bradley SE. Canalicular bile production in dogs. *Am J Physiol*. 1968;214:866–874.
235. Hardison WG, Norman JC. Effects of bile salts and secretin upon bile flow from the isolate perfused pig liver. *Gastroenterology*. 1967;53:412–417.

236. Pissidis AG, Bombeck CT, Merchant F, et al Hormonal regulation of bile secretion: a study in the isolate, perfused liver. *Surgery*. 1969;66:1075–1084.
237. Grossman MI, Janowita HD, Ralston, et al The effect of secretin on bile formation in man. *Gastroenterology*. 1949;12:133–138.
238. Wattman AM, Dyck WP, Janowitz HD. Effect of secretin and acetazolamide on the volume and electrolyte composition of hepatic bile in man. *Gastroenterology*. 1969;56:286–294.
239. Boyer JL, Bloomer JR. Canalicular bile secretion in man. Studies utilizing the biliary clearance of [^{14}C]mannitol. *J Clin Invest*. 1974;54:773–781.
240. Barnhart JL, Combes B. Erythritol and mannitol clearances with taurocholate and secretin-induced cholerases. *Am J Physiol*. 1978;234:E146–E156.
241. Chey WY, Konturek SJ, Schally AV, et al Enkephalin inhibits the release and action of secretin on pancreatic secretion in dog. *J Physiol*. 1980;298:429–436.
242. Alpini G, Lenzi R, Sarkozi L, et al Biliary physiology in rats with bile ductular cell hyperplasia. Evidence for a secretory function of proliferated bile ductules. *J Clin Invest*. 1988;81:569–578.
243. Gulubov MV, Hadjipetkov P, Sivrev D, et al Endocrine cells in the human common bile duct in patients with obstructive jaundice. *Hepatogastroenterology*. 2012;59:26–30.
244. Raufman JP, Sutliff VE, Kasbekar DK, et al Pepsinogen secretion from dispersed chief cells from guinea pig stomach. *Am J Physiol*. 1984;247:G95–G104.
245. Sanders MJ, Amirian DA, Ayalon A, et al Regulation of pepsinogen release from canine chief cells in primary monolayer culture. *Am J Physiol*. 1983;245:G641–G646.
246. Walde NH, Waldum HL. The effect of secretin in physiological doses on serum group I pepsinogen (PGI) in man. *Hepatogastroenterology*. 1981;28:322–323.
247. Waldum HL, Walde N, Burhol PG. The effect of secretin on gastric H^+ and pepsin secretion and on urinary electrolyte excretion in man. *Scand J Gastroenterol*. 1981;16:999–1004.
248. Hogan DL, Ainsworth MA, Isenberg JI. Review article: gastroduodenal bicarbonate secretion. *Aliment Pharmacol Ther*. 1994;8:475–488.
249. Allen A, Garner A. Progress report: mucus and bicarbonate secretion in the stomach and their possible role in mucosal protection. *Gut*. 1980;21:249–262.
250. Andre G, Lambert R, Descos F. Stimulation of gastric mucous secretions in man by secretin. *Digestion*. 1972;7:284–293.
251. Kowalewski K, Pachkowski T, Kolodej A. Effect of secretin on mucinous secretion by the isolated canine stomach perfused extracorporeally. *Pharmacology*. 1979;16:78–82.
252. Kowalewski K, Tachowski T, Secord DC. Mucinous secretion from canine Heidenhain pouch after stimulation with food, pentagastrin and histamine. *Eur Surg Res*. 1976;8:635–644.

253. Kaura R, Allen A, Hirst BH. Mucus in the gastric juice of cats during pentagastrin and secretin infusions. The viscosity in relation to glycoprotein structure and concentration. *Biochem Soc Trans.* 1980;8:52–53.
254. Vagne M. Dose-response curve to secretin on gastric mucus secretion in conscious cats. *Digestion.* 1974;10:402–412.
255. Vagne M, Fargier M. Effect of pentagastrin and secretin on gastric mucus secretion in conscious cats. *Gastroenterology.* 1973;65:757–763.
256. Vagne M, Perret G. Effect of duodenal acidification on gastric mucus and acid secretion in conscious cats. *Digestion.* 1976;14:332–341.
257. Vagne M, Perret G. Regulation of gastric mucus secretion. *Scand J Gastroenterol Suppl.* 1976;42:63–74.
258. Vagne M, Roche C, Chayvialle JA, et al Effect of somatostatin on the secretin-induced gastric secretions of pepsin and mucus in cats. *Regul Pept.* 1982;3:183–191.
259. Tani S, Suzuki T, Kano S, et al Mechanisms of gastric mucus secretion from cultured rat gastric epithelial cells induced by carbachol, cholecystokinin octapeptide, secretin, and prostaglandin E2. *Biol Pharm Bull.* 2002;25:14–18.
260. Carriere F, Raphel V, Moreau H, et al Dog gastric lipase: stimulation of its secretion in vivo and cytolocalization in mucous pit cells. *Gastroenterology.* 1992;102:1535–1545.
261. Dayton MT, Schlegel J. The effect of secretin on canine gastric mucosal HCO₃⁻ production. *J Surg Res.* 1983;35:319–324.
262. Love JW. A method for the assay of secretin using rats. *Q J Exp Physiol.* 1957;42:279–284.
263. Stening GF, Grossman MI. Hormonal control of Brunner's gland. *Gastroenterology.* 1969;56:1047–1052.
264. Isenberg JJ, Wallin B, Johansson C, et al Secretin, VIP, and PHI stimulate rat proximal duodenal surface epithelial bicarbonate secretion in vivo. *Regul Pept.* 1984;8:315–320.
265. Kirkegaard P, Olsen PS, Poulsen SS, et al Effect of secretin and glucagon on Brunner's gland secretion in the rat. *Gut.* 1984;25:264–268.
266. Olsen PS, Kirkegaard P, Poulsen SS, et al Effect of secretin and somatostatin on secretion of epidermal growth factor from Brunner's glands in the rat. *Dig Dis Sci.* 1994;39:2186–2190.
267. Lang IM, Tansy MF. Mechanism of the secretory and motor responses of the Brunner's gland region of the intestine to duodenal acidification. *Pfluger Arch.* 1983;396:115–120.
268. Love JW. Peptic ulceration may be a hormonal deficiency disease. *Med Hypotheses.* 2008;70:1103–1107.
269. Li P, Chang TM, Chey WY. Neuronal regulation of the release and action of secretin-releasing peptide and secretin. *Am J Physiol Gastrointest Liver Physiol.* 1995;269:G305–G312.

270. Li Y, Owyang C. Endogenous cholecystokinin stimulates pancreatic enzyme secretion via vagal afferent pathway in rats. *Gastroenterology*. 1994;107:525–631.
271. Li Y, Owyang C. Vagal afferent pathway mediates physiological action of cholecystokinin on pancreatic enzyme secretion. *J Clin Invest*. 1993;92:418–424.
272. Li Y, Wu X, Yao H, et al Secretin activates vagal primary afferent neurons in the rat: evidence from electrophysiological and immunohistochemical studies. *Am J Physiol Gastrointest Liver Physiol*. 2005;289:G745–G752.
273. Yang H, Wang L, Wu SV, et al Peripheral secretin-induced Fos expression in the rat brain is largely vagal dependent. *Neuroscience*. 2004;128:131–141.
274. Chang CH, Chey WY, Erway B, et al Modulation of secretin release by neuropeptides in secretin-producing cells. *Am J Physiol*. 1998;275:G192–G202.
275. Chey WY, Kim MS, Lee KY. Influence of the vagus nerve on the release and action of secretin in dog. *J Physiol*. 1979;293:435–446.
276. Jo YH, Lee YL, Lee KY, et al Neurohormonal mechanism of pancreatic exocrine secretion stimulated by sodium oleate and L-tryptophan in dogs. *Am J Physiol*. 1992;263:G12–G16.
277. Singer MV, Niebel W, Elashoff J, et al Does basal cholinergic activity potentiate exogenous secretin for stimulation of pancreatic bicarbonate output in dogs? *Digestion*. 1982;24:209–214.
278. Park HS, Lee YL, Kwon HY, et al Significant cholinergic role in secretin-stimulated exocrine secretion in isolated rat pancreas. *Am J Physiol*. 1998;274:G413–G418.
279. Evans RL, Ashtont N, Elliott AC, et al Interactions between secretin and acetylcholine in the regulation of fluid secretion by isolated rat pancreatic ducts. *J Physiol*. 1996;496:265–273.
280. Li P, Chang TM, Chey WY. Secretin inhibits gastric acid secretion via a vagal afferent pathway in rats. *Am J Physiol Gastrointest Liver Physiol*. 1998;275:G22–G28.
281. Lu Y, Owyang C. Secretin at physiological doses inhibits gastric motility via a vagal afferent pathway. *Am J Physiol*. 1995;268:G1012–G1016.
282. Kwon HY, Chang TM, Lee KY, et al Vagus nerve modulates secretin binding sites in the rat forestomach. *Am J Physiol Gastrointest Liver Physiol*. 1999;276:G1052–G1058.
283. Szalmay G, Varga G, Kajiyama F, et al Bicarbonate and fluid secretion evoked by cholecystokinin, bombesin and acetylcholine in isolated guinea-pig pancreatic ducts. *J Physiol*. 2001;535:795–804.
284. Knuhtsen S, Holst JJ, Jensen SL, et al Gastrin-releasing peptide: effect on exocrine secretion and release from isolated perfused porcine pancreas. *Am J Physiol*. 1985;248:G281–G286.
285. Knuhtsen S, Holst JJ, Baldissera FG, et al Gastrin-releasing peptide in the porcine pancreas. *Gastroenterology*. 1987;92:1153–1158.

286. Park HS, Kwon HY, Lee YL, et al Role of GRPerigic neurons in secretin-evoked exocrine secretion in isolated rat pancreas. *Am J Physiol Gastrointest Liver Physiol*. 2000;278:G557–G562.
287. Glad H, Svendsen P, Ainsworth MA, et al The effect of gastrin-releasing peptide on porcinepancreatobiliary bicarbonate secretion is mediated by secretion. *Scand J Gastroenterol*. 1994;29:196–202.
288. Glad H, Svendsen P, Knuhsten S, et al Importance of gastrin-releasing peptide on acid-induced secretin release and pancreaticobiliary and duodenal bicarbonate secretion. *Scand J Gastroenterol*. 1996;31:993–1000.
289. Li P, Chang TM, Coy D, et al Gastrin-releasing peptide stimulates release of secretin in anesthetized rats. *Gastroenterology*. 1995;108:A985.
290. Mungan Z, Ertan A, Hammer RA, et al Effect of pituitary adenylate cyclase activating polypeptide on rat pancreatic exocrine secretion. *Peptides*. 1991;12:559–562.
291. Rodríguez-López AM, De Dios I, García LI, et al Dose response effects of VIP on the rabbit exocrine pancreatic secretion. Comparison with PACAP-27 actions. *Rev Esp Fisiol*. 1995;51:29–36.
292. Tornøe K, Hannibal J, Fahrekrug J, et al PACAP-(1-38) as neurotransmitter in pig pancreas: receptor activation revealed by the antagonist PACAP-(6-38). *Am J Physiol*. 1997;273:G436–G446.
293. Onaga T, Okamoto K, Harada Y, et al Pacap stimualtes pancreatic exocrine secretion via the vagal cholinergic nerves in sheep. *Regul Pept*. 1997;72:147–153.
294. Ito O, Naruse S, Kitagawa M, et al The effect of VIP/PACAP family of peptides on pancreatic blood flow and secretion in conscious dogs. *Regul Pept*. 1998;78:105–112.
295. Lee ST, Lee KY, Li P, et al Pituitary adenylate cyclase-activatig peptide stimulates rat pancreatic secretion via secretin and cholecystokinin releases. *Gastroenterology*. 1998;114:1054–1060.
296. Yada T, Sakurada M, Ihida K, et al Pituitary adenylate cyclase activating polypeptide is an extraordinarily potent intra-pancreaticregulatorofinsulin secretion from islet bete-cells. *J Biol Chem*. 1994;269:1290–1293.
297. Kirchgessner AL, Liu MT. Pituitary adenylate cyclase activating peptide (PACAP) in enteropancreatic innervation. *Anat Rec*. 2001;262:91–100.
298. Li P, Chang TM, Coy D, et al Inhibition of gastric acid secretion in rat stomach by PACAP is mediated by secretin, somatostatin, and PGE₂. *Am J Physiol Gastrointest Liver Physiol*. 2000;278:G121–G127.

299. Li JP, Chang TM, Chey WY. Roles of 5-HT receptors in the release and action of secretin on pancreatic secretion in rats. *Am J Physiol Gastrointest Liver Physiol*. 2001;280:G595–G602.
300. Jyotheeswaran S, Li P, Chang TM, et al Endogenous nitric oxide mediates pancreatic exocrine secretion stimulated by secretin and cholecystokinin in rats. *Pancreas*. 2000;20:401–407.
301. Henderson JR, Daniel PM. A comparative study of the portal vessels connecting the endocrine and exocrine pancreas, with discussion of some functional implications. *Q J Exp Physiol Cogn Med Sci*. 1979;64:267–275.
302. Williams JA, Goldfine ID. The insulin-pancreatic acinar axis. *Diabetes*. 1985;34:980–986.
303. Kanno T, Saito A. The potentiating influences of insulin on pancreozymin-induced hyperpolarization and amylase release in the pancreatic acinar cell. *J Physiol*. 1976;261:05–521.
304. Saito A, Williams JA, Kanno T. Potentiation of cholecystokinin-induced exocrine secretion by both exogenous and endogenous insulin in isolated and perfused rat pancreas. *J Clin Invest*. 1980;65:777–782.
305. Saito A, Williams JA, Kanno T. Potentiation by insulin of the acetylcholine-induced secretory response of the perfused rat pancreas. *Biomed Res*. 1980;1:101–103.
306. Lee KY, Lee YL, Kim CD, et al Mechanism of the action of insulin on pancreatic exocrine secretion in perfused rat pancreas. *Am J Physiol*. 1994;267:G207–G212.
307. Lee KY, Krusch D, Zhou L, et al Effect of endogenous insulin on pancreatic exocrine secretion in perfused dog pancreas. *Pancreas*. 1995;11:190–195.
308. Park IS, Bendayan M. Characterization of the endocrine cells in the pancreatic-bile duct system of the rat. *Anat Rec*. 1992;232:247–256.
309. Park IS, Bendayan M. Endocrine cells in the rat pancreatic and bile duct system: alteration in diabetes. *Pancreas*. 1994;9:566–573.
310. Shiratori K, Watanabe S, Takeuchi T. Somatostatin analog, SMS 201-995, inhibits pancreatic exocrine secretion and release of secretin and cholecystokinin in rats. *Pancreas*. 1991;6:23–30.
311. Boden G, Sivitz MC, Owen OE, et al Somatostatin suppress secretin and pancreatic exocrine secretion. *Science*. 1975;190:163–165.
312. Misumi A, Shiratori K, Lee KY, et al Effect of SMS 201-995, a somatostatin analogue, on the exocrine pancreatic secretion and gut hormone release in dogs. *Surgery*. 1988;103:450–455.
313. Hanssen LE, Hanssen KF, Myren J. Inhibition of secretin release and pancreatic bicarbonate secretion by somatostatin infusion in man. *Scand J Gastroenterol*. 1977;12:391–394.
314. Li JP, Lee KY, Chang TM, et al MEK inhibits secretin release and pancreatic secretion: roles of secretin-releasing peptide and somatostatin. *Am J Physiol Gastrointest Liver Physiol*. 2001;280:G890–G896.

315. Chey WY, Coy DH, Konturek SJ, et al Enkephalin inhibits the release and action of secretin on pancreatic secretion in the dog. *J Physiol*. 1980;298:429–436.
316. Konturek SJ, Kwiecień N, Dobrzariska M, et al Effect of enkephalin and naloxone on vagal and hormonal stimulation of pancreatic secretion in man. *Scand J Gastroenterol*. 1983;18:679–684.
317. Jhamandas K, Pinsky C, Phillis JW. Effect of morphine and its antagonists on release of cerebral acetylcholine. *Nature*. 1970;228:176–177.
318. Paton WDH. The action of morphine and related substances on contraction and acetylcholine output of coaxially stimulated guinea pig ileum. *Br J Pharmacol*. 1957;12:119–127.
319. Costa E, Fratta W, Hong JS, et al Interactions between enkephalinergic and other neural systems. In: Costa E, Trabucchi M, eds. *The Endorphines*. New York, NY: Raven Press; 1978:217–226.
320. Kimmel J, Hayden LJ, Pollock G. Isolation and characterization of new pancreatic polypeptide hormone. *J Biol Chem*. 1975;250:9369–9376.
321. Shiratori K, Lee KY, Chang TM, et al Role of pancreatic polypeptide in the regulation of pancreatic exocrine secretion in dogs. *Am J Physiol*. 1988;255:G535–G541.
322. Tatemoto K, Mutt V. Isolation of two novel candidate hormones using a chemical method for finding naturally occurring polypeptides. *Nature*. 1980;285:417–418.
323. Jin H, Cai L, Lee K, et al A physiological role of peptide YY on exocrine pancreatic secretion in rats. *Gastroenterology*. 1993;105:208–215.
324. Konturek SJ, Jaworek J, Tasler J, et al Effect of substance P and its C-terminal hexapeptide on gastric and pancreatic secretion in the dog. *Am J Physiol Gastrointest Liver Physiol*. 1981;241:G71–G81.
325. Hegyi P, Gray MA, Argent BE. Substance P inhibits bicarbonate secretion from guinea pig pancreatic ducts by modulating an anion exchanger. *Am J Physiol Cell Physiol*. 2003;285:C268–C276.
326. Katoh K. Effects of substance P on fluid and amylase secretion in exocrine pancreas of rat and mouse. *Res Vet Sci*. 1984;36:147–152.
327. Herzig K-H, Brunke G, Schön I, et al Mechanism of galanin's inhibitory action on pancreatic enzyme secretion: modulation of cholinergic transmission—studies in vivo and in vitro. *Gut*. 1993;34:1616–1621.
328. Brodish RJ, Kuvshinov BW, Fink AS, et al Inhibition of pancreatic exocrine secretion by galanin. *Pancreas*. 1994;9:297–303.
329. Chey WY. Neurohormonal control of the exocrine pancreas. *Curr Opin Gastroenterol*. 1995;11:389–396.

330. Holst JJ. Neuronal control of pancreatic exocrine secretion. *Eur J Clin Invest*. 1990;20(suppl 1):S33–S39.
331. Singer M. Neurohormonal control of pancreatic enzyme secretion in animals. In: Go VLW, Dimagno EP, Gardner GD, et al, eds. *The Pancreas: Biology, Pathology, Disease*. New York, NY: Raven; 1993:425–448.
332. Schmitt MG, Soergel KG, Hensley CT, et al Watery diarrhea associated with pancreatic islet cell cancer. *Gastroenterology*. 1975;69:206–216.
333. Shay H, Chey WY, Koide SM, et al Mechanism of disordered physiology involved in the Zollinger-Ellison syndrome. Report of a case. *Am J Dig Dis*. 1962;7:401–419.
334. Verner JV, Morrison AB. Islet cell tumor and syndrome of refractory watery diarrhea and hypokalemia. *Am J Med*. 1958;25:374–380.
335. Bloom SR, Polak JM, Pearse AG. Vasoactive intestinal peptide and watery diarrhea syndrome. *Lancet*. 1973;II:14–16.
336. Said SI, Faloona GR. Elevated plasma and tissue levels of vasoactive intestinal polypeptide in watery diarrhea syndrome due to pancreatic, bronchogenic and other tumours. *N Eng J Med*. 1975;293:155–160.
337. Chey WY, Rhodes RA, Tai HH. Role of secretin in man. In: Bloom SR, ed. *Gut Hormones*. Edinburgh, Scotland: Churchill Livingstone; 1998:193–196.
338. Straus E, Yalow RS. Hypersecretinemia associated with marked basal hyperchlorhydria in man and dog. *Gastroenterology*. 1977;72:992–994.
339. Thompson JC, Lianos OL, Teichmann RK, et al Catabolism of gastrin and secretin. *World J Surg*. 1979;3:469–475.
340. You CH, Chey WY. Pancreatic secretion and plasma secretin concentration in anephric rats. *Gastroenterology*. 1984;86:1293.
341. Besterman HS, Bloom SR, Sarson AM, et al Gut hormone profile in celiac disease. *Lancet*. 1978;1:785–788.
342. Kilander AF, Hanssen LE, Gilberg RE. Secretin release in coeliac disease. Plasma secretin concentration and bicarbonate output to duodenum after intraduodenal acid infusion in coeliac patients before and after treatment. *Scand J Gastroenterol*. 1983;18:765–769.
343. O'Connor FA, McLoughlin JC, Buchanan KD. Impaired immunoreactive secretin release in coeliac disease. *Br Med J*. 1977;1:811.
344. Rhodes RA, Tai HH, Chey WY. Impairment of secretin release in celiac sprue. *Am J Dig Dis*. 1978;23:833–839.
345. Ågren G, Lagerlöf H. The pancreatic secretion in man after intravenous administration of secretin. *Acta Med Scand*. 1936;90:1–29.

346. Lagerlöf H. The secretin test of pancreatic function. *Quart J Med.* 1939;32:(NS8):115–126.
347. Dreiling DA, Janowitz HD. The laboratory diagnosis of pancreatic disease, the secretin test. *Am J Gastroenterol.* 1957;28:268–279.
348. Chey WY, Shay H, Nielsen OF. Diagnosis of diseases of pancreas and biliary tract. *JAMA.* 1966;198:257–262.
349. Petersen H. The effect of pure natural secretin on the bicarbonate secretion into the duodenum in man. *Scand J Gastroenterol.* 1970;5:105–111.
350. Chowdhury RS, Forsmark CE. Review article: pancreatic function testing. *Aliment Pharmacol Ther.* 2003;17:733–750.
351. Ochi K, Harada H, Tanaka J, et al Intraductal secretin test is as useful as duodenal secretin test in assessing exogenous pancreatic function. *Dig Dis Sci.* 1997;42:492–496.
352. Stevens T, Conwell DL, Zuccaro G, et al A prospective crossover study comparing secretin-stimulated endoscopic and Dreiling tube pancreatic function testing in patients evaluated for chronic pancreatitis. *Gastrointest Endosc.* 2008;67:458–466.
353. Hansky J, Soveny C, Korman MG. Effect of secretin on serum gastrin as measured by immunoassay. *Gastroenterology.* 1971;61:62–68.
354. Isenberg JJ, Walsh JH, Passaro E Jr, et al Unusual effect of secretin on serum gastrin, serum calcium, and gastric acid secretion in a patient with suspected Zollinger-Ellison syndrome. *Gastroenterology.* 1972;62:426–431.
355. McGuigan JE, Wolfe MM. Secretin injection test in the diagnosis of gastrinoma. *Gastroenterology.* 1980;79:1324–1331.
356. Chey WY, Chang TM, Lee KY, et al Ulcerogenic tumor syndrome of the pancreas associated with a nongastrin acid secretagogue. *Ann Surg.* 1989;210:139–149.
357. Brady CE. Secretin provocative test in the diagnosis of Zollinger Ellison syndrome. *Am J Gastroenterol.* 1991;86:129–134.
358. Chey WY, Chang TM, Park HJ, et al Non-gastrin secreogogue in ulcerogenic tumors of the pancreas. *Ann Intern Med.* 1984;101:7–13.
359. Sloas DD, Hirschowitz BI, Chey WY. A nongastrin malignant ampullary tumor causing gastric acid and pepsin hypersecretion. A case report. *J Clin Gastroenterol.* 1990;12:573–578.
360. Song Y, Chey WY, Chang TM, et al Mechanism of gastric acid hypersecretion in patients with islet cell tumor without hypergastrinemia: studies in rats. *Gastroenterology.* 1997;113:1129–1135.
361. Fukukura Y, Fujiyoshi F, Sasaki M, et al Pancreatic duct morphologic evaluation with MR cholangiopancreatography after secretin stimulation. *Radiology.* 2002;222:674–680.

362. Cappeliez O, Delhaye M, Deviere J, et al Chronic pancreatitis: evaluation of pancreatic exocrine function with MR pancreatography after secretin stimulation. *Radiology*. 2000;215:358–364.
363. Sanyal R, Stevens T, Novak E, et al Secretin-enhanced MRCP: review of technique and application with proposal for quantification of exocrine function. *AJR Am J Roentgenol*. 2012;198:124–132.
364. Balci NC, Alkaade S, Magas L, et al Suspected chronic pancreatitis with normal MRCP: findings on MRI in correlation with secretin MRCP. *J Magn Reson Imaging*. 2008;27:125–131.
365. Gutierrez JG, Chey WY, Dinoso VP. Actions of cholecystokinin and secretin on the motor activity of the small intestine in man. *Gastroenterology*. 1974;67:35–41.
366. Chey WY, Gutierrez J, Yoshimori M, et al Gut hormones on gastrointestinal motor function. In: Chey WY, Brooks FP, eds. *Endocrinology of the Gut*. Thorofare, NJ: Slack; 1974:194–211.
367. Gutierrez JG, Chey WY, Shah AN, et al Use of secretin in hypotonic duodenography. *Radiology*. 1974;113:563–566.
368. Horvath K, Stefanatos G, Sokolski KN, et al Improved social and language skills after secretin administration in patients with autistic spectrum disorders. *J Assoc Acad Minor Physicians*. 1998;9:9–15.
369. Alamy SS, Jarskog LF, Sheitman BB, et al Secretin in a patient with treatment-resistant schizophrenia and prominent autistic features. *Schizophr Res*. 2004;66:183–186.
370. Sheitman BB, Knable MB, Jarskog LF, et al Secretin for refractory schizophrenia. *Schizophr Res*. 2004;66:177–181.
371. Ammann RW, Heitz PU, Klöppel G. Course of alcoholic chronic pancreatitis: perspective clinicomorphologic long term study. *Gastroenterology*. 1996;111:224–231.
372. Tympner F, Rösch W. The treatment of chronic recurrent pancreatitis with depot secretin—a preliminary report. *Hepatogastroenterology*. 1986;33:159–162.
373. Levenick JM, Andrews CL, Purich ED, et al A phase II trial of human secretin infusion for refractory type B pain in chronic pancreatitis. *Pancreas*. 2013;42:596–600.
374. Chang TM, Berger-Ornstein L, Chey WY. Presence of biologically and immunologically active secretin-like substance in the mammalian brain. *Peptides*. 1985;6:193–198.