

Supplementary **Table 5** Sexual and HIV/STD testing behaviors between MSM who were gay app only users and men who used both platforms in China, 2014 (N=824)

<b>Both versus Gay App only user</b>		
	aOR	95% CI
<b>Condomless anal sex with last male partner men in the last 6 months</b>		
Yes	0.93	0.70, 1.23
No	<i>Ref</i>	
<b>Time duration between meeting the last sex partner through the platform and meeting in person</b>		
< 1 day	1.69	1.17, 2.45**
2-7 days	1.23	0.85, 1.80
>1 week	<i>Ref</i>	
<b>Negotiation about condom use with last partner before meeting in person</b>		
Yes	0.48	0.36, 0.63***
No	<i>Ref</i>	
<b>Asked for HIV status before meeting in person</b>		
Yes	0.68	0.50, 0.93**
No	<i>Ref</i>	
<b>Had group sex in the last 12 months</b>		
Yes	1.53	0.97, 2.40
No	<i>Ref</i>	
<b>Had commercial sex in the last 12 months</b>		
Yes	1.48	0.83, 2.61
No	<i>Ref</i>	
<b>Had sex while having drugs in the last 12 months</b>		
Yes	2.98	1.38, 6.44**
No	<i>Ref</i>	
<b>Received online health message</b>		
Yes	1.72	1.26, 2.35***
No	<i>Ref</i>	
<b>Ever been tested for HIV</b>		
Yes	1.13	0.84, 1.52
No	<i>Ref</i>	
<b>Ever been tested for STDs</b>		
Yes	1.25	0.92, 1.70
No	<i>Ref</i>	

**Note:** Multivariable model controlled for age, education, income, marital status, residency, currently had a main partner, sexual orientation, and disclosure status.

\* p<0.05; \*\* p<0.01; \*\*\* p<0.001