


## Session 1: Protection during consultation with patients


Separate COVID area in private practice?

15 responses




Standard masks (Type II, IIR) plus shields?

15 responses




FFP2/3/N95 masks plus shields?

15 responses




### Air purifying systems?

15 responses




### Increased air flow turnover?

15 responses




### UV-C disinfection?

15 responses




### Disinfection high-touch surfaces- standard disinfection (SDI)?

15 responses



### Should we combine both (UV and SDI)?


15 responses



## Session 2: Patient assessment Pre-OP (no C-19 symptom patients)

Specific questions in medical history?


14 responses



● YES  
● NO  
● ABSTAIN

Should aesthetic rhinoplasty be performed at the moment?


14 responses



● YES  
● NO  
● ABSTAIN

Should functional rhinoplasty be performed at the moment?


14 responses



● YES  
● NO  
● ABSTAIN

Should C-19 RT-PCR (real time PCR) test routinely be performed?


14 responses



- YES
- NO
- ABSTAIN

One-time only PCR test as close to surgery as feasible?


14 responses



- YES
- NO
- ABSTAIN

One-time only PCR test two days before OP?


14 responses



- YES
- NO
- ABSTAIN

### One-time only PCR test four days before OP?


14 responses



- YES
- NO
- ABSTAIN

### Two-times PCR testing 5 days in-between?


14 responses



- YES
- NO
- ABSTAIN

### Should pre-OP quarantine be requested?


14 responses



- YES
- NO
- ABSTAIN

Are antibody tests useful at the moment?


14 responses



### Session 3: Intra-Op (COVID-19 neg patients, no kids)


Antiseptic packing prior to surgery? Octenisept? Betadine?

14 responses




Intranasal/pharynx disinfection? Octenisept? Betadine?

14 responses




Do standard surgical masks plus shield protect us enough?

14 responses




Should we use FFP2/3/N95 masks plus shield?

14 responses




Should power instruments/Piezo be used as usual?

14 responses




Is the use of powered and piezo instruments to be prohibited in all kinds of rhinoplasty procedures ?

14 responses



Is there a higher risk of virus aerosol production using powered and piezo instruments when the mucosa isn't touched?


14 responses



- YES
- NO
- ABSTAIN

Does laminar air flow protect us?


14 responses



- YES
- NO
- ABSTAIN

Should nasal packing be performed?

14 responses




- YES
- NO
- ABSTAIN

## Session 4: Legal aspects, problems


Does COVID-19 increase complication rate/deaths in patients after surgery?

14 responses




Can the surgeon be responsible for COVID-19 infection during rhinoplasty?

14 responses




Is this a complication?

14 responses



Is this malpractice?


14 responses



- YES
- NO
- ABSTAIN

Is resuming to elective surgery now appropriate?


14 responses



- YES
- NO
- ABSTAIN

Does informed consent have to be adapted?

14 responses



- YES
- NO
- ABSTAIN