

Table S6. HIV incidence per 1000 person-years and incidence rate ratios using the midpoint method as the assumed time of HIV acquisition for the different exposure periods, stratified by MSM with and without high-risk behaviour.

	Number of MSM	Person-Years (PY)	Incident HIV Infections	Incidence per 1000 PY (95% CI)	Unadjusted Incidence RR (95% CI)	Adjusted* Incidence RR (95% CI)
a) No High-Risk Behaviour						
Pre-PrEP period	6828	7937	27	3.40 (2.29-4.88)	1.00	1.00
PrEP period: never prescribed PrEP	6576	5872	15	2.55 (1.49-4.11)	0.75 (0.40-1.41)	0.77 (0.41-1.45)
PrEP period: prescribed PrEP at least once	1631	1294	2	1.55 (0.31-4.95)	0.45 (0.11-1.91)	0.44 (0.10-1.83)
b) High-Risk Behaviour						
Pre-PrEP period	1989	2569	22	8.57 (5.52-12.73)	1.00	1.00
PrEP period: never prescribed PrEP	3018	2596	13	5.01 (2.80-8.32)	0.58 (0.29-1.16)	0.61 (0.31-1.22)
PrEP period: prescribed PrEP at least once	1046	1000	2	2.00 (0.40-6.41)	0.23 (0.05-0.99)	0.21 (0.05-0.91)

* Adjusted for age and history of injecting drugs

MSM=men who have sex with men· PY=person-years· CI=confidence interval· RR=rate ratio· PrEP=pre-exposure prophylaxis·