

**SDC, Table S1.** Cox regression analyses models for graft and patient survival

	Graft survival		Patient survival	
	HR	95% CI	HR	95% CI
HCV vs. CCLD	1.61	1.52-1.71	1.97	1.84-2.11
ALD vs. CCLD	1.28	1.2-1.36	1.64	1.52-1.77
ALD+HCV vs. CCLD	1.6	1.46-1.69	2.1	1.9-2.23
NASH vs. CCLD	1.19	1.04-1.37	1.52	1.3-1.77
CC vs. CCLD	1.27	1.18-1.35	1.53	1.42-1.66
HBV vs. CCLD	1.07	0.96-1.19	1.3	1.15-1.47
HCC vs. CCLD	1.67	1.56-1.78	2.15	1.99-2.32
Age-R ↑ 10 yrs	1.09	1.07-1.11	1.24	1.22-1.27
Females vs. Males	0.99	0.96-1.03	1.05	1.01-1.09
Black vs. White	1.28	1.21-1.36	1.33	1.24-1.42
Ventilatory support	1.85	1.67-2.05	1.63	1.44-1.84
MELD ↑ 3 pts	1.032	1.025-1.038	1.047	1.039-1.056
DRI	1.52	1.47-1.57	1.36	1.31-1.42

HR: Hazard ratio; CI: Confidence interval; HCV: Hepatitis C virus; CCLD: Chronic cholestatic liver diseases; ALD: Alcoholic liver disease; NASH: Non-alcoholic steatohepatitis; HBV: Hepatitis B virus; HCC: Hepatocellular carcinoma; MELD: Model for end-stage disease; DRI: Donor risk index

**Figure S1.**

