

**Table S1:** Adjusted likelihood of 1-year medical follow-up.

	Relative risk (95% CI)	p value
6-month follow-up recorded	1.84 (1.75-1.93)	< 0.001
Altruistic	1.02 (0.98-1.07)	0.26
Age ≥ 50 years	1.11 (1.09-1.13)	< 0.001
Race/ethnicity		
Caucasian	Ref	
African American	0.96 (0.94-0.99)	0.002
Other	0.96 (0.93-0.99)	0.005
Male	0.98 (0.96-0.99)	< 0.001
College education	1.04 (1.02-1.05)	< 0.001
Married/life partner	1.04 (1.02-1.05)	< 0.001
Obese at donation (BMI ≥ 30 kg/m <sup>2</sup> )	0.98 (0.97-1.00)	0.09
Hypertensive at donation	1.02 (0.99-1.06)	0.18
Insured at donation	1.04 (0.99-1.08)	0.09
History of cigarette use	0.95 (0.94-0.97)	< 0.001
Year of donation (per year increase)	1.08 (1.07-1.09)	< 0.001

**Table S2:** Adjusted likelihood of 2-year medical follow-up.

	Relative risk (95% CI)	p value
6-month follow-up recorded	1.63 (1.56-1.70)	< 0.001
Altruistic	1.05 (0.99-1.12)	0.11
Age ≥ 50 years	1.16 (1.13-1.18)	< 0.001
Race/ethnicity		
Caucasian	Ref	
African American	0.95 (0.91-0.98)	0.003
Other	0.98 (0.94-1.02)	0.33
Male	0.94 (0.92-0.96)	< 0.001
College education	1.06 (1.04-1.08)	< 0.001
Married/life partner	1.06 (1.04-1.08)	< 0.001
Obese at donation (BMI ≥ 30 kg/m <sup>2</sup> )	0.97 (0.95-1.00)	0.02
Hypertensive at donation	1.04 (1.00-1.09)	0.06
Insured at donation	1.08 (1.03-1.12)	0.001
History of cigarette use	0.92 (0.90-0.94)	< 0.001
Year of donation (per year increase)	1.09 (1.07-1.12)	< 0.001