

Table S5- Responses to components of GAD-7 by hospitalization status				
Question	Overall N (111)	Non-Hospitalized N (78)	Hospitalized N (33)	p-value
Over the last 2 weeks, how often have you been bothered by feeling nervous, anxious, or on edge?				
Not at all	68 (61.3%)	50 (64%)	18 (55%)	0.13
Several days	36 (32.4%)	24 (31%)	12 (36%)	
More than half of the days	4 (3.6%)	1 (1%)	3 (9%)	
Nearly everyday	3 (2.7%)	3 (4%)	0 (0%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.33
Over the last 2 weeks, how often have you been bothered by not being able to stop, or control, worrying?				
Not at all	77 (69.4%)	56 (72%)	21 (64%)	0.73
Several days	26 (23.4%)	17 (22%)	9 (27%)	
More than half of the days	5 (4.5%)	3 (4%)	2 (6%)	
Nearly everyday	3 (2.7%)	2 (3%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.39
Over the last 2 weeks, how often have you been bothered by worrying too much about different things?				
Not at all	73 (65.8%)	51 (65%)	22 (67%)	0.44
Several days	29 (26.1%)	22 (28%)	7 (21%)	
More than half of the days	6 (5.4%)	3 (4%)	3 (9%)	
Nearly everyday	2 (1.8%)	1 (1%)	1 (3%)	
No answer	1 (0.9%)	1 (1%)	0 (0%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.85
Over the last 2 weeks, how often have you had trouble relaxing?				
Not at all	70 (63.1%)	50 (64%)	20 (61%)	0.59
Several days	30 (27.0%)	22 (28%)	8 (24%)	
More than half of the days	8 (7.2%)	4 (5%)	4 (12%)	
Nearly everyday	3 (2.7%)	2 (3%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.58
Over the last 2 weeks, how often have you been bothered by being so restless that it's hard to sit still?				
Not at all	95 (85.6%)	66 (85%)	29 (88%)	0.19
Several days	10 (9.0%)	9 (12%)	1 (3%)	
More than half of the days	3 (2.7%)	1 (1%)	2 (6%)	
Nearly everyday	2 (1.8%)	2 (3%)	0 (0%)	
No answer	1 (0.9%)	0 (0%)	1 (3%)	
median (IQR)	0 (0, 0)	0 (0, 0)	0 (0, 0)	0.44
Over the last 2 weeks, how often have you been bothered by becoming easily annoyed or irritable?				

Not at all	63 (56.8%)	47 (60%)	16 (48%)	0.17
Several days	39 (35.1%)	27 (35%)	12 (36%)	
More than half of the days	6 (5.4%)	2 (3%)	4 (12%)	
Nearly everyday	1 (0.9%)	1 (1%)	0 (0%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	.5 (0, 1)	0.19
Over the last 2 weeks, how often have you been bothered by feeling afraid as if something awful might happen?				
Not at all	82 (73.9%)	61 (78%)	21 (64%)	0.099
Several days	26 (23.4%)	16 (21%)	10 (30%)	
More than half of the days	1 (0.9%)	0 (0%)	1 (3%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	0 (0, 0)	0 (0, 0)	0 (0, 1)	0.12

Table S6- Responses to components of GAD-7 by time from SARS-CoV2 infection diagnosis

Question	Overall N (111)	<6-months N (76)	>6-months N (35)	p- value
Over the last 2 weeks, how often have you been bothered by feeling nervous, anxious, or on edge?				
Not at all	68 (61.3%)	47 (62%)	21 (60%)	0.27
Several days	36 (32.4%)	26 (34%)	10 (29%)	
More than half of the days	4 (3.6%)	1 (1%)	3 (9%)	
Nearly everyday	3 (2.7%)	2 (3%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	
Over the last 2 weeks, how often have you been bothered by not being able to stop, or control, worrying?				
Not at all	77 (69.4%)	55 (72%)	22 (63%)	0.48
Several days	26 (23.4%)	17 (22%)	9 (26%)	
More than half of the days	5 (4.5%)	2 (3%)	3 (9%)	
Nearly everyday	3 (2.7%)	2 (3%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	
Over the last 2 weeks, how often have you been bothered by worrying too much about different things?				
Not at all	73 (65.8%)	49 (64%)	24 (69%)	0.46
Several days	29 (26.1%)	22 (29%)	7 (20%)	
More than half of the days	6 (5.4%)	3 (4%)	3 (9%)	
Nearly everyday	2 (1.8%)	1 (1%)	1 (3%)	
No answer	1 (0.9%)	1 (1%)	0 (0%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.92
Over the last 2 weeks, how often have you had trouble relaxing?				
Not at all	70 (63.1%)	51 (67%)	19 (54%)	0.42
Several days	30 (27.0%)	19 (25%)	11 (31%)	
More than half of the days	8 (7.2%)	4 (5%)	4 (11%)	
Nearly everyday	3 (2.7%)	2 (3%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	
Over the last 2 weeks, how often have you been bothered by being so restless that it's hard to sit still?				
Not at all	95 (85.6%)	66 (87%)	29 (83%)	0.50
Several days	10 (9.0%)	7 (9%)	3 (9%)	
More than half of the days	3 (2.7%)	1 (1%)	2 (6%)	
Nearly everyday	2 (1.8%)	2 (3%)	0 (0%)	
No answer	1 (0.9%)	0 (0%)	1 (3%)	
median (IQR)	0 (0, 0)	0 (0, 0)	0 (0, 0)	0.82
Over the last 2 weeks, how often have you been bothered by becoming easily annoyed or irritable?				
Not at all	63 (56.8%)	40 (53%)	23 (66%)	0.63
Several days	39 (35.1%)	29 (38%)	10 (29%)	
More than half of the days	6 (5.4%)	4 (5%)	2 (6%)	
Nearly everyday	1 (0.9%)	1 (1%)	0 (0%)	
No answer	2 (1.8%)	2 (3%)	0 (0%)	

median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.27
Over the last 2 weeks, how often have you been bothered by feeling afraid as if something awful might happen?				
Not at all	82 (73.9%)	58 (76%)	24 (69%)	0.25
Several days	26 (23.4%)	16 (21%)	10 (29%)	
More than half of the days	1 (0.9%)	0 (0%)	1 (3%)	
No answer	2 (1.8%)	2 (3%)	0 (0%)	
median (IQR)	0 (0, 0)	0 (0, 0)	0 (0, 1)	0.24

Table S7- Responses to components of IES-6 by hospitalization status				
Question	Overall N (111)	Not- Hospitalized N (78)	Hospitalized N (33)	p-value
After reading each item, indicate how distressing each difficulty has been for you during the past 7 days with respect to <u>your COVID19 diagnosis</u>. How much were you distressed or bothered by these difficulties? In the questions, the word “it” refers to <u>your COVID19 infection</u>.				
1. I thought about it when I did not mean to				
Not at all	65 (58.6%)	48 (62%)	17 (52%)	0.47
A little bit	34 (30.6%)	22 (28%)	12 (36%)	
Moderately	5 (4.5%)	5 (6%)	0 (0%)	
Quite a bit	4 (3.6%)	3 (4%)	1 (3%)	
No answer	3 (2.7%)	0 (0%)	3 (9%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	
2. I felt watchful or on guard.				
Not at all	63 (56.8%)	46 (59%)	17 (52%)	0.55
A little bit	29 (26.1%)	18 (23%)	11 (33%)	
Moderately	9 (8.1%)	8 (10%)	1 (3%)	
Quite a bit	6 (5.4%)	5 (6%)	1 (3%)	
Extremely	1 (0.9%)	1 (1%)	0 (0%)	
No answer	3 (2.7%)	0 (0%)	3 (9%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.81
3. Other things kept making me think about it.				
Not at all	64 (57.7%)	46 (59%)	18 (55%)	0.51
A little bit	28 (25.2%)	21 (27%)	7 (21%)	
Moderately	11 (9.9%)	6 (8%)	5 (15%)	
Quite a bit	4 (3.6%)	4 (5%)	0 (0%)	
Extremely	1 (0.9%)	1 (1%)	0 (0%)	
No answer	3 (2.7%)	0 (0%)	3 (9%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.93
4. I was aware that I still had a lot of feelings about it, but I didn't deal with them				
Not at all	81 (73.0%)	59 (76%)	22 (67%)	0.37
A little bit	19 (17.1%)	15 (19%)	4 (12%)	
Moderately	4 (3.6%)	2 (3%)	2 (6%)	
Quite a bit	4 (3.6%)	2 (3%)	2 (6%)	
No answer	3 (2.7%)	0 (0%)	3 (9%)	
median (IQR)	0 (0, .5)	0 (0, 0)	0 (0, 1)	
5. I tried not to think about it.				
Not at all	66 (59.5%)	48 (62%)	18 (55%)	0.84
A little bit	29 (26.1%)	21 (27%)	8 (24%)	
Moderately	8 (7.2%)	6 (8%)	2 (6%)	
Quite a bit	2 (1.8%)	1 (1%)	1 (3%)	

Extremely	2 (1.8%)	1 (1%)	1 (3%)	
No answer	4 (3.6%)	1 (1%)	3 (9%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.74
6. I had trouble concentrating.				
Not at all	71 (64.0%)	55 (71%)	16 (48%)	
A little bit	23 (20.7%)	14 (18%)	9 (27%)	
Moderately	8 (7.2%)	5 (6%)	3 (9%)	
Quite a bit	3 (2.7%)	2 (3%)	1 (3%)	
Extremely	3 (2.7%)	2 (3%)	1 (3%)	
No answer	3 (2.7%)	0 (0%)	3 (9%)	0.41
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.11

Table S8- Responses to components of IES-6 by time from SARS-CoV2 infection diagnosis

Question	Overall N (111)	<6 month N (76)	>6 months N (35)	p-value
After reading each item, indicate how distressing each difficulty has been for you during the past 7 days with respect to your COVID19 diagnosis. How much were you distressed or bothered by these difficulties? In the questions, the word “it” refers to your COVID19 infection.				
1. I thought about it when I did not mean to.				
Not at all	65 (58.6%)	45 (59%)	20 (57%)	1.00
A little bit	34 (30.6%)	23 (30%)	11 (31%)	
Moderately	5 (4.5%)	4 (5%)	1 (3%)	
Quite a bit	4 (3.6%)	3 (4%)	1 (3%)	
No answer	3 (2.7%)	1 (1%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	
2. I felt watchful or on guard.				
Not at all	63 (56.8%)	45 (59%)	18 (51%)	0.85
A little bit	29 (26.1%)	18 (24%)	11 (31%)	
Moderately	9 (8.1%)	7 (9%)	2 (6%)	
Quite a bit	6 (5.4%)	4 (5%)	2 (6%)	
Extremely	1 (0.9%)	1 (1%)	0 (0%)	
No answer	3 (2.7%)	1 (1%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.77
3. Other things kept making me think about it.				
Not at all	64 (57.7%)	43 (57%)	21 (60%)	0.59
A little bit	28 (25.2%)	22 (29%)	6 (17%)	
Moderately	11 (9.9%)	6 (8%)	5 (14%)	
Quite a bit	4 (3.6%)	3 (4%)	1 (3%)	
Extremely	1 (0.9%)	1 (1%)	0 (0%)	
No answer	3 (2.7%)	1 (1%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.71
4. I was aware that I still had a lot of feelings about it, but I didn't deal with them				
Not at all	81 (73.0%)	57 (75%)	24 (69%)	0.28
A little bit	19 (17.1%)	14 (18%)	5 (14%)	
Moderately	4 (3.6%)	1 (1%)	3 (9%)	
Quite a bit	4 (3.6%)	3 (4%)	1 (3%)	
No answer	3 (2.7%)	1 (1%)	2 (6%)	
median (IQR)	0 (0, .5)	0 (0, 0)	0 (0, 1)	
5. I tried not to think about it.				
Not at all	66 (59.5%)	46 (61%)	20 (57%)	0.34
A little bit	29 (26.1%)	21 (28%)	8 (23%)	
Moderately	8 (7.2%)	5 (7%)	3 (9%)	
Quite a bit	2 (1.8%)	2 (3%)	0 (0%)	

Extremely	2 (1.8%)	0 (0%)	2 (6%)	
No answer	4 (3.6%)	2 (3%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.71
6. I had trouble concentrating.				
Not at all	71 (64.0%)	51 (67%)	20 (57%)	
A little bit	23 (20.7%)	13 (17%)	10 (29%)	
Moderately	8 (7.2%)	6 (8%)	2 (6%)	
Quite a bit	3 (2.7%)	3 (4%)	0 (0%)	
Extremely	3 (2.7%)	2 (3%)	1 (3%)	
No answer	3 (2.7%)	1 (1%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.66

Table S9- Responses to components of EQ5D-5L by hospitalization status				
Question	All N (111)	Not- Hospitalized N (78)	Hospitalized N (33)	p-value
MOBILITY				
I have no problems in walking about	78 (70.3%)	57 (73%)	21 (64%)	0.47
I have slight problems in walking about	21 (18.9%)	15 (19%)	6 (18%)	
I have moderate problems in walking about	9 (8.1%)	6 (8%)	3 (9%)	
I have severe problems in walking about	1 (0.9%)	0 (0%)	1 (3%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.50
SELF-CARE				
I have no problems washing or dressing myself	101 (91.0%)	72 (92%)	29 (88%)	0.58
I have slight problems washing or dressing myself	6 (5.4%)	5 (6%)	1 (3%)	
I have moderate problems washing or dressing myself	1 (0.9%)	1 (1%)	0 (0%)	
I have severe problems washing or dressing myself	1 (0.9%)	0 (0%)	1 (3%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)	
median (IQR)	0 (0, 0)	0 (0, 0)	0 (0, 0)	0.85
USUAL ACTIVITIES (eg, work, study, housework, family or leisure activities)				
I have no problems doing my usual activities	68 (61.3%)	50 (64%)	18 (55%)	0.26
I have slight problems doing my usual activities	32 (28.8%)	24 (31%)	8 (24%)	
I have moderate problems doing my usual activities	5 (4.5%)	2 (3%)	3 (9%)	
I have severe problems doing my usual activities	4 (3.6%)	2 (3%)	2 (6%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	0 (0, 1)	0.36
PAIN / DISCOMFORT				
I have no pain or discomfort	60 (54.1%)	51 (65%)	9 (27%)	0.003
I have slight pain or discomfort	28 (25.2%)	16 (21%)	12 (36%)	
I have moderate pain or discomfort	18 (16.2%)	10 (13%)	8 (24%)	
I have severe pain or discomfort	3 (2.7%)	1 (1%)	2 (6%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	1 (0, 2)	<0.001
ANXIETY / DEPRESSION:				
I am not anxious or depressed	56 (50.5%)	44 (56%)	12 (36%)	0.15
I am slightly anxious or depressed	39 (35.1%)	27 (35%)	12 (36%)	
I am moderately anxious or depressed	12 (10.8%)	6 (8%)	6 (18%)	
I am severely anxious or depressed	2 (1.8%)	1 (1%)	1 (3%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)	
median (IQR)	0 (0, 1)	0 (0, 1)	1 (0, 1)	0.048

Table S10- Responses to components of EQ5D-5L by time from SARS-CoV2 infection				
Question	All N (111)	<6-months N (76)	>6-months N (35)	p- value
MOBILITY				
I have no problems in walking about	78 (70.3%)	58 (76%)	20 (57%)	0.13
I have slight problems in walking about	21 (18.9%)	12 (16%)	9 (26%)	
I have moderate problems in walking about	9 (8.1%)	5 (7%)	4 (11%)	
I have severe problems in walking about	1 (0.9%)	0 (0%)	1 (3%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 0)	0 (0, 1)	0.042
SELF-CARE				
I have no problems washing or dressing myself	101 (91.0%)	71 (93%)	30 (86%)	0.29
I have slight problems washing or dressing myself	6 (5.4%)	3 (4%)	3 (9%)	
I have moderate problems washing or dressing myself	1 (0.9%)	1 (1%)	0 (0%)	
I have severe problems washing or dressing myself	1 (0.9%)	0 (0%)	1 (3%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	0 (0, 0)	0 (0, 0)	0 (0, 0)	0.23
USUAL ACTIVITIES (eg, work, study, housework, family or leisure activities)				
I have no problems doing my usual activities	68 (61.3%)	51 (67%)	17 (49%)	0.16
I have slight problems doing my usual activities	32 (28.8%)	20 (26%)	12 (34%)	
I have moderate problems doing my usual activities	5 (4.5%)	2 (3%)	3 (9%)	
I have severe problems doing my usual activities	4 (3.6%)	2 (3%)	2 (6%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	.5 (0, 1)	0.052
PAIN / DISCOMFORT				
I have no pain or discomfort	60 (54.1%)	45 (59%)	15 (43%)	0.11
I have slight pain or discomfort	28 (25.2%)	20 (26%)	8 (23%)	
I have moderate pain or discomfort	18 (16.2%)	8 (11%)	10 (29%)	
I have severe pain or discomfort	3 (2.7%)	2 (3%)	1 (3%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	1 (0, 2)	0.053
ANXIETY / DEPRESSION:				
I am not anxious or depressed	56 (50.5%)	41 (54%)	15 (43%)	0.48
I am slightly anxious or depressed	39 (35.1%)	24 (32%)	15 (43%)	
I am moderately anxious or depressed	12 (10.8%)	9 (12%)	3 (9%)	
I am severely anxious or depressed	2 (1.8%)	1 (1%)	1 (3%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	1 (0, 1)	0.42

Table S11- Responses to components of PROMIS Global Physical Health by hospitalization status				
Question	All N (111)	Not-Hospitalized N (78)	Hospitalized N (33)	p-value
How would you rate your pain on average? 0 is no pain and 10 is the worst imaginable pain				
median (IQR)	1 (0, 3)	0 (0, 3)	3 (0, 5) (n=30)	0.003
In general, how would you rate your physical health?				
A) Poor	10 (9.0%)	5 (6%)	5 (15%)	0.28
B) Fair	26 (23.4%)	20 (26%)	6 (18%)	
C) Good	48 (43.2%)	32 (41%)	16 (48%)	
D) Very good	20 (18.0%)	17 (22%)	3 (9%)	
E) Excellent	5 (4.5%)	4 (5%)	1 (3%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)	
median (IQR)	3 (2, 3)	3 (2, 4)	3 (2, 3)	
To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair				
A) Not at all	3 (2.7%)	2 (3%)	1 (3%)	0.015
B) A little	9 (8.1%)	4 (5%)	5 (15%)	
C) Moderately	18 (16.2%)	11 (14%)	7 (21%)	
D) Mostly	23 (20.7%)	14 (18%)	9 (27%)	
E) Completely	55 (49.5%)	47 (60%)	8 (24%)	
No answer	3 (2.7%)	0 (0%)	3 (9%)	
median (IQR)	5 (3, 5)	5 (4, 5)	4 (3, 5)	
How would you rate your fatigue on average?				
A) Very severe	3 (2.7%)	0 (0%)	3 (9%)	0.041
B) Severe	8 (7.2%)	4 (5%)	4 (12%)	
C) Moderate	35 (31.5%)	27 (35%)	8 (24%)	
D) Mild	46 (41.4%)	34 (44%)	12 (36%)	
E) None	16 (14.4%)	13 (17%)	3 (9%)	
No answer	3 (2.7%)	0 (0%)	3 (9%)	
median (IQR)	4 (3, 4)	4 (3, 4)	3.5 (3, 4)	

Table S12- Responses to components of Global Physical Health by time from SARS-CoV2 infection

Question	All N (111)	<6-months N (76)	>6-months N (35)	p-value
How would you rate your pain on average? 0 is no pain and 10 is the worst imaginable pain				
median (IQR)	1 (0, 3)	0 (0, 3)	3 (0, 4)	0.021
In general, how would you rate your physical health?				
A) Poor	10 (9.0%)	5 (7%)	5 (14%)	0.38
B) Fair	26 (23.4%)	19 (25%)	7 (20%)	
C) Good	48 (43.2%)	35 (46%)	13 (37%)	
D) Very good	20 (18.0%)	14 (18%)	6 (17%)	
E) Excellent	5 (4.5%)	2 (3%)	3 (9%)	
No answer	2 (1.8%)	1 (1%)	1 (3%)	
median (IQR)	3 (2, 3)	3 (2, 3)	3 (2, 4)	
To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?				
A) Not at all	3 (2.7%)	2 (3%)	1 (3%)	0.46
B) A little	9 (8.1%)	6 (8%)	3 (9%)	
C) Moderately	18 (16.2%)	10 (13%)	8 (23%)	
D) Mostly	23 (20.7%)	15 (20%)	8 (23%)	
E) Completely	55 (49.5%)	42 (55%)	13 (37%)	
No answer	3 (2.7%)	1 (1%)	2 (6%)	
median (IQR)	5 (3, 5)	5 (4, 5)	4 (3, 5)	
How would you rate your fatigue on average?				
A) Very severe	3 (2.7%)	0 (0%)	3 (9%)	0.14
B) Severe	8 (7.2%)	5 (7%)	3 (9%)	
C) Moderate	35 (31.5%)	26 (34%)	9 (26%)	
D) Mild	46 (41.4%)	33 (43%)	13 (37%)	
E) None	16 (14.4%)	11 (14%)	5 (14%)	
No answer	3 (2.7%)	1 (1%)	2 (6%)	
median (IQR)	4 (3, 4)	4 (3, 4)	4 (3, 4)	

Table S13- Responses to components of BCSS survey by hospitalization status and time from SARS-CoV2 infection							
Question	Overall n (111)	Non- hospitalized n (78)	Hospitalized n (33)	P- value	<6- months n (63)	>6- months N (35)	P- value
How much difficulty did you have breathing today?							
None - unaware of any difficulty	70 (63.1%)	55 (71%)	15 (45%)	0.11	51 (67%)	19 (54%)	0.50
Mild - noticeable when performing strenuous activity (eg, running)	29 (26.1%)	17 (22%)	12 (36%)		18 (24%)	11 (31%)	
Moderate - noticeable even when performing light activity (eg, bed making or carrying groceries)	10 (9.0%)	6 (8%)	4 (12%)		6 (8%)	4 (11%)	
Marked – noticeable when washing or dressing	0	0	0		0	0	
Severe – almost constant, present even when resting	0	0	0		0	0	
No answer	2 (1.8%)	0 (0%)	2 (6%)		1 (1%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 1)	1 (0, 1)	0.035	0 (0, 1)	0 (0, 1)	0.22
How was your cough today?							
No cough - unaware of coughing	75 (67.6%)	59 (76%)	16 (48%)	0.053	55 (72%)	20 (57%)	0.37
Rare - cough now and then	23 (20.7%)	12 (15%)	11 (33%)		14 (18%)	9 (26%)	
Occasional - less than hourly	9 (8.1%)	6 (8%)	3 (9%)		5 (7%)	4 (11%)	
Frequent - one or more times an hour	2 (1.8%)	1 (1%)	1 (3%)		1 (1%)	1 (3%)	
Almost constant – never free of cough or need to cough	0	0	0		0	0	
No answer	2 (1.8%)	0 (0%)	2 (6%)		1 (1%)	1 (3%)	
median (IQR)	0 (0, 1)	0 (0, 0)	0 (0, 1)	0.022	0 (0, 1)	0 (0, 1)	0.12
How much trouble did you have due to sputum today?							
None - unaware of any trouble	93 (83.8%)	68 (87%)	25 (76%)	0.33	67 (88%)	26 (74%)	0.18
Mild - rarely caused trouble	14 (12.6%)	8 (10%)	6 (18%)		7 (9%)	7 (20%)	
Moderate - noticeable trouble	2 (1.8%)	2 (3%)	0 (0%)		1 (1%)	1 (3%)	
Marked – caused a great deal of trouble	0	0	0		0	0	
Severe – almost constant trouble	0	0	0		0	0	

No answer	2 (1.8%)	0 (0%)	2 (6%)		1 (1%)	1 (3%)	
median (IQR)	0 (0, 0)	0 (0, 0)	0 (0, 0)	0.42	0 (0, 0)	0 (0, 0)	0.081

Table S14- Responses to smell, taste, and diarrhea questions by hospitalization status and time from SARS-CoV2 infection							
Question	Overall N (111)	Nonhospitalized N (78)	Hospitalized N (33)	P-value	<6- months N (76)	>6- months N (35)	P- value
This question is about your smell sensation today							
I smell things normal	85 (76.6%)	61 (78%)	24 (73%)	0.60	61 (80%)	24 (69%)	0.21
I smell things but my smell sensation is less than before my diagnosis of COVID19	12 (10.8%)	7 (9%)	5 (15%)		5 (7%)	7 (20%)	
I smell things but some things smell different than before my diagnosis of COVID19 or I sometimes smell things that are not there	8 (7.2%)	7 (9%)	1 (3%)		6 (8%)	2 (6%)	
I cannot smell anything	4 (3.6%)	3 (4%)	1 (3%)		3 (4%)	1 (3%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)		1 (1%)	1 (3%)	
This question is about your taste sensation today							
I taste food normal	85 (76.6%)	64 (82%)	21 (64%)	0.23	63 (83%)	22 (63%)	0.049
I taste things but my taste sensation is less than before my diagnosis of COVID19	8 (7.2%)	4 (5%)	4 (12%)		4 (5%)	4 (11%)	
I taste things but some food taste different than before my diagnosis of COVID19 or I sometimes taste things that I did not eat	14 (12.6%)	8 (10%)	6 (18%)		6 (8%)	8 (23%)	
I cannot taste food	2 (1.8%)	2 (3%)	0 (0%)		2 (3%)	0 (0%)	
No answer	2 (1.8%)	0 (0%)	2 (6%)		1 (1%)	1 (3%)	
This question is about your bowel movements over the last 2 weeks							
I have normal bowel movements	72 (64.9%)	52 (67%)	20 (61%)	0.68	49 (64%)	23 (66%)	1.00
I have diarrhea every once a week	10 (9.0%)	8 (10%)	2 (6%)		7 (9%)	3 (9%)	
I have diarrhea every few days	19 (17.1%)	12 (15%)	7 (21%)		13 (17%)	6 (17%)	
I have diarrhea every day	7 (6.3%)	6 (8%)	1 (3%)		5 (7%)	2 (6%)	

No answer	3 (2.7%)	0 (0%)	3 (9%)		2 (3%)	1 (3%)	
-----------	----------	--------	--------	--	--------	--------	--